

YTELSESERKLÆRING

Nr: DoP-220440-EUS2 [NO]



Varetypens unike identifikasjonskode: ESSVE Betongskrue EUS2 A4

ESSVE Betongskrue EUS2 A4
ESSVE Betongskrue EUS2 HCR

Produsent: ESSVE Produkter AB BOX 7091 164 07 Kista Sweden

| Europeisk teknisk bedømmelse (ETA) | Tilsiktet bruksområde | Ytre diameter og (bor) dimensjon [mm] | Artikkelnummer |
|--|--|---|--|
| | Single anchor or anchor groups for use in structural applications under static or quasi-static actions in cracked and uncracked | 7,5(6) | |
| ETA-22/0440 (2022-11-09) | concrete. Resistance to Fire for all dimensions and embedment depths | 10,5(8) | Alle artikkelnummer i produktgruppen er dekket av ETA. |
| | Seismic resistance C1 for certain embedment depths (see ETA Table 3) | 12,5(10) | OV LIA. |

| Europeisk teknisk bedømmelse (ETA) | System for vurdering og verifikasjon av byggevarers ytelser (AVCP) | Europeisk bedømmelsesdokument | Teknisk bedømmelsesorgan (TAB) | Teknisk(e) kontrollorgan (NB) |
|--|---|----------------------------------|--|-------------------------------------|
| ETA-22/0440 (2022-11-09) | 1 | EAD 330232-01-0601, (2021-05) | Deutsches Institut für Bautechnik (DIBt) | 2873 (FPC) |



YTELSESERKLÆRING Nr: DoP-220440-EUS2 [NO]



| Europeisk teknisk bedømmelse (ETA) | Egenskap | Ytelse |
|--|---|--|
| | Characteristic resistance to tension load (static and quasi-static loading) | ETA-22/0440 Annex B4, Annex C1, Annex C2 |
| | Characteristic resistance to shear load (static and quasi-static loading) | ETA-22/0440 Annex C1, Annex C2 |
| | Displacements (static and quasi-static loading) | ETA-22/0440 Annex C5 |
| ETA-22/0440 (2022-11-09) | Characteristic resistance and displacements for seismic performance category C1 | ETA-22/0440 Annex C3 |
| | Reaction to fire | Class A1 |
| | Resistance to fire | ETA-22/0440 Annex C4 |
| | Durability | ETA-22/0440 Annex B1 |

Ytelser for denne byggevaren som er anført ovenfor, er i overensstemmelse med de angitte ytelsene. Denne ytelseserklæringen er utarbeidet i overensstemmelse med forordning (EU) nr. 305/2011 under produsentens eneansvar, som anført ovenfor.

Kista 2023-08-07

Underskrevet for produsenten og på dennes vegne:

Viktor Bukowski

Product Manager – Concrete Fasteners

[ETA attached as an appendix]





Approval body for construction products and types of construction

Bautechnisches Prüfamt

An institution established by the Federal and Laender Governments



European Technical Assessment

ETA-22/0440 of 9 November 2022

English translation prepared by DIBt - Original version in German language

General Part

Technical Assessment Body issuing the European Technical Assessment:

Trade name of the construction product

Product family to which the construction product belongs

Manufacturer

Manufacturing plant

This European Technical Assessment contains

This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of

Deutsches Institut für Bautechnik

ESSVE concrete screw EUS2 A4, EUS2 HCR

Mechanical fasteners for use in concrete

ESSVE Produkter AB Esbogatan 14 164 74 KISTA SCHWEDEN

ESSVE Plant no. 676

19 pages including 3 annexes which form an integral part of this assessment

EAD 330232-01-0601, Edition 05/2021



European Technical Assessment ETA-22/0440

Page 2 of 19 | 9 November 2022

English translation prepared by DIBt

The European Technical Assessment is issued by the Technical Assessment Body in its official language. Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and shall be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may only be made with the written consent of the issuing Technical Assessment Body. Any partial reproduction shall be identified as such.

This European Technical Assessment may be withdrawn by the issuing Technical Assessment Body, in particular pursuant to information by the Commission in accordance with Article 25(3) of Regulation (EU) No 305/2011.



European Technical Assessment ETA-22/0440

Page 3 of 19 | 9 November 2022

English translation prepared by DIBt

Specific Part

1 Technical description of the product

The ESSVE concrete screw EUS2 A4, EUS2 HCR is an anchor in size 6, 8 and 10 mm made of stainless steel. The anchor is screwed into a predrilled cylindrical drill hole. The special thread of the anchor cuts an internal thread into the member while setting. The anchorage is characterised by mechanical interlock in the special thread.

Product and product description are given in Annex A.

2 Specification of the intended use in accordance with the applicable European Assessment Document

The performances given in Section 3 are only valid if the anchor is used in compliance with the specifications and conditions given in Annex B.

The verifications and assessment methods on which this European Technical Assessment is based lead to the assumption of a working life of the anchor of at least 50 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

3 Performance of the product and references to the methods used for its assessment

3.1 Mechanical resistance and stability (BWR 1)

| Essential characteristic | Performance | | |
|--|-------------------------|--|--|
| Characteristic resistance to tension load (static and quasi-static loading) | See Annex B4, C1 and C2 | | |
| Characteristic resistance to shear load (static and quasi-static loading) | See Annex C1 and C2 | | |
| Displacements (static and quasi-static loading) | See Annex C5 | | |
| Characteristic resistance and displacements for seismic performance categorie C1 | See Annex C3 | | |

3.2 Safety in case of fire (BWR 2)

| Essential characteristic | Performance |
|--------------------------|--------------|
| Reaction to fire | Class A1 |
| Resistance to fire | See Annex C4 |

3.3 Aspects of durability linked with the Basic Works Requirements

| Essential characteristic | Performance |
|--------------------------|--------------|
| Durability | See Annex B1 |



European Technical Assessment ETA-22/0440

Page 4 of 19 | 9 November 2022

English translation prepared by DIBt

Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base

In accordance with European Assessment Document EAD No. 330232-01-0601 the applicable European legal act is: [96/582/EC].

The system to be applied is: 1

5 Technical details necessary for the implementation of the AVCP system, as provided for in the applicable European Assessment Document

Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited at Deutsches Institut für Bautechnik.

Issued in Berlin on 9 November 2022 by Deutsches Institut für Bautechnik

Dipl.-Ing. Beatrix Wittstock

Head of Section


beglaubigt:
Tempel




Product in installed condition

ESSVE concrete screw EUS2 A4, EUS2 HCR

- stainless steel A4
- high corrosion resistant steel HCR



e.g. ESSVE concrete screw with hexagon head and fixture



 d_0 = nominal diameter of drill hole

t_{fix} = thickness of fixture

d_f = diameter of clearance hole


h_{min} = minimum thickness of member


h_{nom} = nominal embedment depth

h₀ = depth of drill hole

h_{ef} = effective embedment depth

Filling washer (optional) to fill annular gap







ESSVE concrete screw EUS2 A4, EUS2 HCR

Product description

Product in installed condition

Annex A1



| Product descri | | | Annex A2 |
|----------------|---------------------|---|---------------------|
| ESSVE concrete | screw EUS2 A4, El | JS2 HCR | |
| | | | |
| | | Version with internal thread and he e.g. EUS2-I 6x55 M8/M10 | exagon drive |
| | | Version with hexagon drive and core.g. EUS2-E6 6x55 M8 SW10 | nnection thread |
| | | Version with countersunk head and e.g. EUS2-E6 6x55 M8 | l connection thread |
| | (SM) | Version with large pan head and TC e.g. EUS2-PL 8x80 TX40 | DRX drive |
| | (154) (2) (3) | Version with pan head and TORX die.g. EUS2-PS 8x80 TX40 | rive |
| | (154) (0) (0) | Version with countersunk head and e.g. EUS2-C 8x80 TX40 | l TORX drive |
| | (SA) | Version with hexagon head e.g. EUS2-H 8x80 SW13 | |
| | (154) (2) (2) | Version with washer, hexagon head e.g. EUS2-HF 8x80 SW13 TX40 | l and TORX drive |
| | OZ SAP | Version with washer and hexagon he.g. EUS2-HF 8x80 SW13 | nead |
| | 0 | Version with metric connection thr drive e.g. EUS2-E 8x105 M10 SW7 | ead and hexagon |



| _ | | le 1: | | | |
|----|-----|-------|-------|-----|------|
| 12 | n | יו בו | IV /I | 210 | rıal |
| 10 | L.J | L . | 1 V I | alt | ııaı |

| 1 01010 21 1110 | | | | | | |
|-----------------|--------------|---|---|----------------------|--|--|
| Part | Product name | Material | | | | |
| all turns as | EUS2 A4 | 1.4401; 1.4404; 1.4571; 1.4578 | | | | |
| all types | EUS2 HCR | 1.4529 | | | | |
| | | Nominal cha | Rupture | | | |
| Part | Product name | Yield strength f _{yk} [N/mm²] | Ultimate strength f _{uk} [N/mm²] | elongation A₅ [%] | | |
| all tupos | EUS2 A4 | 560 | 700 | ≤8 | | |
| all types | EUS2 HCR | 300 | 700 | ≥ 0 | | |

Table 2: Dimensions

| Anchor size | | | | 6 | | | 8 | | | 10 | | |
|-----------------------------|----------------|------------------|-----------------|---------|----|----|------|----|-----|------|----|--|
| Nominal | | h _{nom} | 1 ¹⁾ | 2 | 3 | 1 | 2 | 3 | 1 | 2 | 3 | |
| embedment dept | h | [mm] | 35 | 45 | 55 | 45 | 55 | 65 | 55 | 75 | 85 | |
| Screw length | ≤L | [mm] | | 500 | | | | | | | | |
| Core diameter | dĸ | [mm] | | 5,1 7,2 | | | | | 9,2 | | | |
| Thread outer diameter | d _s | [mm] | | 7,6 | | | 10,5 | | | 12,5 | | |
| Thickness of filling washer | t _v | [mm] | | 5 | | | 5 | | | 5 | | |

only for statically indeterminate non-structural systems (multiple use) according to EN 1992-4:2018, only in dry internal conditions

Marking:

EUS2 A4


Identification code:TSMScrew size:10Screw length:100Material:A4



Identification code:TSMScrew size:10Screw length:100Material:HCR







ESSVE concrete screw EUS2 A4, EUS2 HCR

Product description

Material, dimensions and markings

Annex A3



Specification of Intended use

Table 3: Anchorages subject to

| EUS2 concrete screw size | | | 6 | | 8 | | | 10 | | |
|------------------------------------|------|----------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Nominal embedment h _{not} | | h _{nom1} 1) | h _{nom2} | h _{nom3} | h _{nom1} | h _{nom2} | h _{nom3} | h _{nom1} | h _{nom2} | h _{nom3} |
| depth | [mm] | 35 | 45 | 55 | 45 | 55 | 65 | 55 | 75 | 85 |
| Static and quasi-static loads | | | | All -: | | 11 1 | | | | |
| Fire exposure | | | | All SIZE | es and a | ll embe | ament | aeptns | | |
| C1 category - seismic | | х | ok | ok | ok | х | ok | ok | Х | ok |

only for statically indeterminate non-structural systems (multiple use) according to EN 1992-4:2018, only in dry internal conditions

Base materials:

- Compacted reinforced and unreinforced concrete without fibers according to EN 206:2013.
- Strength classes C20/25 to C50/60 according to EN 206:2013.
- Cracked and uncracked concrete.

Use conditions (Environmental conditions):

- Concrete screws subject to dry internal conditions: all screw types.
- For all other conditions corresponding to corrosion resistance classes CRC according to EN 1993-1-4:2006 + A1:2015
 - Stainless steel according to Annex A3, screw with marking A4: CRC III
 - High corrosion resistant steel according to Annex A3, screw with marking HCR: CRC V

| ESSVE concrete screw EUS2 A4, EUS2 HCR | |
|--|----------|
| Intended use | Annex B1 |
| Specification | |

x no performance assessed



Specification of Intended use - continuation

Design:

- Anchorages are to be designed under the responsibility of an engineer experienced in anchorages and concrete work.
- Verifiable calculation notes and drawings are to be prepared taking account of the loads to be anchored. The position of the anchor is indicated on the design drawings (e.g. position of the anchor relative to reinforcement or to supports, etc.).
- Anchorages are designed according to EN 1992-4:2018 and EOTA Technical Report TR 055, Edition February 2018.

The design for shear load according to EN 1992-4:2018, Section 6.2.2 applies for all specified diameters d_f of clearance hole in the fixture in Annex B3, Table 4.

Installation:

- Hammer drilling or hollow drilling. Hollow drilling only for size 8-10.
- Anchor installation carried out by appropriately qualified personnel and under the supervision
 of the person responsible for technical matters on site.
- In case of aborted hole: new drilling must be drilled at a minimum distance of twice the depth of aborted hole or closer, if the aborted hole is filled with high strength mortar and only if the hole is not in the direction of the oblique tensile or shear load.
- After installation further turning of the anchor must not be possible. The head of the anchor is supported in the fixture and is not damaged.
- The borehole may be filled with injection mortar CF-T 300V or ATA 2004C.
- Adjustability according to Annex B6 for sizes 6-10.
- Cleaning of borehole is not necessary, if using a hollow drill.

ESSVE concrete screw EUS2 A4, EUS2 HCR

Intended use
Specification continuation

Annex B2



| Tab | le 4: | Instal | lation | parameters |
|-----|-------|--------|--------|------------|
|-----|-------|--------|--------|------------|

| EUS2 concrete screw size | | | 6 | | | 8 | | | 10 | | |
|--|--------------------|------------------|----------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Nominal embedment depth | | h _{nom} | h _{nom1} 1) | h _{nom2} | h _{nom3} | h _{nom1} | h _{nom2} | h _{nom3} | h _{nom1} | h _{nom2} | h _{nom3} |
| | | [mm] | 35 | 45 | 55 | 45 | 55 | 65 | 55 | 75 | 85 |
| Nominal drill hole diameter | d ₀ | [mm] | | 6 | | | 8 | | | 10 | |
| Cutting diameter of drill bit | d _{cut} ≤ | [mm] | | 6,40 | | | 8,45 | | | 10,45 | |
| Depth of drill hole | h ₀ ≥ | [mm] | 40 | 50 | 60 | 55 | 65 | 75 | 65 | 85 | 95 |
| Clearance hole diameter | d _f ≤ | [mm] | | 8 | | | 12 | | | 14 | |
| Installation torque (version with connection thread) | Tinst | [Nm] | | 10 | | | 20 | | | 40 | |
| Torque impact screw driver | | Г1 | Ma | ax. torq | ue acco | ording t | o manı | ufacture | er's inst | truction | าร |
| Torque impact screw driver | | [-] | | 160 | | | 300 | | 450 | | |

1) only for statically indeterminate non-structural systems (multiple use) according to EN 1992-4:2018, only in dry internal conditions

ho

ho

hef

ESSVE concrete screw EUS2 A4, EUS2 HCR

Intended use Installation parameters

Annex B3



Table 5: Minimum thickness of member, minimum edge distance and minimum spacing

| EUS2 concrete screw size | | | | 6 | | | 8 | | | 10 | | |
|-----------------------------|--|------|----------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|--|
| Naminal ambadment | Nominal embedment depth h _{non} | | h _{nom1} 1) | h _{nom2} | h _{nom3} | h _{nom1} | h _{nom2} | h _{nom3} | h _{nom1} | h _{nom2} | h _{nom3} | |
| Nominal embedment | ueptn | [mm] | 35 | 45 | 55 | 45 | 55 | 65 | 55 | 75 | 85 | |
| Minimum thickness of member | h _{min} | [mm] | 80 | 80 | 100 | 80 | 100 | 120 | 100 | 130 | 130 | |
| Minimum edge distance | C _{min} | [mm] | 35 | 35 | 35 | 35 | 35 | 35 | 40 | 40 | 40 | |
| Minimum spacing | S _{min} | [mm] | 35 | 35 | 35 | 35 | 35 | 35 | 40 | 40 | 40 | |


only for statically indeterminate non-structural systems (multiple use) according to EN 1992-4:2018, only in dry internal conditions

ESSVE concrete screw EUS2 A4, EUS2 HCR

Intended use
Minimum thickness of member, minimum edge distance and minimum spacing

Annex B4










Installation Instructions - Adjustment


1. Adjustment




2. Adjustment










with the fixture



Note:

The fastener can be adjusted maximum two times. The total allowed thickness of shims added during the adjustment process is 10mm. The final embedment depth after adjustment process must be larger or equal than h_{nom} .

ESSVE concrete screw EUS2 A4, EUS2 HCR

Intended use


Installation instructions - Adjustment

Annex B6




Installation Instructions - Filling annular gap


Positioning of fixture and filling washer




After preparing borehole (Annex B5, figure 1+2), position first fixture (1), than filling washer (2)




or torque wrench





Filling the annular gap



Note:

For seismic loading the installation with filled and without filled annular gap is approved. Differences in performance can be found in Annex C3.

ESSVE concrete screw EUS2 A4, EUS2 HCR

Intended use

Installation instructions – Filling annular gap

Annex B7



| Table 6: Charac | teristic v | alues | for sta | atic and | l quasi | -static | loadii | ng | | | | |
|--|------------|--------------------------------|------------------|----------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| EUS2 concrete se | crew size | | | | 6 | | | 8 | | | 10 | |
| Nominal embedm | ent depth | | h _{nom} | h _{nom1} 1) 35 | h _{nom2} | h _{nom3} | h _{nom1} | h _{nom2} | h _{nom3} | h _{nom1} | h _{nom2} | h _{nom3} |
| Stool failure for t | tonsion as | ad char | | | 43 | - 33 | 43 | 33 | 03 | 33 | /3 | 65 |
| Steel failure for to Characteristic ten | | N _{Rk,s} | [kN] | ung | 14,0 | | 27,0 | | | 45,0 | | |
| Partial factor | sion load | YMs,N | [-] | | 14,0 | | | 1,5 | | | 43,0 | |
| Characteristic she | ar load | V ⁰ _{Rk,s} | [kN] | | 7,0 | | 13 | 3,5 | 17,0 | 22,5 | 34 | ,0 |
| Partial factor | | γMs,V | [-] | | -,, | | | 1,25 | 17,0 | | | ,,, |
| Ductility factor | | k ₇ | [-] | | | | | 0,8 | | | | |
| Characteristic ber | nding | M ⁰ Rk,s | | | 10,9 | | | 26,0 | | | 56,0 | |
| Pull-out failure in uncracked concrete | | | | | | | | | | | | |
| Characteristic tension load C20/25 | | N _{Rk,p} | [kN] | 3,5 ¹⁾ | 4,0 | 8,5 | 9,0 | 12,0 | 17,0 | 11,0 | 19,0 | 25,0 |
| | C25/30 | | | 1,08 | 1,12 | 1,09 | 1,12 | | 1,07 | 1,12 | | |
| Increasing | C30/37 | | , , | 1,15 | 1,22 | 1,17 | 1, | 22 | 1,13 | | 1,22 | |
| factor for $N_{Rk,p} = N_{Rk,p (C20/25)} \cdot \Psi_c$ | C40/50 | Ψ _c | [-] | 1,27 | 1,41 | 1,30 | 1, | 41 | 1,23 | | 1,41 | |
| ТЧКК,р (С20/25) * 1 с | C50/60 | | | 1,38 | 1,58 | 1,42 | 1, | 58 | 1,32 | | 1,58 | |
| Pull-out failure i | n cracked | concre | ete | | | | | | | | | |
| Characteristic ten load C20/25 | sion | N _{Rk,p} | [kN] | 2,5 ¹⁾ | 1,5 | 3,0 | 3,0 | 5,5 | 8,0 | 6,0 | 13,0 | 17,0 |
| | C25/30 | | | 1,10 | 1,08 | 1,12 | | 1,12 | | 1,12 | 1, | 09 |
| Increasing factor for N _{Rk,p} = | C30/37 | lw | , , | 1,18 | 1,15 | 1,22 | | 1,22 | | 1,22 | 1, | 17 |
| $N_{Rk,p}$ (C20/25) \cdot Ψ_c | C40/50 | Ψ_{c} | [-] | 1,32 | 1,27 | 1,41 | | 1,41 | | 1,41 | 1, | 31 |
| . τηκ,ρ (C20/25) | C50/60 | | | 1,45 | 1,38 | 1,58 | | 1,58 | | 1,58 | 1, | 43 |

only for statically indeterminate non-structural systems (multiple use) according to EN 1992-4:2018, only in dry internal conditions

Performances
Characteristic values for static and quasi-static loading

Annex C1



| Table 7. C | b a ra ata riatia v | م میام | ion ot | atic and | ~ | ctot: | a laad: | n | . + i | ion | | |
|------------------------|---------------------------|----------------------|-----------------------------------|---|-------------------|-------------------|-------------------|----------------------|-------------------|-------------------|-------------------|-------------------|
| | haracteristic v | alues i | or sta | auc and | | i-Stati | c loadi | | ıtımuai | lion | | |
| EUS2 conc | rete screw size | | | 6 | | | 8 | | | 10 | | |
| Nominal en | nbedment depth | | h _{nom} | h _{nom1} 1) | h _{nom2} | h _{nom3} | h _{nom1} | h _{nom2} | h _{nom3} | h _{nom1} | h _{nom2} | h _{nom3} |
| | | | [mm] | [mm] 35 45 55 45 55 65 55 75 85 | | | | | | | | 85 |
| Concrete fa | ailure: concrete | cone 1 | one failure and splitting failure | | | | | | | | | |
| Effective en depth | nbedment | h _{ef} | [mm] | 25 | 34 | 42 | 32 | 41 | 49 | 40 | 57 | 65 |
| k-factor | cracked | k _{cr} | [-] | | | | | 7,7 | | | | |
| K-Tactor | uncracked | k _{ucr} | [-] | | | | | 11,0 | | | | |
| Concrete | spacing | S _{cr,N} | [mm] | | | | · | 3 x h _{ef} | | | | |
| cone failure | edge distance | C _{cr,N} | [mm] | | | | 1 | ,5 x h _{ef} | | | | |
| Splitting | resistance | N ⁰ Rk,sp | [kN] | 3,5 ¹⁾ | 4,0 | 8,5 | 9,0 | 12,0 | 17,0 | 11,0 | 19,0 | 25,0 |
| failure | spacing | S _{cr,sp} | [mm] | 120 | 160 | 240 | 200 | 240 | 290 | 230 | 280 | 320 |
| case 1 | edge distance | C _{cr,sp} | [mm] | 60 | 80 | 120 | 100 | 120 | 145 | 115 | 140 | 160 |
| Splitting | resistance | N ⁰ Rk,sp | [kN] | 2) | 2,5 | 5,5 | 5,5 | 8,0 | 11,0 | 7,0 | 15,0 | 20,0 |
| failure | spacing | S _{cr,sp} | [mm] | 2) | 116 | 168 | 128 | 164 | 196 | 160 | 224 | 260 |
| case 2 | edge distance | C _{cr,sp} | [mm] | 2) | 58 | 84 | 64 | 82 | 98 | 80 | 114 | 130 |
| Pry-out fai | lure | | | | | | | | | | | |
| Factor for p | ry-out failure | k ₈ | [-] | 1,0 | 1, | ,6 | 2,1 | 2 | ,8 | | 2,5 | |
| Installation | factor | γinst | [-] | | | | | 1,0 | | • | | |
| Concrete e | | | | | | | | | | | | |
| Effective ler concrete | ngth in | I _f | [mm] | 35 | 45 | 55 | 45 | 55 | 65 | 55 | 75 | 85 |
| Nominal ou screw | Nominal outer diameter of | | [mm] | | 6 | | | 8 | | | 10 | |

only for statically indeterminate non-structural systems (multiple use) according to EN 1992-4:2018, only in dry internal conditions

| ESSVE concrete screw EUS2 A4, El | USZ | HCK |
|----------------------------------|-----|-----|
|----------------------------------|-----|-----|

Performances

Characteristic values for static and quasi-static loading continuation

Annex C2

²⁾ no performance assessed



| Table 8: Seismic category C1 – Characteristic load values (only EUS2-HF, EUS2-H, EUS2-C, |
|--|
| EUS2-E, EUS2-E6 ¹⁾ , EUS2-PS, EUS2-PL and EUS2-I ¹⁾) |

| I = | -, | | | - | 1 | | 1 . | | |
|--|---|------------------|--|--------------------------|-----------------------|-------------------|-------------------|-------------------|--|
| EUS2 concrete screw size | | (| 5 | 1 | 3 | 10 | | | |
| Nominal embedment depth | | h _{nom} | h _{nom2} | h _{nom3} | h _{nom1} | h _{nom3} | h _{nom1} | h _{nom3} | |
| | | [mm] | 45 | 55 | 45 | 65 | 55 | 85 | |
| Steel failure for tension and | d shear | load (v | version EUS2-HF, -H, -C, -E, -E6¹¹, -PL, -PS and -l¹¹) | | | | | | |
| Characteristic tension load | N _{Rk,s,C1} | [kN] | (N) 14,0 27,0 45,0 | | | | | | |
| Partial factor | γMs,N | [-] | | | 1 | ,5 | _ | | |
| Characteristic shear load EUS2-HF, -H, -E, -PS, -PL | V _{Rk,s,C1} | [kN] | 3,5 | 4,0 | 8,0 | 10,0 | 14,0 | 16,0 | |
| Characteristic shear load EUS2-C | $V_{Rk,s,C1}$ | [kN] | 2,5 | 2) | 4,5 | 7,0 | 14,0 | 10,0 | |
| Partial factor | γ _{Ms,V} | [-] | | | 1, | 25 | | | |
| Without filling of the annular gap ³⁾ | $lpha_{\sf gap}$ | [-] | | | 0, | ,5 | | | |
| With filling of the annular gap ⁴⁾ | $lpha_{\sf gap}$ | [-] | 1,0 | | | | | | |
| Pull-out failure (version EUS2 | 2-HF , -H, | -C, -E, -E | 6 ¹⁾ , -PS, -P | L and -I ¹⁾) | | | | | |
| Characteristic tension load in cracked concrete C20/25 | N _{Rk,p,C1} | [kN] | 1,5 | 3,0 | 3,0 | 8,5 | 6,0 | 17,0 | |
| Concrete cone failure (versi | on EUS2 | -HF , -H, | -C, -E, -E6 ¹⁾ | , -PS, -PL ar | nd -l ¹⁾) | | | | |
| Effective embedment depth | h _{ef} | [mm] | 34 | 42 | 32 | 49 | 40 | 65 | |
| Edge distance | C _{cr,N} | [mm] | | | 1,5 : | x h _{ef} | | | |
| Spacing | S _{cr,N} | [mm] | | | 3 x | h_{ef} | | | |
| Installation safety factor | γ_{inst} | [-] | | | 1 | ,0 | | | |
| Concrete pry-out failure (ve | ersion EU | JS2-HF, - | ·Н, -С, -Е, -F | PS and -PL) | | | | | |
| Factor for pry-out failure | ry-out failure k ₈ [-] 1,6 2,1 2,8 2,5 | | | | | | | ,5 | |
| Concrete edge failure (versi | on EUS2 | -HF <u>,</u> -H, | -C, -E <u>,</u> -PS a | nd -PL) | | | | | |
| Effective length in concrete | l _f | [mm] | 45 | 55 | 45 | 65 | 55 | 85 | |
| Nominal outer diameter of screw | d _{nom} | [mm] | - | 5 | 8 | 3 | 1 | 0 | |
| 1) only toncion load | | | | | | | | | |

¹⁾ only tension load

 $^{^{3)}}$ without filling of the annular gap according to annex B5 $^{4)}$ with filling of the annular gap according to annex B7

| ESSVE concrete screw EUS2 A4, EUS2 HCR | |
|---|----------|
| Performances Seismic category C1 – Characteristic load values | Annex C3 |

²⁾ no performance assessed



| EUS2 concrete scr | ew size | | | | 6 | | | 8 | | | 10 | |
|------------------------------|--------------|-------------------------------------|------------------|------------------------|-------|---------|---------|---------------------|-------|--------|---------|----|
| Nominal embedme | nt donth | | h _{nom} | 1 ¹⁾ | 2 | 3 | 1 | 2 | 3 | 1 | 2 | 3 |
| Nominal embedine | int depth | | [mm] | 35 | 45 | 55 | 45 | 55 | 65 | 55 | 75 | 85 |
| Steel failure for te | nsion and | shear load | | | | | | | | | | |
| | R30 | N _{Rk,s,fi30} | [kN] | | 0,9 | | | 2,4 | | | 4,4 | |
| | R60 | N _{Rk,s,fi60} | [kN] | | 0,8 | | | 1,7 | | | 3,3 | |
| | R90 | N _{Rk,s,fi90} | [kN] | | 0,6 | | | 1,1 | | | 2,3 | |
| | R120 | N _{Rk,s,fi120} | [kN] | | 0,4 | | | 0,7 | | | 1,7 | |
| characteristic Resistance | R30 | $V_{Rk,s,fi30}$ | [kN] | | 0,9 | | | 2,4 | | | 4,4 | |
| | R60 | V _{Rk,s,fi60} | [kN] | | 0,8 | | | 1,7 | | | 3,3 | |
| Resistance | R90 | V _{Rk,s,fi90} | [kN] | | 0,6 | | | 1,1 | | | 2,3 | |
| | R120 | V _{Rk,s,fi120} | [kN] | | 0,4 | | | 0,7 | | | 1,7 | |
| | R30 | M ⁰ _{Rk,s,fi30} | [Nm] | | 0,7 | | | 2,4 | | 5,9 | | |
| | R60 | M ⁰ Rk,s,fi60 | [Nm] | 0,6 | | 1,8 | | | 4,5 | | | |
| | R90 | M ⁰ _{Rk,s,fi90} | [Nm] | | 0,5 | | | 1,2 | | 3,0 | | |
| | R120 | M ⁰ Rk,s,fi120 | [Nm] | | 0,3 | | | 0,9 | | | 2,3 | |
| Pull-out failure | | | | | | | | | | | | |
| characteristic | R30-90 | $N_{Rk,p,fi}$ | [kN] | 0,6 | 0,4 | 0,8 | 0,8 | 1,4 | 2,0 | 1,5 | 3,3 | 4, |
| Resistance | R120 | $N_{Rk,p,fi}$ | [kN] | 0,5 | 0,3 | 0,6 | 0,6 | 1,1 | 1,6 | 1,2 | 2,6 | 3, |
| Concrete cone fail | ure | | | | | | | | | | | |
| characteristic | R30-90 | N ⁰ _{Rk,c,fi} | [kN] | 0,5 | 1,2 | 2,0 | 1,0 | 1,9 | 2,9 | 1,7 | 4,2 | 5, |
| Resistance | R120 | N ⁰ _{Rk,c,fi} | [kN] | 0,4 | 0,9 | 1,6 | 0,8 | 1,5 | 2,3 | 1,4 | 3,4 | 4, |
| Edge distance | | | | | | - | - | - | - | - | - | |
| R30 - R120 | | C _{cr,fi} | [mm] | | | | | 2 x h _{ef} | : | | | |
| In case of fire attack | c from more | e than one s | ide, the | minir | num e | dge d | istanc | e shall | be ≥3 | 00mn | า. | |
| Spacing | | | | | | | | | | | | |
| R30 - R120 | | S _{cr,fi} | [mm] | | | | | 4 x h _{et} | 7 | | | |
| Pry-out failure | | | | | | | | | | | | |
| R30 - R120 | | [-] | 1,0 | 1, | ,6 | 2,1 | 2 | ,8 | | 2,5 | | |
| The anchorage dept | th has to be | increased f | or wet | concre | te by | at leas | st 30 n | nm co | mpare | d to t | he give | en |

only for statically indeterminate non-structural systems (multiple use) according to EN 1992-4:2018, only in dry internal conditions

| ESSVE concrete screw EUS2 A4, EUS2 HCR | |
|--|----------|
| Performances Fire exposure – characteristic values of resistance | Annex C4 |

 Z68054.22
 8.06.01-152/22



| Table 10: Disp | nlacements | under stati | c and duas | si-static t | ension l | oad |
|----------------|---------------|-------------|------------|-------------|----------|-----|
| TUDIC TO. DIS | piaccificitis | anaci stati | c and qua | JI JUGUL U | CHOICH I | ouu |

| EUS2 concrete screw size | | | | 6 | | 8 | | | 10 | | |
|--|--------------|----------------------|------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Nominal embedment depth $\frac{h_{nom}}{[mm]}$ | | | h _{nom} | h _{nom2} | h _{nom3} | h _{nom1} | h _{nom2} | h _{nom3} | h _{nom1} | h _{nom2} | h _{nom3} |
| | | | [mm] | 45 | 55 | 45 | 55 | 65 | 55 | 75 | 85 |
| Cracked concrete | tension load | N | [kN] | 0,72 | 1,45 | 1,63 | 2,74 | 4,06 | 3,04 | 6,22 | 8,46 |
| | displacement | δ_{NO} | [mm] | 0,19 | 0,27 | 0,27 | 0,53 | 0,45 | 0,26 | 0,58 | 0,61 |
| | | δ_{N^∞} | [mm] | 0,55 | 0,84 | 0,49 | 0,66 | 0,61 | 0,69 | 0,92 | 1,1 |
| | | | | | | | | | | | |
| Uncracked concrete | tension load | N | [kN] | 2,11 | 4,07 | 4,24 | 5,97 | 8,03 | 5,42 | 9,17 | 12,28 |
| | displacement | δ_{NO} | [mm] | 0,42 | 0,43 | 0,33 | 0,49 | 0,58 | 0,84 | 0,62 | 0,79 |
| | | δ_{N^∞} | [mm] | 0,42 | 0,43 | 0,58 | | 0,79 | | | |

Table 11: Displacements under static and quasi-static shear load

| EUS2 concrete screw size | | | | 6 | | 8 | | | 10 | | |
|--|--------------|-----------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|----|
| Nominal embedment depth $\frac{h_{nom}}{[mm]}$ | | | h _{nom2} | h _{nom3} | h _{nom1} | h _{nom2} | h _{nom3} | h _{nom1} | h _{nom2} | h _{nom3} | |
| | | | [mm] | 45 | 55 | 45 | 55 | 65 | 55 | 75 | 85 |
| Cracked and uncracked concrete | shear load | ٧ | [kN] | 3,3 | | 8,6 | | | 16,2 | | |
| | displacement | $\delta_{	extsf{V0}}$ | [mm] | 1,55 | | 2,7 | | | 2,7 | | |
| | | δ_{V^∞} | [mm] | 3,1 | | 4,1 | | | 4,3 | | |

ESSVE concrete screw EUS2 A4, EUS2 HCR

Performances

Displacements under static and quasi-static loads

Annex C5