

RISE Research Institutes of Sweden AB RISE Certifiering Box 553 SE-37123 Karlskrona Sweden

Tel: +46 10 516 63 00 Web: www.ri.se/eta Mail: certifiering@ri.se





European Technical Assessment

ETA 12/0257 of 14/12/2017

General Part

Trade name of the construction product

RISE Research Institutes of Sweden AB

Golden Anchor

Product family to which the construction product belongs

Torque-controlled expansion anchor of sizes M8, M10, M12 and M16 for use in non-cracked concrete

ManufacturerEssve Produkter ABEsbogatan 14SE-164 74 Kista, Sweden

www.essve.se

Manufacturing plant(s) Essve Produkter AB plant no 369

This European Technical Assessment contains 8 pages including 5 Annexes which form an integral part of this assessment.

This European Technical Assessment is issued in accordance with regulation (EU) No 305/2011, on the basis of

This ETA is a corrigendum to

European Assessment Document 330232-00-0601, edition October 2016.

ETA 12/0257 issued on 04/12/2017

Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and should be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may be made with the written consent of the issuing Technical Assessment Body. Any partial reproduction has to be identified as such.

1 Technical description of the product

The Golden Anchor is an anchor made of electro-galvanized steel or hot dip galvanized steel with one sleeve which is placed into a drilled hole and anchored by torque-controlled expansion. It is available in sizes of M8, M10, M12 and M16.

The installation data is shown in the figure in Annex 3.

2 Specification of the intended use(s) in accordance with the applicable European Assessment Document (hereinafter EAD)

The anchor is intended to be used for making structural fixings into concrete.

The anchor is for use only in structures of reinforced or unreinforced, non-cracked normal-weight concrete with a strength class in the range of C20/25 to C50/60 in accordance with EN 206:2000, and in dry, internal conditions and for anchorages subject to static or quasi-static loading.

The provisions made in this European Technical Assessment are based on an assumed working life of the anchor of 50 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

3 Performance of the product and references to the methods used for its assessment

3.1 Essential characteristics and their performance

		Characteristic	Performance
BWR 1	Mechanical resistance	Characteristic resistance	See Annex 4 and 5
	and stability	Durability	See Annex 2
BWR 2	Safety in case of fire	Reaction to fire	Class A1

4 Assessment and verification of constancy of performance (hereinafter AVCP) system applied, with reference to its legal base

According to the decision 96/582/EC, of the European Commission the system of assessment and verification of constancy of performance (see Annex V to the regulation (EU) No 305/2011) to be applied is 1.

5 Technical details necessary for the implementation of the AVCP system, as provided for in the applicable EAD

Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited at RISE Research Institutes of Sweden AB.

Issued in Borås on 14.12.2017 By RISE Research Institutes of Sweden AB

> Johan Åkesson Certification Manager

Annexes



Example of marking


SV M12/15

Marking Designation

SV Identification of producer

M12 Nominal diameter

The maximum thickness of the fixture



Product and intended use Essve Golden Anchor Annex 1
of European Technical Assessment
ETA-12/0257

Table 1 Dimensions

				M8	M10	M12	M16
	Nominal diameter	d_{nom}	(mm)	8	10	12	16
	Neck diameter	ds	(mm)	5,8	7,8	9,3	12,8
Dalk	Fixture thickness	t _{fix} max	(mm)	35	140	150	160
Bolt	Thread length	l _g min	(mm)	39	45	54	67
		I _g max	(mm)	80	200	210	240
	Total length	l min	(mm)	75	90	110	150
	Totariengtii	I max	(mm)	150	250	300	350
Expansion sleeve	Length	Is	(mm)	11,0	13,4	16,5	18,0
Flange nut	Diameter	d _u	(mm)	17	21	25	34






Table 2 Materials


Part	Designation	Material	Coating
1	Bolt	Cold formed carbon steel, f _{uk} min.	Electroplated 5 μm
		500 MPa, f _{yk} min. 400 MPa	Hot dip galvanized 25 μm
2	Expansion sleeve	Stainless steel A2 in accordance with EN 10088	
3	Flange nut	Grade 8 in accordance with ISO	Electroplated 5 μm
		898-2	Hot dip galvanized 25 μm

Materials and dimensions of anchors	Annex 2
Essve Golden Anchor	of European Technical Assessment ETA-12/0257

Table 3	Installation data	١

				M8	M10	M12	M16
Nominal drill hole diameter	d_0		(mm)	8	10	12	16
Cutting diameter of drill bit	d_{cut}	≤	(mm)	8,45	10,45	12,5	16,5
Torque moment	T_{inst}		(Nm)	23	35	55	120
Depth of drill hole	h ₁	≥	(mm)	70	90	100	130
Anchor embedment depth	h_{nom}		(mm)	66	84	96	117
Effective anchorage depth	h_{ef}		(mm)	55	70	80	95
Diameter of clearance hole in fixture	d_f		(mm)	9	12	14	18
Member thickness	h _{min}	≥	(mm)	110	160	160	230
Spacing	S _{min}		(mm)	50	60	70	90
	S _{cr}	≥	(mm)	165	210	240	285
Edge distance	C _{min}		(mm)	40	50	60	80
	C _{cr}	≥	(mm)	83	105	120	143

s_{min} Minimum allowable spacing



Installation data
Essve Golden Anchor

Annex 3
of European Technical Assessment
ETA-12/0257

 $[\]ensuremath{s_{cr}}$ Spacing for ensuring the transmission of the characteristic resistance of a single anchor

c_{min} Minimum allowable edge distance

 $s_{cr} \hspace{0.5cm} \mbox{Edge distance}$ for ensuring the transmission of the characteristic resistance of a single anchor

 Table 4
 Characteristic values of resistance to tensile loads

			M8	M10	M12	M16
Steel failure						
Characteristic resistance	$N_{Rk,s}$	(kN)	13,2	23,9	34,0	64,4
Partial safety factor	Yмs			1	,5	
Pull-out failure						
Characteristic resistance in non- cracked concrete C20/25 to C50/60	$N_{{\scriptscriptstyle Rk},p}$	(kN)	16	16	30	40
	Y 2		1	1,4		,0
Partial safety factors	$m{Y}_{Mp}$			1	,5	
Concrete cone failure and splittin	g failure					
Effective anchorage depth	h_{ef}	(mm)	55	70	80	95
Spacing	S _{cr,N}	(mm)	3∙h _{ef}			
opucing .	$\mathbf{s}_{cr,sp}$ (mm) $6 \cdot h_{ef}$					
Edge distances	C _{cr,N}	(mm)	1,5⋅h _{ef}			
Luge distances	C _{cr,sp}	(mm)		3.	h _{ef}	
Partial safety factors	Y 2		1	,4	1	,0
i ai dai saicty factors	$\gamma_{Mc} = \gamma_{M,sp}$			1	,5	

Table 5 Displacements under tension loads

			M8	M10	M12	M16
Tension load in non-cracked concrete C20/25 to C50/60		(kN)	7,6	7,6	14,3	19,0
Displacement	$\delta_{\scriptscriptstyle { m NO}}$	(mm)	0,3		1,6	
	$\delta_{N\infty}$	(mm)	2,1		2,9	

Characteristic values of resistance to tensile loads;	Annex 4
displacements (design method A)	of European Technical
Essve Golden Anchor	Assessment ETA-12/0257

Table 6 Characteristic values of resistance to shear loads

			M8	M10	M12	M16
Steel failure without lever arm						
Characteristic resistance	$V_{Rk,s}$	(kN)	9,2	14,5	21,1	39,2
Partial safety factor	Y Ms			1,2	25	

Steel failure with lever arm						
Characteristic resistance	$M_{Rk,s}$	(Nm)	18,8	37,3	65,5	165,8
Partial safety factor	Y Ms			1,2	25	

Concrete pryout failure			
Factor in Equation (5.6) of ETAG Annex C, 5.2.3.3	k	1,0	2,0
Partial safety factor	У мс		1,5

Concrete edge failure							
Effective length of anchor in shear loading	I _f	(mm)	55	70	80	95	
Diameter	d_{nom}	(mm)	8	10	12	16	
Partial safety factor	У мс			1,5			

Table 7 Displacements under shear loads

			M8	M10	M12	M16
Shear load in non-cracked concrete C20/25 to C50/60		kN	5,3	8,3	12,1	22,4
Displacement	$\delta_{\scriptscriptstyle extsf{VO}}$	(mm)	1,0			
	$\delta_{V_{\infty}}$	(mm)	1,5			

Characteristic values of resistance to shear loads; displacements (design method A)

Essve Golden Anchor

Annex 5
of European Technical
Assessment ETA-12/0257