



ETA-Danmark A/S  
Göteborg Plads 1  
DK-2150 Nordhavn  
Tel. +45 72 24 59 00  
Fax +45 72 24 59 04  
Internet [www.etadanmark.dk](http://www.etadanmark.dk)

Authorised and notified  
according to Article 29 of  
the Regulation (EU)  
No 305/2011 of the  
European Parliament and  
of the Council of 9 March  
2011

MEMBER OF EOTA



## European Technical Assessment ETA-07/0285 of 2019/05/23

I General Part

**Technical Assessment Body issuing the ETA and designated according to Article 29 of the Regulation (EU) No 305/2011: ETA-Danmark A/S**

**Trade name of the construction product:**

Simpson Strong-Tie Hold Downs & Post Bases

**Product family to which the above construction product belongs:**

Three-dimensional nailing plate (timber to timber and timber to concrete/steel hold downs and post bases)

**Manufacturer:**

SIMPSON STRONG-TIE Int. Ltd  
For local branch refer to [www.strongtie.eu](http://www.strongtie.eu)

**Manufacturing plant:**

SIMPSON STRONG-TIE Manufacturing facilities

**This European Technical**

150 pages including 4 annexes which form an integral part of the document

**This European Technical Assessment is issued in accordance with Regulation (EU)**

Guideline for European Technical Approval (ETAG) No. 015 Three Dimensional Nailing Plates, April 2013, used as European Assessment Document (EAD).

**This version replaces:**

The ETA with the same number and issued on 2018-06-12

**INDEX**

<b>II</b>	<b>SPECIFIC PART OF THE EUROPEAN TECHNICAL ASSESSMENT .....</b>	<b>5</b>
1	TECHNICAL DESCRIPTION OF PRODUCT AND INTENDED USE .....	5
2	SPECIFICATION OF THE INTENDED USE IN ACCORDANCE WITH THE APPLICABLE EAD.....	5
3	PERFORMANCE OF THE PRODUCT AND REFERENCES TO THE METHODS USED FOR ITS ASSESSMENT.....	7
3.1	<i>Mechanical resistance and stability*) (BWR1)</i> .....	7
3.2	<i>Safety in case of fire (BWR2)</i> .....	7
3.7	<i>Sustainable use of natural resources (BWR7)</i> .....	7
3.8	<i>General aspects related to the performance of the product</i> .....	7
3.9	<i>Safety principles and partial factors</i> .....	8
3.10	<i>Mechanical resistance and stability</i> .....	8
3.11	<i>Aspects related to the performance of the product</i> .....	9
3.12	<i>General aspects related to the fitness for use of the product</i> .....	9
4	ATTESTATION AND VERIFICATION OF CONSTANCY OF PERFORMANCE (AVCP) .....	11
4.1	<i>AVCP system</i> .....	11
5	TECHNICAL DETAILS NECESSARY FOR THE IMPLEMENTATION OF THE AVCP SYSTEM, AS FORESEEN IN THE APPLICABLE EAD .....	11
	<b>ANNEX A: REVISION HISTORY .....</b>	<b>12</b>
	TABLE WITH THE PRODUCT NAMES AND ALTERNATIVE NAMES .....	14
	<b>ANNEX B TYPICAL INSTALLATION .....</b>	<b>15</b>
	B1 TYPICAL INSTALLATION POST BASES.....	15
	B2 TYPICAL INSTALLATION OF STEEL COLUMN.....	16
	<b>ANNEX C BASIS OF DESIGN .....</b>	<b>18</b>
	C0 SYMBOLS USED IN THE ETA-07/0285.....	18
	C1 DESIGN BASIS - GENERAL.....	18
	C2 DEFINITION OF FORCE DIRECTIONS.....	20
	<i>C2a Force directions for post bases</i> .....	20
	<i>C2b Forces directions for hold downs</i> .....	21
	C3 FASTENERS .....	23
	<b>ANNEX D PRODUCT DEFINITION AND CAPACITIES.....</b>	<b>24</b>
	<b>POST BASES .....</b>	<b>24</b>
	D1: ABE.....	24
	D2: ABW .....	25
	D3: APB100-150.....	27
	D4: APB7090/100.....	28
	D5: APR110-150.....	29
	D6: CMR & CMS.....	30
	D7: CPB & CPS .....	32
	D8: CPT .....	34
	D9: FPB.....	36
	D10: PB3B PB3C.....	37
	D11: PBH.....	38
	D12: PBLR.....	39
	D13: PBP60 - 50.....	40
	D14: PBS.....	41
	D15: PGS .....	42
	D16: PI.....	44
	D17: PIBA.....	45
	D18: PIL.....	46
	D19: PIS / PISB / PISMAXI / PISBMAXI.....	47
	D24: PJPS / PJPB / PJIS / PJIB.....	49

D20: PL .....	52
D21: PLPP180.....	54
D22: PLS & PLB.....	55
D23: PP & PPL.....	57
D24: PPA & PBL .....	58
D25: PPB & PPS80 .....	59
D26: PPD .....	60
D27: PPMINI .....	63
D28: PPR.....	64
D29: PPRB .....	65
D30: PPRC.....	66
D31: PPRIX .....	67
D32: PPS & PPSDT .....	68
D33: PPSP.....	70
D34: PPSR320 .....	71
D35: PPUP .....	72
D36: PU / EMBU .....	73
D37: PUA.....	74
D38: PVD / PVDB / PVI / PVIB .....	76
D39: TPB .....	78
D40: PP18 .....	80
D41: PLO1 .....	82
D42: PBW .....	84
<b>COLUMN .....</b>	<b>86</b>
D50: OSP & OSPS .....	86
<b>HOLD DOWNS .....</b>	<b>111</b>
D60: AH.....	111
D61: AKR .....	115
D62: BETA .....	126
D63: HD TENSION TIE .....	128
D64: HD2P.....	131
D65: HD3B .....	136
D66: HD5A.....	137
D67: HE .....	138
D68: HTT & LTT .....	140
D69: MAH .....	146
D70: PROFA.....	148
D71: SCMF.....	150

Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and should be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full (excepted the confidential Annex(es) referred to above). However, partial reproduction may be made, with the written consent of the issuing Technical Assessment Body. Any partial reproduction has to be identified as such.

## II SPECIFIC PART OF THE EUROPEAN TECHNICAL ASSESSMENT

### 1 Technical description of product and intended use

#### Technical description of the product

The hold downs are one or more pieces, non-welded hold downs. They are intended for timber to timber, timber to concrete or timber to steel connections fastened by a range of nails, screws or bolts.

Post bases ABE, PBS and U-shoe are manufactured by pressing of galvanized steel plates. PBP60/50 is manufactured by pressing of raw steel. All other post bases are welded steel connectors.

The upper part e.g. a plate, a U-shaped plate or a vertical plate for embedment into the timber is fastened to the timber member with nails, screws, bolts or dowels.

The lower part of the post base is either a bar, a threaded rod, a tube or a plate for embedment into the support of concrete or a steel plate to be fastened by anchor bolts to the concrete support.

Posts OSP and OSPS are steel column made of a circular hollow tube with a plate welded at each end. These plates can be selected among 8 different available plates.

Steel quality, dimensions of the post bases, hole positions and corrosion protection are shown in Annex D.

The post bases and hold downs can also be produced from stainless steel type 1.4401 or type 1.4404 according to EN 10088-2 or a stainless steel with a minimum characteristic yield stress of 235 N/mm<sup>2</sup> or a minimum ultimate tensile strength of 330 N/mm<sup>2</sup>. Dimensions, hole positions, steel type and typical installations are shown in Annex B and D.

### 2 Specification of the intended use in accordance with the applicable EAD

The intended use of the post bases and the hold downs is to support timber structures or wood-based structural members to their support, where requirements for mechanical resistance and stability and safety in use in the sense of the Basic Works Requirements 1 and 4 of Regulation (EU)

305/2011 shall be fulfilled. Each connection shall be made with one post base.

The static and kinematic behaviour of the timber members or the supports shall be as described in Annex D.

The wood members can be of solid timber, glued laminated timber and similar glued members, or wood-based structural members with a characteristic density from 290 kg/m<sup>3</sup> to 420 kg/m<sup>3</sup>.

This requirement to the material of the wood members can be fulfilled by using the following materials:

- Solid timber classified to C14-C40 according to EN 338 / EN 14081
- Glued members of timber classified to C14-C40 according to EN 338 / EN 14081 when structural adhesives are used.
- Glued laminated timber classified to GL24c or better according to EN 1194 / EN 14080.
- Solid Wood Panels, SWP according to EN 13353.
- Laminated Veneer Lumber LVL according to EN 14374
- Plywood according to EN 636
- Oriented Strand Board, OSB according to EN 300
- Cross Laminated timber according to EN 16351

Annex C states formulas for the characteristic load-carrying capacity of the post bases and the hold down connections, which depend on the characteristic density of the timber employed.

For some of the connectors Annex D states the load-carrying capacities of the post bases and the hold down connections for a characteristic density of 350 kg/m<sup>3</sup>.

For timber or wood based material with a lower characteristic density than 350 kg/m<sup>3</sup> the load-carrying capacities shall be reduced by the  $k_{dens}$  factor:

$$k_{dens} = \left( \frac{\rho_k}{350} \right)$$

Where  $\rho_k$  is the characteristic density of the timber in kg/m<sup>3</sup>.

For timber or wood based material with a higher characteristic density than 350 kg/m<sup>3</sup> the load-carrying capacities shall be taken as that for 350 kg/m<sup>3</sup> unless detailed analyses are conducted.

The post bases down-load bearing capacities are given for timber which grain is parallel to the load axis unless other grain direction is stated.

The design of the connections shall be in accordance with Eurocode 5 or a similar national provision. The wood members shall have a thickness which is larger than the penetration depth of the nails into the members.

The hold downs are primarily for use in timber structures subject to the dry, internal conditions defined by service class 1 and 2 of Eurocode 5 and for connections subject to static or quasi-static loading.

The hold downs can also be used in outdoor timber structures, service class 3, when a corrosion protection in accordance with Eurocode 5 or coating ZM310 is applied, or when stainless steel with similar or better characteristic yield or ultimate strength is employed.

Post bases with a zinc coating Z275 according to EN 10346 or G90 according to ASTM A-653 are intended for use in service class 1 and 2 according to EN 1995 (Eurocode 5).

Post bases which are hot dipped galvanized according to EN ISO 1461:1999 with a zinc coating thickness of approximately 55  $\mu\text{m}$  or made from stainless steel according to EN 10088:2005 or sherardized according to EN 13811:2003 or electroplated zinc according to EN 1403 and EN ISO 2081 or coated with ZM310, allowing a use in external conditions are intended for use in service class 1,2 and 3 according to EN 1995 (Eurocode 5).

The hold downs may also be used for connections between a timber member and a support made from concrete blocks or similar.

The provisions made in this European Technical Assessment are based on an assumed intended working life of the connectors of 50 years.

The indications given on the working life cannot be interpreted as a guarantee given by the producer or Assessment Body, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

### 3 Performance of the product and references to the methods used for its assessment

Characteristic	Assessment of characteristic
<b>3.1 Mechanical resistance and stability*) (BWR1)</b>	
Characteristic load-carrying capacity	See Annex D
Stiffness	No performance assessed
Ductility in cyclic testing	No performance assessed
<b>3.2 Safety in case of fire (BWR2)</b>	
Reaction to fire	The post bases are made from steel classified as Euroclass A1 in accordance with EN 13501-1 and EC decision 96/603/EC, amended by EC Decision 2000/605/EC
<b>3.7 Sustainable use of natural resources (BWR7)</b>	No Performance Determined
<b>3.8 General aspects related to the performance of the product</b>	The post bases have been assessed as having satisfactory durability and serviceability when used in timber structures using the timber species described in Eurocode 5 and subject to the conditions defined by service class 1, 2 and 3
Identification	See Annex A

\*) See additional information in section 3.9 – 3.12.

### 3.9 Safety principles and partial factors

The characteristic load-carrying capacities have been calculated considering different ratios between the partial factors for timber connections and steel cross sections.

According to clause 6.3.5 of EN 1990 (Eurocode – Basis of structural design) the characteristic resistance for structural members that comprise more than one material acting in association should be calculated as

$$R_d = \frac{1}{\gamma_{M,1}} R \left\{ \eta_1 X_{k,1}; \eta_i X_{k,i(i>1)} \frac{\gamma_{m,1}}{\gamma_{m,i}}; a_d \right\}$$

where  $\gamma_{M,1}$  is the global partial factor for material 1 (in this case wood),  $\gamma_{m,1}$  is the partial factor on the material and  $\gamma_{m,i}$  are material partial factors for the other materials, i.e. the calculations are made with material parameters modified by multiplication by

$$k_{modi} = \gamma_{m,1} / \gamma_{m,i}$$

The characteristic load-carrying capacities for all product except OSP have been calculated considering a ratio between the partial factor for timber connections and steel / concrete cross sections.

$k_{modi} = 1.18$  for steel yield strength

$$\left( EC5: k_{modi.y} = \frac{1.30}{1.10} = 1.18 \right)$$

$k_{modi} = 1.04$  for steel ultimate strength

$$\left( EC5: k_{modi.u} = \frac{1.30}{1.25} = 1.04 \right)$$

$k_{modi} = 0,87$  for anchor bolt in concrete

$$\left( EC5: k_{modi.c} = \frac{1.30}{1.5} = 0.87 \right)$$

For  $k_{modi} > 1.18 / 1.04 / 0.87$  the load-carrying capacities stated in Annex B and D are valid (on the safe side).

For  $k_{modi} < 1.18 / 1.04 / 0.87$  the load-carrying capacities stated in Annex B have to be multiplied by a factor

$$k_{safe} = \frac{k_{modi.y}}{1.18} \text{ or } \frac{k_{modi.u}}{1.04} \text{ or } \frac{k_{modi.c}}{0.87}$$

### 3.10 Mechanical resistance and stability

See annex D for characteristic load-carrying capacity in the different force directions  $F_1$  to  $F_5$ .

The characteristic capacities of the post bases and the hold downs are determined by calculation assisted by testing as described in the EOTA Guideline 015 clause 5.1.2. They should be used for designs in accordance with Eurocode 5 or a similar national Timber Code.

#### Fastener

*Connector nails and screws in accordance with ETA-04/0013*

The load-carrying capacities of the post bases and the hold downs have been determined based on the use of connector nails 4.0x35, 4.0x40, 4.0x50, 4.0x60 or 4.0x75 in accordance with ETA-04/0013. It is allowed to use connector screws 5.0x35, 5.0x40, 5.0x50, 5.0x80, or connector nails 4.2x35, 4.2x50 or 4.2x60 in accordance with ETA-04/0013 with the same or better performance as the 4.0 mm connector nails and still achieve the same load-carrying capacity of the connection.

The capacity of a post base connection and a hold down connection with 4.0x50 connector nails in accordance with ETA-04/0013 can be calculated by linear interpolation between the capacities for 4.0x40 and 4.0x60 connector nails.

*Threaded nails in accordance with EN 14592*

The design model also allows the use of threaded nails in accordance with EN 14592 with a diameter in the range 4.0 – 4.2 mm and a minimum length of 35 mm, assuming a thick steel plat when calculating the lateral nail load-carrying capacity. If no calculations are made a reduction factor equal to the ratio between the characteristic withdrawal capacity of the actual used threaded nail and the characteristic withdrawal capacity of the corresponding connector nail according to table B1 in ETA-04/0013 is applicable for all load-carrying capacities of the connection.

*Other fasteners*

Further, for most hold downs, anchor bolts are assumed as fasteners to a reinforced concrete structure. For such hold downs it is stated at the tables with load-carrying capacities (Annex B) which characteristic capacities have been assumed for the bolt connection. Bolts to a steel structure with at least the same capacities can also be used.



## Stainless steel

For the post bases and the hold downs produced from stainless steel type 1.4401 or type 1.4404 according to EN 10088-4:2005 or a stainless steel with a minimum characteristic 0.2% yield stress of 240 N/mm<sup>2</sup>, a minimum 1.0% yield stress of 270 N/mm<sup>2</sup> and a minimum ultimate tensile strength of 530 N/mm<sup>2</sup> the characteristic load carrying capacities can be considered as the same as those published in this document subject to the use of stainless CNA connector nails or CSA connector screws covered by the ETA-04/0013 or stainless threaded nails or screws in accordance to the standard EN 14592 respecting the rules given in the paragraph "fasteners" above.

### 3.11 Aspects related to the performance of the product

*3.11.1 Corrosion protection in service class 1 and 2*  
In accordance with ETAG 015 the hold downs shall have a zinc coating weight of min. Z275. The steel employed is S250GD (S350GD) with min. Z275 according to EN 10346 and G90 SS Grade 33 according to ASTM A-653.

*3.11.2 Corrosion protection in service class 3*  
In accordance with Eurocode 5 the hold downs with a thickness of up to 3 mm shall be made from stainless steel. Hold downs with a thickness from 3 to 5 mm can be made from stainless steel or have a zinc coating of min. Fe/Zn 25c/Z350 according to ISO 2081/EN 10147. The nails or screws shall be produced from stainless steel or have a zinc coating of min. Fe/Zn 25c.

This requirement is fulfilled by post bases with a corrosion protection hot-dip galvanized of approximately 55 µm according to EN ISO 1461:1999 or stainless steel according to EN10088:2005 or electroplated zinc coating according to EN12329:2000 allowing a use of the product in external conditions or sherardizing according to EN 13811:2003. Alternatively, ZM310 can be used as corrosion protection in service class 3 for Post Bases and Hold Downs (applicable for all steel thicknesses).

### 3.12 General aspects related to the fitness for use of the product

The post bases and the hold downs are manufactured in accordance with the provisions of the European Technical Assessment using the automated manufacturing process laid down in the technical documentation.

The execution of the connection shall be in accordance with the manufacturers installation guide.

#### Hold downs

A hold down connection is deemed fit for use provided:

- The forces shall act on the timber members as described in Annex C.
- The timber member shall be free from wane under the nails in the vertical flap.
- The support shall be restrained against rotation.
- Nail or screw types and sizes shall be those mentioned in the tables of Annex D.
- The nails or screws shall be inserted without pre-drilling of the holes.
- There shall be nails or screws in the holes as prescribed in Annex D.
- There shall be no gap between the hold down connector and the timber member or the support, unless otherwise described
- The bolts shall have a diameter not less than the hole diameter minus 2 mm.
- The bolts shall have washers as specified in Annex C

#### Post bases

The stated type of fasteners for each post base has to be applied in applicable holes in the post base.

The installation instructions provided by the manufacturer stipulate:

- The primary structural member – the post member shown in typical installation page 16 or a beam member - to which the post bases are fixed shall be:
  - Restrained against rotation
  - Capable to transfer the force to the post bases as assumed.
  - Free from wane in areas in contact with the post base.
- The secondary structural member – the concrete support - to which the post bases are fixed shall be:
  - Made from concrete of at least strength class C16/20, unless other strength class is indicated in annex C of this ETA.
- To ensure sufficient capacity the designer has to take into account splitting of the timber.
- The timber member shall be free from wane.
- The timber section sizes shall be equal or superior to the horizontal plate in contact with

timber when contact is required (not appropriate for TPB).

- There shall be no gap between the timber and the horizontal contact area.
- Otherwise the gap between the timber member and the post base may not exceed 3 mm.
- There are no specific requirements relating to preparation of the timber members.

## **4 Attestation and verification of constancy of performance (AVCP)**

### **4.1 AVCP system**

According to the decision 97/638/EC of the European Commission<sup>1</sup>, as amended, the system(s) of assessment and verification of constancy of performance (see Annex V to Regulation (EU) No 305/2011) is 2+.

## **5 Technical details necessary for the implementation of the AVCP system, as foreseen in the applicable EAD**

Technical details necessary for the implementation of the AVCP system are laid down in the control plan deposited at ETA-Danmark prior to CE marking

Issued in Copenhagen on 2019-05-23 by



Thomas Bruun  
Managing Director, ETA-Danmark

**Annex A: Revision History**

<b>Modifications and additions to the previous versions of ETA-07/0285 (and ETA-07/0314 merged in v4.0)</b>	
<b>Issue No.</b>	<b>Update</b>
<b>ETA-07/0285 1.0</b>	First release
<b>ETA-07/0314 1.0</b>	First release
<b>ETA-07/0285 2.0</b>	Update of the dimensions C for post base type D/PPD.
	Update of the steel material of the tube for post bases PL, L and IL
	Update of the steel thickness of the tube of PPA post bases
	Add new post bases FPB, APB100/150, PBP60/50, CPB/CPS, PGS
	Update of coating for PPRB, PPRC, PBLR and APB7090/100
	Update of the steel material of the tube for PPRC and PBLR
	Update of the dimensions E2 and E3 for PPS230
	Add figures and ribbed bar diameter for PPSP post bases
	Update of the steel thickness of the tube of PBL post bases
	Add table 3 giving the factor to apply on characteristic values for use in service class 3
	Reduction of the resistance capacities for uplift load $F_{R2}$ next to the revision of the nails capacities according to the update of the ETA-04/0013 (valid from 2008-08-13 to 2013-08-13). Reduction occurs for the post bases D/PPD, L, LS, LB, vario D/PB, vario DB/PB, U-shoe, PPUP, PBS, ABE. Reduction occurs also for lateral load $H_{R1}$ for PPUP for the same reasons.
	Update of $H_{R1}$ values for post base I next to mistakes
	Reduction of the resistance capacities next to the revision of the steel properties of the tube for download $F_{R1}$ for the post bases PL, L, IL and lateral load $H_R$ for PL and IL
	Update of $H_{R2}$ values for post base vario IB next to mistakes
Update of the resistance capacities table for download $F_{R1}$ for PPR, PPRB and PPRC	
Add characteristic resistance capacities for new post bases FPB, APB100/150, PBP60/50, CPB, CPS and PGS.	
<b>ETA-07/0285 3.0</b>	Insert list with names and alternative names
	Insert stainless steel
	Insert PLPP180
	Modification of hole size and hole position for PPRIX
	Add steel quality for PPSP70 and PPSP90
	Add post bases PPSR320
	Add post base CMS
	Modification the calculation for service class 3
	Delete the size 90x60 and 100x60 in table for force direction $H_{R1}$ and $H_{R2}$
	Modification of values F1 for PJPS;PJPB, PJIS; PJIB,
	Modification of values F1 for PPSP70, PPSP90
	Add type PPSP320
	Add type CMS
Modification of the hole- $\emptyset$ in the bottom plates for types: PISB, PISBMAXI, PLB, PVDB, PVIB, PPB, PJPB, PJIB, PPMINI, APB7090, CPB From $\emptyset 11$ to 11/12mm, or from $\emptyset 13$ to 13/14mm, or from $\emptyset 17$ to 17/18mm	
Rename the types	
<b>ETA-07/0314 3.0</b>	Rename the index
	Add the new components of HD2P
	Add the characteristic capacities for the new components of HD2P

4.0	Merge of ETA-07/0314 and ETA-07/0385
	AKR – new values / nail pattern ; thickness 3,0mm added
	Add HD3B
	PPUP70/ PPUP90: modification of some sizes and the size of tube
	PPR, PPRB, APB : deletion of wood screwsØ12mm and anchor bolts
	PPD: modification of the values $F_{R2}$
	PL: modification of the values
	HD: modification of the hole diameter for the bolts ( $\emptyset$ of bolt + 2mm)
	HD: adding new sizes
	HD, BETA : modification the values to ( $R_{1,k} = A_{gross} \times 233N/mm^2$ )
	Add possibility for installation of some Hold Downs on a timber floor
	Add the new components of HD2P
	Add the characteristic capacities for the new components of HD2P
5.0	Add PU /EMBU
	Modification of load values of PIS/PISB/PISMAXI/PISBMAXI
	Add CPT
	Add ABW
	Add APR110/150
	Add PBH75 / PBH120
	AKR: add new size 205; adding new nail pattern
	AH16050: adding new load application table
	PPD: Add no. + size of nails, add min. concrete type, add load table for “C20”
	APB100/150: adjust name table
	PPRC: update Zinc coating
6.0	HD3B: include sizes into the drawing
	HE-anchor: adjust formula
	Ensure overall consistency of the ETA, changing all drawings, notations, tables
	Replace all modified characteristic capacities by characteristic capacities
	Add ZM310 as an alternative coating
	Add new post bases TPB, PIBA110/160, PB3B, PB3C
	Add new hold-downs HTT22E, HTT31, HD2P-U379S80, MAH, SCMF
	Add steel posts OSP, OSPS
	Add stiffness of HTT, HTT22 ductility class and values for HTT4&5 with washer
	Add stiffness of AKR
	Merge capacity tables of PPD
Change the geometry of plates of PPMini, update of the capacities	
Change the geometry of plates of PPA, PBL, PPSP130, PPUP, update of the capacities	
Update APB7090 capacities	
7.0	Update AH capacities
	Bottom plate holes of PISB160&260 changed from 13 to 14 mm
	Add nail pattern for AKR245/L
	Switch char capacity to a single formula depending on $k_{mod}$ for APB7090 FPB PBS PPA PPS PPSDT PPSP
	Add SP9 / SPS9 as top part for OSP / OSPS
	Add PPSDT170IX as new version of PPS170IX
	Add PLO1
	Add PP18/24B and PP18/24S
	Add PBW
	some small modifications and corrections
	HD2P, and: additional option for modification of hole pattern and sizes.
	HTT – adjustment of formula for Zyklop

## Table with the product names and alternative names

Alternative names are given for each product in annex D


The annexed "x" in the name of products is for the different size of products, the range is given in the Annex A.

It may be possible to add at the end of name following letter and/or combinations.


G	= galvanized
S or S2 or IX	= Stainless or Inox
HCR	= High Corrosion Resistant steel
Z	= ZM310 or other coating
-K	= Kit; incl. fasteners
-B	= without Barcode
-R	= Retail

## Annex B Typical Installation

### B1 Typical installation post bases




## B2 Typical installation of steel column





### B3 Typical installation hold down



## Annex C Basis of design

### C0 Symbols used in the ETA-07/0285

For the purpose of ETA-06/0270, the following symbols apply.

### C1 Design Basis - general

The design value of load-bearing capacity  $R_d$  are calculated from characteristic capacity  $R_k$  as following:

$$R_d = \frac{R_k \times k_{mod}}{\gamma_m}$$

with the material partial coefficient  $\gamma_m$  for wood and the load-duration factor  $k_{mod}$  is given in table 1 or 2, correspondent the service class

In some cases,  $R_k$  includes a  $k_{mod}^i$  factor, then the formula above is still valid.

For example:

Post-base CPT44Z characteristic capacity:  $R_{1,k} = 49.7 / k_{mod}^{0.5}$

The associated design value is:  $R_{1,d} = \frac{(49.7/k_{mod}^{0.5}) \times k_{mod}}{\gamma_m}$

Table 1 Factor  $k_{mod}$  for service class 1 and 2

Load duration class and $k_{mod}$ factors for service class 1 and 2				
P	L	M	S	I
Permanent	Long term	Medium term	Short term	Instantaneous
0,6	0,7	0,8	0,9	1,1

Table 2 Factor  $k_{mod}$  for service class 3

Load duration class and $k_{mod}$ factors for service class 3				
P	L	M	S	I
Permanent	Long term	Medium term	Short term	Instantaneous
0,5	0,55	0,65	0,7	0.9

### Density

The load-carrying capacities of the post base and the hold downs connections are stated for a timber strength class C24 with a characteristic density of 350 kg/m<sup>3</sup> unless otherwise indicated.

The load-carrying capacity of the connections for a lower characteristic density should be determined under the assumption that the load-carrying capacity is proportional to the density. In consequence, the value should be reduced using the factor  $k_{dens}$  as defined below:

$$k_{dens} = \left( \frac{\rho_k}{350} \right)$$

where  $\rho_k$  is the characteristic density of the timber in kg/m<sup>3</sup> and 350 is the characteristic density for timber class C24 in kg/m<sup>3</sup>.

The load-carrying capacity for a larger characteristic density shall be taken as equal to the one published in this document unless a special investigation is made


## Concrete

The load-carrying capacities of the post base connections are stated for a concrete class C15 unless otherwise indicated.

### Installation with bonded anchorage

The post bases of types: **PJIS, PLS, PJPS, PPS, PI, PP, PPD** may be installed in reinforced or unreinforced normal weight concrete of strength class C20/25 at minimum as a post-installed-anchorage with injection system Simpson Strong-Tie® SET-XP Epoxy Adhesive Injection System (acc. ETA-11/0360) or Simpson Strong-Tie® AT-HP™ (acc. ETA-14/0383(thread) ETA-11/0139 (rebar)). The design of the anchorage installation shall be performed in accordance with the latest versions of the equivalent European technical approval (ETA).

Injection Mortar System	Drill hole diameter $d_0$			
	Threaded rod		Reinforcement bar	
	M16	M20	Ø16	Ø20
<b>SET-XP</b>	18 mm	24 mm	20 mm	25 mm
<b>AT-HP</b>	18 mm	22 mm	-/-	-/-



### Wane

Where force is carried by contact compression no wane may occur.

Where the lateral force is acting toward a Hold Down connector the force is carried by contact compression so for this case no wane may occur in the surface of the timber under the vertical flap. Additionally, no wane may occur under the nails.

### Fastening

Unless otherwise indicated in the calculations the holes in the post bases have to be fully applied with the applicable fasteners. The fastener types for which the calculations have been made are stated at each post base.

The nail pattern shall be as described in Annex D. The fastener types for which the calculations have been made are stated at the relevant post bases and hold downs.

The thickness of the beam shall be a minimum of the embedment depth of the nails or screws.

### Assumed characteristic capacities of anchor bolts

The capacity of the anchor bolts are to be checked.

The calculations to use corresponding to the forces are outlined below:

For a lateral load: the axial force for the bolt:

$$F_{\text{axial,bolt}} = F_3 \times e / f$$


$$F_{\text{lateral,bolt}} = F_3 / n$$

For an uplift load:

$$F_{\text{axial,bolt}} = F_{\text{up}} / n$$

With  $n$  = number of bolts.

The above method should be used to check anchor bolt capacities unless otherwise stated alongside the product details.



## C2 Definition of force directions

### C2a Force directions for post bases




Figure C2a. Typical connection with notation for loads. The actual force directions are indicated for each post base

The capacities in the tables are stated in kN and kNm.

#### Gap

The gap ( $g$ ) is the distance from the top side of the concrete to the top side of the top plate. The gap is stated for each post base in the following.

#### Acting forces

Unless otherwise indicated in the tables with load-carrying capacities, the forces are assumed to act as described below:

- $F_1$  Load-carrying capacity for downward load acting along the central axis of the joint
- $F_2$  Load-carrying capacity for upward load acting along the central axis of the joint
- $F_3$  Load-carrying capacity for lateral load acting in the centre of the post in line with the lower row of holes
- $F_4$  Load-carrying capacity for axial load acting in the centre of the compression zone at the bottom of the timber member
- $M_{1/2}$  are described by types CMR and CMS

#### Combined forces

In the following tables the load-carrying capacities are given for the individual loads:  $F_1$ ,  $F_2$ ,  $F_3$  and  $F_4$ . For combinations of loads, the following equation shall be fulfilled, unless otherwise indicated.

$$\sum_i \left( \frac{F_i}{R_i} \right) \leq 1.0$$

For horizontal loads  $F_3$  and  $F_4$  acting simultaneously the resulting horizontal load shall be calculated as

$$F_{3/4} = \sqrt{F_3^2 + F_4^2}$$

### C2b Forces directions for hold downs

The characteristic load-carrying capacities are determined for the following force directions.




Figure C2b: Forces and their assumed positions. Top row for Hold Downs only subjected to a lifting force. Bottom rows for Hold Downs subjected to both eccentric lifting forces and lateral forces.

#### Two hold downs

- $F_1$  Lifting force acting along the central axis of the joint
- $F_2$  and  $F_3$  Lateral force acting in the joint between the purlin and beam in the purlin direction
- $F_4$  and  $F_5$  Lateral force acting in the beam direction along the axis of the joint but elevated  $e$  above the beam

#### One hold down per connection

- $F_1$  Lifting force acting in the central axis of the hold down but in a distance  $f$  from the vertical flap of the hold down  
If the purlin is prevented from rotation the load-carrying capacity will be half that of a connection with two hold downs
- $F_2$  and  $F_3$  Lateral force acting in the joint between the purlin and the beam in the purlin direction
- $F_4$  Lateral force acting in the beam direction perpendicular to the vertical flap elevated  $e$  above the beam directed towards the hold downs vertical flap
- $F_5$  Lateral force acting in the beam direction perpendicular to the vertical flap elevated  $e$  above the beam directed away from the hold downs vertical flap

#### Combined forces

For practical purposes the strength verification is always carried out for design forces and design capacities. If the forces are combined the following inequalities shall be fulfilled:

$$\sum_{1-i} \left( \frac{F_{i,d}}{R_{i,d}} \right) \leq 1,0 \quad \text{For the hold down AKR shall be fulfilled: } \left( \frac{F_{1,d}}{R_{1,d}} + \frac{F_{4/5,d}}{R_{4/5,d}} \right)^2 + \left( \frac{F_{2/3,d}}{R_{2/3,d}} \right) \leq 1,0$$

The capacity can be limited by the capacity of the anchor bolt. This has to be investigated separately, see below.

**Additional conditions**

The nail pattern shall be as described in Annex D. The fastener types for which the calculations have been made are stated at the relevant hold downs.

The thickness of the beam shall be according to Eurocode 5,  $t_{pen}$  shall be min.  $6d$ , where  $d$  is the diameter of the nail or screw.

**C3 Fasteners**

Nail, screw and bolt type	Nail, screw and bolt size (mm)		Finish and corrosion protection
	Diameter	Length	
Connector nail According to ETA-04/0013	3.7; 4.0; 4.2	35 to 100	Electroplated zinc / Stainless steel
Annular ring shank nail according to EN 14592	3.1 4.0	35 35 to 100	Electroplated zinc
Smooth shank nail	3.75	75	Hot dipped galvanized
Smooth shank nail	4.0	90	Hot dipped galvanized
Lag screw	8; 10; 12; 16		Electroplated zinc
Wood screw	5.0	-	Electroplated zinc / Impreg®+/Impreg®X4
Wood screw	10.0	-	Electroplated zinc / Impreg®+/Impreg®X4
Wood screw	12.0	-	Electroplated zinc / Impreg®+/Impreg®X4
Wood screw	16.0	-	Electroplated zinc / Impreg®+/Impreg®X4
Screw	6.0	≥60	Electroplated zinc
Screw	5.0	≥80	Electroplated zinc
Dowel	8.0	-	Electroplated zinc/ Hot-dip galvanized
Dowel	10.0	-	
Dowel	12.0	-	
Shear plate connector type C2 or C11	62 75		Hot-dip galvanized
Bolt M12	12	-	Concerning corrosion protection see the specifications of the manufacturer
Bolt M16	16		
Anchor bolt M10	10		
Anchor bolt M12	12	-	
Anchor bolt M16	16	-	
Concrete screws *	8 – 20		
Self-drilling screws such as JT2-3-5.5x25 or SD6-H15-5.5x22	5.5	25	See the manufacturer. Under service class 1&2 condition, it can be assumed the intended working life of these fasteners is 50 years according to EN1995-1-1 table 4.1

\* according to an ETA

## Annex D Product definition and capacities

### Post Bases

#### D1: ABE

Product name	Alternative names
ABE	

Figure D1-1: Drawings




Table D1-1: Size specification

Model	Product dimensions [mm]					Holes			
	A	B	C	F	t <sub>1</sub>	Qty	size	Qty	size
ABE44	90	89	71	28	1.5	6	Ø4	1	Ø14
ABE46	90	138	103	26.5	1.5	8	Ø4	1	Ø17
ABE66	140	138	79	26.5	1.5	8	Ø4	1	Ø17

Table D1-2: Material specification

Part	Material Grades	Coating specification
ABE	G90 SS Grade 33 according to ASTM A-653 or stainless steel as described	Hot-dip galvanized according to EN ISO 1461:1999

Table D1-3: Characteristic capacity

Model	Fastener				R <sub>1,k</sub>	Characteristic capacities [kN]				
	On post		On concrete			R <sub>2,k</sub>				
	Qty	Type	Qty	Type		Load duration				
					P	L	M	S	I	
ABE44	6	ARS3.1	1	Ø12	63.3	6.7				
	6	S3.75				7.1	7.8 / k <sub>mod</sub>			
ABE46	8	CN3.7	1	Ø16	81.4	15.8				
	8	S4.0				11				
ABE66	8	CN3.7	1	Ø16	130.9	15.8				
	8	S4.0				11				


\*Fasteners on timber post:  
 ARS3.1: Annular ring shank nail 3.1x35  
 CN3.7: Connector nail 3.7x50  
 S3.75: Smooth nail 3.75x75  
 S4.0: Smooth nail 4.0x90



**D2: ABW**

Product name	Alternative names
ABW44Z	
ABW44RZ	
ABW66Z	
ABW66RZ	

**Figure D2-1: Drawings**




**Table D2-1: Size specification**

Model	Product dimensions [mm]							Holes			
	A	B	C	F	washer	t <sub>1</sub>	t <sub>2</sub>	Top		Bottom	
								Qty	size	Qty	size
ABW44Z	90.5	90.5	63.5	25.4	50x50x3.5	1.5	1.6	1	∅5	1	∅14
ABW44RZ	101.6	101.6	50	25.4	50x50x3.5	1.5	1.6	1	∅5	1	∅14
ABW66Z	139.7	139.7	76.2	25.4	76x76x6.0	1.8	2.7	1	∅5	1	∅14
ABW66RZ	152.4	152.4	71.4	25.4	76x76x6.0	1.8	2.7	1	∅5	1	∅14

**Table D2-2: Material specification**

Part	Material Grades	Coating specification
ABW	SS Grade 33 according to ASTM A653	G185 according to ASTM A653 Corresponding to ~40µm G90 for washer 50x50x3.5mm Corresponding to ~20µm

**Figure D2-3: Anchor and washer position**



The anchor and the washer can be set as in one of the three configuration shown above  
 After the timber post is set in place and the anchor bolt is tighten, the front flap has to be fold up.

**Table D2-4: Characteristic capacity**

Model	Fasteners				Characteristic capacities [kN]	
	On post		On concrete		R <sub>1,k</sub>	R <sub>2,k</sub>
	Qty	Type	Qty	Type		
ABW44Z	8	∅3.75x75	1	∅12	53.9	3.1
ABW44RZ	8	∅3.75x75	1	∅12	58.2	-/-
ABW66Z	12	∅4x90	1	∅12	105.9	7.4
ABW66RZ	12	∅4x90	1	∅12	110.4	min(6.6 ; 6.9/k <sub>mod</sub> )

For combined forces the following formula has to be checked:  $\Sigma (F_{i,d} / R_{i,d}) \leq 1$

The bolt anchor shall have a minimum capacity of  $1.0 \times F_{2,d}$ .

### D3: APB100-150

Product name	Alternative names
APB100/150	
APB100/150Z	

Figure D3-1: Drawings




Table D3-1: Size specification

Model	Product dimensions [mm]							Holes			
	A	B	D	E	F	G	t <sub>1</sub> = t <sub>2</sub>	Top		Bottom	
								Qty	size	Qty	size
APB100/150	100	100	130	130	100-150	20	4	4	Ø12	4	Ø12

Table D3-2: Material specification

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Electroplated zinc Zn25/A according to EN ISO 2081 Or electroplated zinc Zn10/A (alkali zinc) Type ...Z: Zinc Nickel galvanization plus top coating
Tube	S235 JRH according to EN 10219	
Threaded rod	steel class 4.6 according to ISO 898	
	Or stainless steel as described	

Table D3-3: Characteristic capacity

Model	Fasteners				Characteristic capacities [kN]
	On post		On concrete		
	Qty	Type	Qty	Type	
APB100/150	4	Ø10	4	Ø10	58.0 / k <sub>mod</sub> <sup>0.5</sup>

### D4: APB7090/100

Product name	Alternative names
APB7090/100	

Figure D4-1: Drawings




Table D4-1: Size specification

Model	Product dimensions [mm]								Holes							
									Top				Bottom			
	A	B	C	D	E	F	G	t <sub>1</sub> = t <sub>2</sub>	Qty	size	Qty	size	Qty	size	Qty	size
APB7090/100	90	70	84-24	90	70	30-90	14	4	4	Ø11	4	Ø6	4	Ø11	4	Ø6

Table D4-2: Material specification

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Electroplated zinc Zn 12/c according to EN ISO 2081 or sherardizing class C30 according to EN 13811
Threaded rod	Steel class 4.6 according to EN/ISO 898	
	Or stainless steel as described	

Table D4-3: Characteristic capacity

Model	Fasteners				Timber grain direction / load	Characteristic capacities [kN]			
	On post		On concrete			R <sub>1,k</sub>			
	Qty	Type	Qty	Type					
APB7090/100	4	Ø10	4	Ø10	parallel	21.7/k <sub>mod</sub> <sup>0.75</sup>			
					perpendicular	min(21.7/k <sub>mod</sub> <sup>0.5</sup> ; 16.3/k <sub>mod</sub> )			

### D5: APR110-150

Product name	Alternative names
APR110/150	

Figure D5-1: Drawings




Table D5-1: Size specification

Model	Product dimensions [mm]							Holes			
	A	B	D	E	F	G	t <sub>1</sub> = t <sub>2</sub>	Top		Bottom	
								Qty	size	Qty	size
APR110/150	100	100	130	130	110-150	16	4	4	Ø12	4	Ø12

Table D5-2: Material specification

Part	Material Grades	Coating specification
Plate	S235JR according to EN 10025	Electroplated zinc Zn25/A according to EN ISO 2081 Or Electroplated zinc Zn10/A (alkali zinc)
Tube	C15RPb according to EN10084	
Threaded Rod	steel class 4.6 according to ISO 898	
	Or Stainless steel as described	

Table D5-3: Characteristic capacity

Model	Fasteners				Characteristic capacities [kN]  R <sub>1,k</sub>
	On post		On concrete		
	Qty	Type	Qty	Type	
APR110/150	4	Ø10	4	Ø10	36.7

## D6: CMR & CMS

Product name	Alternative names
CMR	
CMS	

Figure D6-1: Drawings




Table D6-1: Size specification

Model	Product dimensions [mm]							Holes			
								Top			
	A	B	C	D	E	F	t	Qty	size	Qty	size
CMR	115-165	100	625	200	325	60	10	4	Ø17	4	Ø6.5
CMS	80-140	80	470	150	200	40	8	4	Ø17	4	Ø6.5

Table D6-2: Material specification

Part	Material Grades	Coating specification
CMR-CMS	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
	Or stainless steel as described	

**Table D6-3: Characteristic capacity – for concrete C12/16**

Model	Fasteners		Timber size (mm)	Characteristic capacities [kN]				
	On post			$R_{1,k} = R_{2,k}$	$R_{3,k}$ for $h_1 = 200$ mm	$R_{4,k}$ for $h_2 = 0$ mm	$M_{r1,k}$	$M_{r2,k}$
	Qty	Type						
CMR	2 + 4	bolt $\varnothing 16$ + C2-75	115	117.2	$\min(99; 21.3/k_{mod})$	$\min(33; 30.9/k_{mod})$	$\min(19.8; 13.9/k_{mod})$	6.7
			120					7
			125					7.3
			140					8.2
			150					8.8
			160					9.4
CMS	2 + 4	bolt $\varnothing 16$ + C2-62	80	96.7	$\min(74; 15.0/k_{mod})$	$\min(21.1; 19.8/k_{mod})$	$\min(11.6; 7.1/k_{mod})$	3.9
			100					4.8
			120					5.8
			140					6.8

The post-base shall be embedded in concrete in depth equal to dimension E.

For a load  $F_3$  acting at the height  $h_1 > 200$  mm for CMR (for CMS  $h_1 > 157$ mm) the load carrying capacity shall not be taken as higher than:

For CMR :  $R_3(h) = R_3(200) * 200 / h_1$ .

For CMS:  $R_3(h) = R_3(157) * 157 / h_1$ .

For a load  $F_4$  acting at the height  $h_2 > 0$  mm, the load carrying capacity shall not be taken higher than:

$R_4(h) = \frac{1}{2} R_4 * a / h_2$ .

where:

a is the inner distance between the vertical steel plates e.g. the column depth.


For a vertical load  $F$  (either  $F_1$  or  $F_2$ ) and a horizontal load  $F_3$  acting simultaneously it should be verified that  $(F/R_{1/2})^2 + (F_3/R_3)^2 \leq 1$

For a vertical load  $F$  (either  $F_1$  or  $F_2$ ) and a horizontal load  $F_4$  in the height  $h$  acting simultaneously it should be verified that  $R_4(h) \leq M_{r2} / (h (1 - F/R_1))$

For combined loads the following check shall be made:

$$\left(\frac{F_{1/2.d}}{R_{1/2.d}}\right)^2 + \left(\frac{F_{3.d}}{R_{3.d}} + \frac{M_{1.d}}{M_{r1.d}}\right)^2 \leq 1$$

$$\left(\frac{F_{1/2.d}}{R_{1/2.d}} + \frac{M_{2.d}}{M_{r2.d}}\right)^2 + \left(\frac{F_{4.d}}{R_{4.d}}\right)^2 \leq 1$$



### D7: CPB & CPS

Product name	Alternative names
CPB	CPB40
CPS	CPS40

Figure D7-1: Drawings




Table D7-1: Size specification

Model	Product dimensions [mm]									Holes	
	A	B	C	D	E	F	G	t <sub>1</sub>	t <sub>2</sub>	Qty	Bottom size
CPB	39	126	120	160	90	190-250	24	8	10	4	Ø14
CPS	39	126	120	70	70	450	48	8	10		

Table D7-2: Material specification

Part	Material Grades	Coating specification
Plates & tube	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
Threaded rod	S355JO according to EN 10025	
	Or stainless steel as described	

The part with the length “C” is with a coarse thread, the hole for this thread in the timber column shall be made with Ø40mm.



**Table D7-3: Characteristic capacity**

			Characteristic capacities [kN]					
Model	Fasteners		R <sub>1,k</sub>	R <sub>1,k</sub> **	R <sub>2,k</sub>	R <sub>2,k</sub> **	R <sub>3,k</sub> = R <sub>4,k</sub>	
	On concrete						f	
	Qty	Type					190	250
CPB	4	Ø12	61/k <sub>mod</sub>		23.7	13.8	1.7	1.4
CPS			min( 170.3; 118.7/k <sub>mod</sub> )	110.7	23.7	13.8		min( 7.2; 5.2/k <sub>mod</sub> )

\*\* In cases where the post base can be submitted to uplift AND download  
f is the distance between concrete surface and post surface

For vertical load F<sub>1</sub> and horizontal load F<sub>3</sub> or F<sub>4</sub> acting simultaneously it shall be verified that:

$$F_1 / R_{1,d} + F_{3/4} / R_{3/4,d} \leq 1$$

### D8: CPT

Product name	Alternative names
CPT44Z	
CPT66Z	
CPT88Z	

Figure D8-1: Drawings





Table D8-1: Size specification

Model	Product dimensions [mm]								Holes			
	A	B	C	F	H	washer	t <sub>1</sub>	t <sub>2</sub>	Top		Bottom	
									Qty	size	Qty	size
CPT44Z	88.9	88.9	145	25.4	79.4	35.7x28.6x3.5	3.5	2.7	3	Ø13.5	2	Ø13.5
CPT66Z	136.5	136.5	145	25.4	114	35.7x28.6x3.5	3.5	2.7	3	Ø13.5	2	Ø13.5
CPT88Z	184	184	145	25.4	114	35.7x28.6x3.5	3.5	2.7	3	Ø13.5	2	Ø13.5

Table D8-2: Material specification

Part	Material Grades	Coating specification
CPT	steel SS Grade 33 according to ASTM A653	G185 according to ASTM A653 Corresponding to ~40µm

Figure D8-2: Steel dowel pattern



**Table D8-3: Characteristic capacity**

Model	Fasteners				Characteristic capacities [kN]			
	On post		On concrete		$R_{1,k}$	$R_{2,k}$	$R_{3,k}$	$R_{4,k}$
	Qty	Type	Qty	Type				
CPT44Z	2	Ø13x70	2	Ø12	$49.7/k_{mod}^{0.5}$	$10.1/k_{mod}$	7.3	$\min(4.9; 3.5/k_{mod})$
CPT66Z	2	Ø13x121	2	Ø12	$76.3/k_{mod}^{0.5}$	$14.7/k_{mod}$	$\min(R_{2,k} \times 0.7; 9.1)$	$\min(6.9; 5.0/k_{mod})$
CPT88Z	2	Ø13x121	2	Ø12	$103.0/k_{mod}^{0.5}$	$14.7/k_{mod}$	$\min(R_{2,k} \times 0.7; 9.1)$	$\min(6.9; 5.0/k_{mod})$

For combined forces the following formula has to be checked:  $\Sigma (F_i / R_{i,d}) \leq 1$

Model	Minimum anchor capacity per anchor		
	$F_{2,d}$	$F_{3,d}$	$F_{4,d}$
CPT44Z	$0.88 \times F_{2,d}$	$1.76 \times F_{3,d}$	$2 \times F_{3,d}$
CPT66Z			$1.1 \times F_{3,d}$
CPT88Z			$1.1 \times F_{3,d}$

### D9: FPB

Product name	Alternative names
FPB	

Figure D9-1: Drawings




Table D9-1: Size specification

Model	Product dimensions [mm]							Holes			
	A	B	D	E	F	G	t <sub>1</sub> = t <sub>2</sub>	Top		Bottom	
								Qty	size	Qty	size
FPB100/2 – FPB100/2IX	100	100	130	130	100	31	2	4	Ø12	4	Ø12
FPB150/2 – FPB150/2IX	100	100	130	130	150	31	2	4	Ø12	4	Ø12
FPB100/2.5 – FPB100/2.5IX	100	100	130	130	100	32	2,5	4	Ø12	4	Ø12
FPB150/2.5 – FPB150/2.5IX	100	100	130	130	150	32	2,5	4	Ø12	4	Ø12

Table D9-2: Material specification

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
Ribbed bar	B 550 BR+AC according to 10080	
	Or stainless steel 316L according to EN 10088	

Table D9-3: Characteristic capacity

Model	Fasteners				Characteristic capacities [kN]				
	On post		R <sub>1,k</sub>		Load duration				
	Qty	Type	Qty	Type					
FPB100/2 – FPB100/2IX	4	Ø10	4	Ø10	65.9 / k <sub>mod</sub>				
FPB150/2 – FPB150/2IX	4	Ø10	4	Ø10					
FPB100/2.5 – FPB100/2.5IX	4	Ø10	4	Ø10	min(90.0/k <sub>mod</sub> <sup>0.4</sup> ; 72.2/k <sub>mod</sub> )				
FPB150/2.5 – FPB150/2.5IX	4	Ø10	4	Ø10					

Capacities are also valid when FPB is turned upside down.

### D10: PB3B PB3C

Product name	Alternative names
PB3B	
PB3C	

Figure D10-1: Drawings




Table D10-1: Size specification

Model	Product dimensions [mm]								Holes			
	A	B	D	E	F	G	t <sub>1</sub>	t <sub>2</sub>	Top		Bottom	
									Qty	size	Qty	size
PB3B	100	100	155	155	500	80	8	8	4	Ø6.5	4	Ø14
PB3C	100	100	100	100	670	80	8	4	4	Ø6.5		

Table D10-2: Material specification

Part	Material Grades	Coating specification
Plates and tube	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461

Table D10-3: Characteristic capacity – for concrete C20/25

Model	Fasteners				Characteristic capacities [kN]		
	On post		On concrete		R <sub>1,k</sub>	R <sub>2,k</sub>	R <sub>3,k</sub> = R <sub>4,k</sub>
	Qty	Type	Qty	Type			
PB3B	4	Ø6	4	Ø12	202.6	2.83 x R <sub>ax.sc.k</sub>	R <sub>ax.sc.k</sub>
PB3C	4	Ø6			Min(202.6; 163/k <sub>mod</sub> )	2.83 x R <sub>ax.sc.k</sub>	R <sub>ax.sc.k</sub>

With R<sub>ax.sc.k</sub> = the axial capacity of screw for 45°.

### D11: PBH

Product name	Alternative names
PBH75	
PBH120	

Figure D11-1: Drawings




Table D11-1: Size specification

Model	Product dimensions [mm]										Holes			
	A	B	C	D	E	F	G	H	t <sub>1</sub>	t <sub>2</sub>	Top		Bottom	
											Qty	size	Qty	size
PBH75	75	75	110	160	100	216	42	45	8	8	2	Ø8.5	2	Ø13
PBH120	120	120	110	155	155	216	42	90	8	8	4	Ø8,5	4	Ø13

Table D11-2: Material specification

Part	Material Grades	Coating specification
Plates and tube	S235JR according to EN 10025	Hot dip galvanized according to EN ISO 1461
	Or stainless steel as described	

Table D11-3: Characteristic capacity – for concrete C12/16

Model	Fasteners				Timber size (mm)	Characteristic capacities [kN]				
	On post		On concrete			R <sub>1,k</sub>	R <sub>2,k</sub>	R <sub>3,k</sub>	R <sub>4,k</sub>	
	Qty	Type	Qty	Type						
PBH75	2	Ø8	2	Ø12	80	min( 105.5 ; 109.5 / k <sub>mod</sub> )	8.1	min( 5.5 ; 5.4 / k <sub>mod</sub> )	min( 5.8 ; 4.4 / k <sub>mod</sub> )	
					100				9.5	5 / k <sub>mod</sub> <sup>0,8</sup>
					120				10.4	5.5 / k <sub>mod</sub> <sup>0,8</sup>
PBH120	4	Ø8	4	Ø12	80	109.5 / k <sub>mod</sub>	20.7	5.4 / k <sub>mod</sub>	5.5 / k <sub>mod</sub> <sup>0,8</sup>	
					100				6 / k <sub>mod</sub> <sup>0,8</sup>	
					120				6 / k <sub>mod</sub>	

## D12: PBLR

Product name	Alternative names
PBLR	

Figure D12-1: Drawings




Table D12-1: Size specification

Model	Product dimensions [mm]								Holes					
									Top				Bottom	
	A	B	D	E	F	G	t <sub>1</sub>	t <sub>2</sub>	Qty	size	Qty	size	Qty	size
PBLR	130	130	130	171	110 - 150	20	5	5	4	Ø12	8	Ø6 x 12	3	Ø12

Table D12-2: Material specification

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Electroplated zinc Zn25/A according to EN ISO 2081 Or electroplated zinc Zn10/A (alkali zinc)
Nut	C15RPB according to EN 10084	
Rod	steel class 4.6 according to ISO 898	
	Or stainless steel as described	

Table D12-3: Characteristic capacity

Model	Fasteners				Characteristic capacities [kN]
	On post		On concrete		
	Qty	Type	Qty	Type	
PPLR	4 or 8	Ø10 or Ø6 at 45°	4	Ø10	51.1 / k <sub>mod</sub> <sup>0.5</sup>

### D13: PBP60 - 50

Product name	Alternative names
PBP60/50	

Figure D13-1: Drawings




Table D13-1: Size specification

Model	Product dimensions [mm]						Holes					
							Top				Bottom	
	A	B	C	D	F	t	Qty	size	Qty	size	Qty	size
PBP60/50	35	60	140	62	49	3	2	Ø13	7	Ø5	1	Ø12 x 25

Table D13-2: Material specification

Part	Material Grades	Coating specification
PBP60/50	S235JR according to EN 10025	Sherardizing class C30 according to EN 13811 Or electroplated zinc Zn25/A according to EN ISO 2081 Or electroplated zinc Zn10/A (alkali zinc)
	Or stainless steel as described	

Table D13-3: Characteristic capacity

Model	Nb of post bases	Fasteners				Characteristic capacities [kN]	
		On post		On concrete		R <sub>1,k</sub>	R <sub>2,k</sub>
		Qty	Type	Qty	Type		
		PBP60/50	2	4	Ø12	2	Ø10
PBP60/50	4	8	Ø12	4	Ø10	63/k <sub>mod</sub>	



## D14: PBS

Product name	Alternative names
PBS	

Figure D14-1: Drawings




Table D14-1: Size specification

Model	Product dimensions [mm]									Holes					
										Top				Bottom	
	A	B	C	D	E	F	G	H	t <sub>1</sub>	Qty	size	Qty	size	Qty	size
PBS44	90.5	57.2	159	89	90.5	25.4	57.2	84	2.5	4	Ø14.3	14	Ø14.3	3	Ø19.1
PBS46	90.5	57.2	159	138	90.5	25.4	57.2	84	2.5	4	Ø14.3	14	Ø14.3	3	Ø19.1
PBS66	139.5	57.5	165	136.5	139.5	25.4	57.2	120.7	2.5	4	Ø14.3	14	Ø14.3	3	Ø19.1

Table D14-2: Material specification

Part	Material Grades	Coating specification
PBS	G90 SS Grade 33 according to ASTM A-653	Hot-dip galvanized according to EN ISO 1461:1999
	Or stainless steel as described	

Table D14-3: Characteristic capacity

Model	Fasteners		Characteristic capacities [kN]	
	On post		R <sub>1,k</sub>	R <sub>2,k</sub>
	Qty	Type*		
PBS44	12	CN3.7	54.5/kmod <sup>0.5</sup>	24
		S4		16
PBS46	12	CN3.7	57.5/kmod <sup>0.5</sup>	24
		S4		16
PBS66	12	CN3.7	77.5/kmod <sup>0.5</sup>	24
		S4		16

\*Fasteners on timber post:  
 CN3.7: Connector nail 3.7x50  
 S4.0: Smooth nail 4.0x90

### D15: PGS

Product name	Alternative names
PGS	PGS24/x

Figure D15-1: Drawings




Table D15-1: Size specification

Model	Product dimensions [mm]									Holes					
										Top				Bottom	
	A	B	C	D	E	F	G	t <sub>1</sub>	t <sub>2</sub>	Qty	size	Qty	size	Qty	size
PGS24/130	24	80	125	100	180	100 - 195	24	8	6	1	Ø11	3	Ø6	4	Ø14
PGS24/180						180 - 245									
PGS24/230						230 - 295									
PGS24/280						280 - 345									

Table D15-2: Material specification

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
Tube	S235 JR according to EN 10219	
Threaded rod	S355 JO according to EN 10025	
	Or stainless steel as described	

**Table D15-3: Characteristic capacity**

Model	Fasteners				Characteristic capacities [kN]			
	On post		On concrete		R <sub>1,k</sub>	R <sub>2,k</sub>	R <sub>3,k</sub>	R <sub>4,k</sub>
	Qty	Type	Qty	Type				
PGS24/130	1	Ø10x80	4	Ø12	min( 96.1 ; 91.3/k <sub>mod</sub> )	5	2.9/k <sub>mod</sub>	2.9/k <sub>mod</sub>
		Ø10x100				5.6		
		Ø10x120				6.4		
		Ø10x140				7.2		
PGS24/180		Ø10x80	5			2.5/k <sub>mod</sub>		
		Ø10x100	5.6					
		Ø10x120	6.4					
		Ø10x140	7.2					
PGS24/230		Ø10x80	5			2.1/k <sub>mod</sub>		
		Ø10x100	5.6					
		Ø10x120	6.4					
		Ø10x140	7.2					
PGS24/280		Ø10x80	5			1.9/k <sub>mod</sub>		
		Ø10x100	5.6					
		Ø10x120	6.4					
		Ø10x140	7.2					

### D16: PI

Product name	Alternative names
PI	PPI/26000; I

Figure D16-1: Drawings




Table D16-1: Size specification

Model	Product dimensions [mm]								Holes	
	A	B	C	F	G	H	t <sub>1</sub>	t <sub>2</sub>	Top	
									Qty	size
PI	90	60	110	250	20	70	8	10	4	Ø8,5

Table D16-2: Material specification

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
Ribbed bar	B 550 BR+AC according to 10080	
	Or stainless steel as described	

Table D16-3: Characteristic capacity

Model	Fasteners		Characteristic capacities [kN]					
	On post		R <sub>1,k</sub>			R <sub>2,k</sub>	R <sub>3,k</sub>	R <sub>4,k</sub>
	Qty	Type	Concrete					
			C12/15	C16/20	C20/25			
PI	4	Ø8x60	36.9/k <sub>mod</sub>	43.7/k <sub>mod</sub>	54.5/k <sub>mod</sub>	13.8	min( 9.4 ; 7.9/k <sub>mod</sub> )	3.1
	4	Ø8x80				16	min( 10.9 ; 7.9/k <sub>mod</sub> )	4.1
	4	Ø8x100				18.7	min( 12.7 ; 7.9/k <sub>mod</sub> )	min( 5.9 ; 5.3/k <sub>mod</sub> )
	4	Ø8x120				20.7	7.9/k <sub>mod</sub>	min( 7.9 ; 5.4/k <sub>mod</sub> )
	4	Ø8x140						min( 9.4 ; 5.7/k <sub>mod</sub> )
	4	Ø8x160						6.3/k <sub>mod</sub>

For vertical loads  $F_1$  and horizontal loads  $F_4$  acting simultaneously it shall be verified that:

$$F_1 / R_{1,d} + F_4 / R_{4,d} \leq 1.$$

## D17: PIBA

Product name	Alternative names
PIBA110/160	

Figure D17-1: Drawings




Table D17-1: Size specification


Model	Product dimensions [mm]										Holes			
	A	B	C	D	E	F	G	H	t <sub>1</sub>	t <sub>2</sub>	Top		Bottom	
											Qty	size	Qty	size
PIBA110/160	120	120	110	155	155	106-160	30	90	8	8	4	Ø8,5	4	Ø14

Table D17-2: Material specification

Part	Material Grades	Coating specification
Plate	S235JR according to EN 10025	Electroplate zinc Fe/Zn25/A according to EN ISO 2081
Tube	S235JRH according to EN 10219	
nut	M30, steel class 5 according to ISO4032	
Threaded rod	M30, steel class 4.8 according to DIN976	Or electroplate zinc Fe/Zn10/A (alkali zinc)
	Or stainless steel as described	

Table D17-3: Characteristic capacity

Model	Fasteners				Characteristic capacities [kN]	
	On post		On concrete		R <sub>1,k</sub>	R <sub>2,k</sub>
	Qty	Type	Qty	Type		
PIBA110/150	2	Ø8	4	Ø12	125/(k <sub>mod</sub> <sup>0,5</sup> )	20.7



The minimum size of the timber column may be 120x120mm. However the recommended minimum size of timber column would be of section 140x140mm with an extrusion into the bottom face of the member for the bottom plate, so a constructive wood preservation can be given.

### D18: PIL

Product name	Alternative names
PIL	IL

Figure D18-1: Drawings




Table D18-1: Size specification

Model	Product dimensions [mm]										Holes	
	A	B	C	D	E	F	G	H	t <sub>1</sub>	t <sub>2</sub>	Qty	size
PIL	90	60	110	70	70	510	38	70	10	5	4	Ø8.5

Table D18-2: Material specification

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
Tube Ø38x2	S220JR according to EN10025:2004	
	Or stainless steel as described	

Table D18-3: Characteristic capacity

Model	Fasteners		Characteristic capacities [kN]			
	On post		R <sub>1,k</sub>	R <sub>2,k</sub>	R <sub>3,k</sub>	R <sub>4,k</sub>
	Qty	Type				
PIL	4	Ø8x60	min(90 ; 57/k <sub>mod</sub> )	13.8	2.2/k <sub>mod</sub>	1.8/k <sub>mod</sub>
	4	Ø8x80		16		
	4	Ø8x100		18.7		2/k <sub>mod</sub>
	4	Ø8x120		20.7		2.2/k <sub>mod</sub>
	4	Ø8x140				2.4/k <sub>mod</sub>
	4	Ø8x160				


For vertical loads  $F_1$  and any horizontal loads  $F_{3/4}$  acting simultaneously it shall be verified that:

$$F_1 / R_{1,d} + F_{3/4} / R_{3/4,d} \leq 1.$$

### D19: PIS / PISB / PISMAXI / PISBMAXI

Product name	Alternative names
PIS70	IS
PISBxx	ISB
PISMaxi	IS Maxi
PISBMaxi	ISB Maxi

Figure D19-1: Drawings



**Table D19-1: Size specification**

Model	Product dimensions [mm]										Holes			
	A	B	C	D	E	F	G	H	t <sub>1</sub>	t <sub>2</sub>	Top		Bottom	
											Qty	size	Qty	size
PIS70	100	80	110	70	70	313	42	70	8	10	4	Ø8.5		
PISB160	100	80	110	160	100	168	42	70	8	10	4	Ø8.5	2	Ø14
PISB260	100	80	110	260	100	168	42	70	8	10	4	Ø8.5	2	Ø14
PISMaxi	120	120	105	90	90	323	120	90	8	15	2	Ø13		
PISBMaxi	120	120	105	200	200	148	120	90	8	15	2	Ø13	4	Ø17

**Table D19-2: Material specification**

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
tube	S235JR according to EN 10025	
	Or stainless steel as described	

**Table D19-3: Characteristic capacity – for concrete C12/16**


Model	Fasteners				Characteristic capacities [kN]			
	On post		On concrete		R <sub>1,k</sub>	R <sub>2,k</sub>	R <sub>3,k</sub>	R <sub>4,k</sub>
	Qty	Type	Qty	Type				
PIS	4	Ø8x80	-	-	min( 142.8 ; 110.8/k <sub>mod</sub> )	16	min( 10.9 ; 6.3/k <sub>mod</sub> )	4.1
	4	Ø8x100	-	-		18.7	6.3/k <sub>mod</sub>	min( 5.9 ; 5.1 /k <sub>mod</sub> )
	4	Ø8x120	-	-		20.7		min( 7 ; 5.5 /k <sub>mod</sub> )
PISB160 PISB260	4	Ø8x80	2	Ø12	min( 272.2 ; 187.9/k <sub>mod</sub> )	16	min( 10.9 ; 5.6/k <sub>mod</sub> )	4.1
	4	Ø8x100	2	Ø12		18.7	5.6/k <sub>mod</sub>	min( 5.9 ; 5.1 /k <sub>mod</sub> )
	4	Ø8x120	2	Ø12		20.7		min( 7.9 ; 5.5 /k <sub>mod</sub> )
PISMaxi	2	Ø12x120	-	-	min( 272.2 ; 187.9/k <sub>mod</sub> )	34.5	22.5	7.7
	2	Ø12x140	-	-		38.5	min( 25.2 ; 24/k <sub>mod</sub> )	9.9
	2	Ø12x160	-	-		42.1	min( 27.5 ; 24/k <sub>mod</sub> )	12.3
PISBMaxi	2	Ø12x120	4	Ø16	min( 272.2 ; 256,9/k <sub>mod</sub> )	34.5	22.5	7.7
	2	Ø12x140	4	Ø16		38.5	min( 25.2 ; 14.1/k <sub>mod</sub> )	9.9
	2	Ø12x160	4	Ø16		42.1	min( 27.5 ; 14.1/k <sub>mod</sub> )	12.3



**D24: PJPS / PJPB / PJIS / PJIB**

Product name	Alternative names
PJPS	JPS
PJPB	JPB
PJIS	JIS
PJIB	JIB

**Figure D24-1: Drawings**



**Table D24-1: Size specification**

Model	Product dimensions [mm]									Holes			
	A	B	C	D	E	F	G	t <sub>1</sub>	t <sub>2</sub>	Top		Bottom	
										Qty	size	Qty	size
PJPS	80	80				355 - 405	20	10 or 8		6	Ø6.5		
PJPB	80	80		120	120	163 - 213	20	10 or 8	8	6	Ø6.5	4	Ø13
PJIS	90	60	110			355 - 405	20	8		4	Ø8.5		
PJIB	90	60	110	120	120	163 - 213	20	8	8	4	Ø8.5	4	Ø13


**Table D24-2: Material specification**


Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
Threaded rod	S355 JO according to EN 10025	
	Or stainless steel as described	

**Table D24-3: Characteristic capacity – for concrete C12/16**

Model	Fasteners				Characteristic capacities [kN]								
	On post		On concrete		R <sub>1,k</sub>	R <sub>2,k</sub>	R <sub>3,k</sub>		R <sub>4,k</sub>				
	Qty	Type	Qty	Type			for g		for g				
							min	max	min	max			
PJPS	4	Ø6x60			54.5/k <sub>mod</sub>	7.6	min( 2.7 ; 1.7/k <sub>mod</sub> )	min( 2.7 ; 1.4/k <sub>mod</sub> )	min( 2.7 ; 1.7/k <sub>mod</sub> )	min( 2.7 ; 1.4/k <sub>mod</sub> )			
PJPB	4	Ø6x60	4	Ø12									
PJIS	4	Ø8x80			min( 90.7 ; 54.5/k <sub>mod</sub> )	16	1.4/k <sub>mod</sub>	1,1/k <sub>mod</sub>	min( 2 ; 1.6/k <sub>mod</sub> )	min( 1.7 ; 1.4/k <sub>mod</sub> )			
	4	Ø8x100									18.7	min( 2.3 ; 1.8/k <sub>mod</sub> )	min( 2 ; 1.4/k <sub>mod</sub> )
	4	Ø8x120									20.7	min( 2.6 ; 1.8/k <sub>mod</sub> )	min( 2.1 ; 1.4/k <sub>mod</sub> )
PJIB	4	Ø8x80	4	Ø12							16	min( 2 ; 1.6/k <sub>mod</sub> )	min( 1.7 ; 1.4/k <sub>mod</sub> )
	4	Ø8x100									18.7	min( 2.3 ; 1.8/k <sub>mod</sub> )	min( 2 ; 1.4/k <sub>mod</sub> )
	4	Ø8x120									20.7	min( 2.6 ; 1.8/k <sub>mod</sub> )	min( 2.1 ; 1.4/k <sub>mod</sub> )

For vertical load  $F_1$  and horizontal load  $F_{3/4}$  acting simultaneously it shall be verified that the combination of loads fall below the lines shown in the diagram below.





For vertical load  $F_2$  and any horizontal load  $F_{3/4}$  acting simultaneously it shall be verified that:

$$F_2 / R_{2,d} + F_{3/4} / R_{3/4,d} \leq 1$$

## D20: PL

Product name	Alternative names
PL	L

Figure D20-1: Drawings




Table D20-1: Size specification

Model	Product dimensions [mm]								Holes			
									Top			
	A	B	C	D	E	F	G	t <sub>1</sub>	Qty	size	Qty	size
PL80/70G	80	70	126	70	70	500	38	5	8	Ø5	4	Ø13.5
PL100/70G	100	70	126	70	70	500	38	5	8	Ø5	4	Ø13.5
PL90/90G	90	90	141	70	70	500	38	5	12	Ø5	4	Ø13.5
PL100/90G	100	90	136	70	70	500	38	5	12	Ø5	4	Ø13.5
PL120/90G	120	90	126	70	70	500	38	5	12	Ø5	4	Ø13.5
PL140/90G	140	90	126	70	70	500	38	5	12	Ø5	4	Ø13.5

Table D20-2: Material specification

Part	Material Grades	Coating specification
Plate	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
Tube Ø38x2	S220JR according to EN10025:2004	
	Or stainless steel as described	

**Table D20-3: Characteristic capacity**

			Characteristic capacities [kN]			
Model	Fasteners		R <sub>1,k</sub>	R <sub>2,k</sub>	R <sub>3,k</sub>	R <sub>4,k</sub>
	On post					
	Qty	Type				
PL80/70G	8	Ø4x40	57.1/k <sub>mod</sub>	min (18.4 ; 17.3/k <sub>mod</sub> )	2.8/k <sub>mod</sub>	3.5/k <sub>mod</sub>
PL100/70G	8	Ø4x40		min (18.4 ; 11.7/k <sub>mod</sub> )		
PL90/90G	12	Ø4x40		min (22.0 ; 18.0/k <sub>mod</sub> )		
PL100/90G	12	Ø4x40		min (22.0 ; 15.1/k <sub>mod</sub> )		
PL120/90G	12	Ø4x40		min (19.0 ; 11.4/k <sub>mod</sub> )		
PL140/90G	12	Ø4x40		9.2/k <sub>mod</sub>		

For vertical loads  $F_1$  and any horizontal loads  $F_{3/4}$  acting simultaneously it shall be verified that:

$$F_1 / R_{1,d} + F_{3/4} / R_{3/4,d} \leq 1.$$

## D21: PLPP180

Product name	Alternative names
PLPP180	

Figure D21-1: Drawings




Table D21-1: Size specification

Model	Product dimensions [mm]			Holes			
				Top			
	A	B	t	Qty	size	Qty	size
PLPP180	180	180	4	8	Ø12	1	Ø25.5

Table D21-2: Material specification

Part	Material Grades	Coating specification
Plate	DD11 according to EN 10111	Hot-dip galvanized according to EN ISO 1461
	Or stainless steel as described	

Table D21-3: Characteristic capacity

The optional plate is compatible with the following post bases: PPA100, PPA150, FPB100, FPB150, APB100/150, and PPRC. The use of this optional plate doesn't change the performance of the post bases.

It must be used with 8 wood screws as shown on the drawing above

### D22: PLS & PLB

Product name	Alternative names
PLS	LS
PLB	LB

Figure D22-1: Drawings




Table D22-1: Size specification

Model	Product dimensions [mm]									Holes					
										Top				Bottom	
	A	B	C	D	E	F	G	t <sub>1</sub>	t <sub>2</sub>	Qty	size	Qty	size	Qty	size
PLS60/65G	60	70	65			215 - 275	16	4		5	Ø5	2	Ø9		
PLS60/165G	60	70	165			215 - 275	16	4		7	Ø5	2	Ø11		
PLS80/90G	80	70	90			215 - 275	16	4		5	Ø5	2	Ø9		
PLS80/190G	80	70	190			215 - 275	16	4		9	Ø5	2	Ø11		
PLB60/65G	60	70	65	90	90	45 - 105	16	4	5	5	Ø5	2	Ø9	4	Ø12
PLB60/165G	60	70	165	90	90	45 - 105	16	4	5	9	Ø5	2	Ø11	4	Ø12
PLB80/90G	80	70	90	90	90	45 - 105	16	4	5	5	Ø5	2	Ø9	4	Ø12
PLB80/190G	80	70	190	90	90	45 - 105	16	4	5	9	Ø5	2	Ø11	4	Ø12

**Table D22-2: Material specification**

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
Threaded rod	Threaded rod: S355 JO according to EN 10025	
	Or stainless steel as described	

**Table D22-3: Characteristic capacity**

			Characteristic capacities [kN]		
Model	Fasteners		$R_{1,k}$		$R_{2,k}$
	On post		Load direction / timber grain		
	Qty	Type	Parallel	Perpendicular	
PLS60/65G	3	CNA4.0x40	min( 50.8 ; 36.4/ $k_{mod}$ )	min( 20.1 ; 20.2/ $k_{mod}$ )	min( 5.4 ; 3.5/ $k_{mod}$ )
PLB60/65G	2	CSA5.0x35			
PLS60/165G	2	CNA4.0x40			min( 2.8 ; 3/ $k_{mod}$ )
PLB60/165G	1	screw 8x60			
PLS80/90G	3	CNA4.0x40			2.3/ $k_{mod}$
PLB80/90G	2	CSA5.0x35			
PLS80/190G	2	CNA4.0x40			min( 2.8 ; 2.3/ $k_{mod}$ )
PLB80/190G	1	screw 8x60			



### D23: PP & PPL

Product name	Alternative names
PP	P
PPL	PL

Figure D23-1: Drawings




Table D23-1: Size specification

Model	Product dimensions [mm]								Holes	
	A	B	D	E	F	G	t <sub>1</sub>	t <sub>2</sub>	Qty	size
PP	80	80			260	20	10 or 8		6	Ø6.5
PPL	80	80	70	70	510	38	10 or 8	5	6	Ø6.5

Table D23-2: Material specification

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
Ribbed bar	B 550 BR+AC according to EN 10080	
	Or stainless steel as described	

Table D23-3: Characteristic capacity

Model	Characteristic capacities [kN]				
	Fasteners		R <sub>1,k</sub>	R <sub>2,k</sub>	R <sub>3,k</sub> = R <sub>4,k</sub>
	On post				
Qty	Type				
PP	4	screw 6x60	31.6/k <sub>mod</sub>	7.6	2.7
PPL	4	screw 6x60	57.1/k <sub>mod</sub>		min( 2.7 ; 2.5/k <sub>mod</sub> )

The capacities based on an axial capacity of the screws with R<sub>ax,45.k</sub>=2,7 kN.  
For other screws, the capacities are to calculated respectively.

## D24: PPA & PBL

Product name	Alternative names
PPA	
PBL	

Figure D24-1: Drawings




Table D24-1: Size specification

Model	Product dimensions [mm]								Holes			
	A	B	D	E	F	G	t <sub>1</sub>	t <sub>2</sub>	Top		Bottom	
									Qty	size	Qty	size
PPA100	100	100	130	130	100	48.3	4	4	4	Ø12	4	Ø12
PPA150	100	100	130	130	150	48.3	4	4	4	Ø12	4	Ø12
PBL100	130	130	130	180	100	48.3	4	4	4	Ø12	4	Ø12
PBL150	130	130	130	180	150	48.3	4	4	4	Ø12	4	Ø12

Table D24-2: Material specification

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
Tube	S235 JRH according to EN 10219-1	
	Or stainless steel as described	

**Table D24-3: Characteristic capacity**


Model	Characteristic capacities [kN]			
	$R_{1,k}$			
PPA & PBL	$78.5/k_{mod}^{0.4}$			

Capacities are valid also when the connector is turned upside down.

**D25: PPB & PPS80**

Product name	Alternative names
PPB70	PB70
PPB75	PB75
PPB80	PB80; PB40605
PPS80	PS80

**Figure D25-1: Drawings**



**Table D25-1: Size specification**

Model	Product dimensions [mm]									Holes			
										Top		Bottom	
	A	B	C	D	E	F	G	t <sub>1</sub>	t <sub>2</sub>	Qty	size	Qty	size
PPB70	70	70	5 - 75	90	90	30 - 100	16	6	5	2	Ø5.5	4	Ø12
PPB75	80	80	7 - 67	90	90	30 - 90	20	8	5	4	Ø9	4	Ø12
PPB80	80	80	8 - 158	140	100	50 - 200	20	8	8	4	Ø9	4	Ø12
PPS80	80	80	0 - 170			230 - 350	20	8		4	Ø9		Ø12

**Table D25-2: Material specification**

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
Threaded rod	S355 JO according to EN 10025	
	Or stainless steel as described	


**Table D25-3: Characteristic capacity**

Model	Fasteners				Characteristic capacities [kN]	
	On post		On concrete		R <sub>1,k</sub>	
	Qty	Type	Qty	Type	Concrete	
					C16/20	C20/25
PPB	4	∅8	4	∅10	min( 88.3 ; 63.9/k <sub>mod</sub> )	
PPS80	4	∅8			40/k <sub>mod</sub>	49.5/k <sub>mod</sub>

**D26: PPD**

Product name	Alternative names
PPD	D

**Figure D26-1: Drawings**



**Table D26-1: Size specification**

Model	Product dimensions [mm]						Holes			
	A	B	C	F	G	t <sub>1</sub>	Top			
							Qty	size	Qty	size
PPD 48 x 40	48	40	121.5	255	16	5	8	∅5	2	∅13.5
PPD 50 x 40	50	40	120.5	255	16	5	8	∅5	2	∅13.5
PPD 73 x 40	73	40	121.5	255	16	5	8	∅5	2	∅13.5
PPD 100 x 40	100	40	120.5	255	16	5	8	∅5	2	∅13.5
PPD 98 x 60	98	60	122.5	255	16	5	10	∅5	2	∅13.5
PPD 70 x 70	70	70	126.5	255	16	5	10	∅5	2	∅13.5
PPD 73 x 70	73	70	125	255	16	5	10	∅5	2	∅13.5
PPD 75 x 70	75	70	124	255	16	5	10	∅5	2	∅13.5
PPD 80 x 70	80	70	121.5	255	16	5	10	∅5	2	∅13.5
PPD 90 x 70	90	70	126.5	255	16	5	10	∅5	2	∅13.5
PPD 100 x 70	100	70	121.5	255	16	5	10	∅5	2	∅13.5
PPD 90 x 90	90	90	136.5	255	20	5	12	∅5	4	∅13.5

PPD 100 x 90	100	90	131.5	255	20	5	12	Ø5	4	Ø13.5
PPD 115 x 90	115	90	124	255	20	5	12	Ø5	4	Ø13.5
PPD 120 x 90	120	90	121.5	255	20	5	12	Ø5	4	Ø13.5
PPD 123 x 90	123	90	120	255	20	5	12	Ø5	4	Ø13.5
PPD 125 x 90	125	90	119	255	20	5	12	Ø5	4	Ø13.5
PPD 140 x 90	140	90	121.5	255	20	5	12	Ø5	4	Ø13.5
PPD 148 x 90	148	90	117.5	255	20	5	12	Ø5	4	Ø13.5

**Table D26-2: Material specification**

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
Ribbed bar	B 550 BR+AC according to 10080	
	Or stainless steel as described	

**Table D26-3: Characteristic capacity**

Model	Fasteners		Characteristic capacities [kN]				
	On Post		R <sub>1,k</sub>		R <sub>2,k</sub>	R <sub>3,k</sub>	R <sub>4,k</sub>
	Qty	Type	Concrete strength class				
			C12/15	C20/25			
PPD 48 x 40	8	CNA 4.0x40	min( 40.3 ; 28.0/k <sub>mod</sub> )	min( 40.3 ; 40.9/k <sub>mod</sub> )	min( 14.7 ; 13.0/k <sub>mod</sub> )	3.4/k <sub>mod</sub>	min( 8.3 ; 5.8/k <sub>mod</sub> )
PPD 50 x 40	8		min( 42.0 ; 28.0/k <sub>mod</sub> )	40.9/k <sub>mod</sub>	min( 14.7 ; 12.2/k <sub>mod</sub> )	3.4/k <sub>mod</sub>	min( 8.3 ; 5.8/k <sub>mod</sub> )
PPD 73 x 40	8		min( 50.8 ; 28.0/k <sub>mod</sub> )	38.6/k <sub>mod</sub>	7.3/k <sub>mod</sub>	3.4/k <sub>mod</sub>	5.8/k <sub>mod</sub>
PPD 100 x 40	8		min( 47.9 ; 28.0/k <sub>mod</sub> )	min( 47.9 ; 34.9/k <sub>mod</sub> )	5.0/k <sub>mod</sub>	3.4/k <sub>mod</sub>	5.8/k <sub>mod</sub>
PPD 98 x 60	10		28.0/k <sub>mod</sub>	min( 73.7 ; 40.9/k <sub>mod</sub> )	7.6/k <sub>mod</sub>	3.6/k <sub>mod</sub>	5.8/k <sub>mod</sub>
PPD 70 x 70	10		28.0/k <sub>mod</sub>	min( 63.5 ; 40.9/k <sub>mod</sub> )	min( 18.4 ; 13.5/k <sub>mod</sub> )	3.6/k <sub>mod</sub>	min( 10.9 ; 5.8/k <sub>mod</sub> )
PPD 73 x 70	10		28.0/k <sub>mod</sub>	min( 69.7 ; 40.9/k <sub>mod</sub> )	min( 18.4 ; 12.8/k <sub>mod</sub> )	3.5/k <sub>mod</sub>	min( 10.9 ; 5.8/k <sub>mod</sub> )
PPD 75 x 70	10		28.0/k <sub>mod</sub>	min( 74.0 ; 40.9/k <sub>mod</sub> )	min( 18.4 ; 12.3/k <sub>mod</sub> )	3.6/k <sub>mod</sub>	min( 10.9 ; 5.8/k <sub>mod</sub> )
PPD 80 x 70	10		28.0/k <sub>mod</sub>	min( 81.9 ; 40.9/k <sub>mod</sub> )	min( 18.4 ; 11.4/k <sub>mod</sub> )	3.7/k <sub>mod</sub>	min( 10.9 ; 5.8/k <sub>mod</sub> )
PPD 90 x 70	10		36.9/k <sub>mod</sub>	min( 94.8 ; 54.5/k <sub>mod</sub> )	min( 18.4 ; 10.4/k <sub>mod</sub> )	5.5/k <sub>mod</sub>	min( 14.6 ; 10.8/k <sub>mod</sub> )
PPD 100 x 70	10		28.0/k <sub>mod</sub>	40.9/k <sub>mod</sub>	8.7/k <sub>mod</sub>	3.7/k <sub>mod</sub>	5.8/k <sub>mod</sub>
PPD 90 x 90	12		36.9/k <sub>mod</sub>	min( 78.4 ; 54.5/k <sub>mod</sub> )	min( 22.0 ; 13.4/k <sub>mod</sub> )	6.4/k <sub>mod</sub>	min( 18.7 ; 11.4/k <sub>mod</sub> )
PPD 100 x 90	12		36.9/k <sub>mod</sub>	min( 99.4 ; 54.5/k <sub>mod</sub> )	min( 22.0 ; 11.7/k <sub>mod</sub> )	6.6/k <sub>mod</sub>	min( 18.7 ; 11.4/k <sub>mod</sub> )
PPD 115 x 90	12		36.9/k <sub>mod</sub>	54.5/k <sub>mod</sub>	9.9/k <sub>mod</sub>	7.0/k <sub>mod</sub>	11.4/k <sub>mod</sub>
PPD 120 x 90	12		36.9/k <sub>mod</sub>	54.5/k <sub>mod</sub>	9.4/k <sub>mod</sub>	7.2/k <sub>mod</sub>	11.4/k <sub>mod</sub>

PPD 123 x 90	12	36.9/k <sub>mod</sub>	54.5/k <sub>mod</sub>	9.1/k <sub>mod</sub>	7.2/k <sub>mod</sub>	11.4/k <sub>mod</sub>
PPD 125 x 90	12	36.9/k <sub>mod</sub>	54.5/k <sub>mod</sub>	8.9/k <sub>mod</sub>	7.3/k <sub>mod</sub>	11.4/k <sub>mod</sub>
PPD 140 x 90	12	36.9/k <sub>mod</sub>	min( 102.2 ; 54.5/k <sub>mod</sub> )	7.8/k <sub>mod</sub>	7.2/k <sub>mod</sub>	11.4/k <sub>mod</sub>
PPD 148 x 90	12	36.9/k <sub>mod</sub>	min( 99.9 ; 54.5/k <sub>mod</sub> )	7.3/k <sub>mod</sub>	7.3/k <sub>mod</sub>	11.4/k <sub>mod</sub>

For vertical loads  $F_1$  and horizontal loads  $F_4$  acting simultaneously it shall be verified that:

$$F_1 / R_{1,d} + F_4 / R_{4,d} \leq 1.$$

For vertical uplift  $F_2$  and horizontal loads  $F_4$  acting simultaneously it shall be verified that:

$$(F_2 / R_{2,d})^2 + (F_4 / R_{4,d})^2 \leq 1.$$

## D27: PPMINI

Product name	Alternative names
PPMINI	

Figure D27-1: Drawings




Table D27-1: Size specification

Model	Product dimensions [mm]							Holes							
								Top				Bottom			
	A	B	D	E	F	G	t	Qty	size	Qty	size	Qty	size	Qty	size
PPMINI50	90	70	90	70	50	34	4	4	Ø11	2	Ø6x12	4	Ø11	2	Ø6x12
PPMINI70	90	70	90	70	70	34	4	4	Ø11	2	Ø6x12	4	Ø11	2	Ø6x12
PPMINI80	90	70	90	70	80	34	4	4	Ø11	2	Ø6x12	4	Ø11	2	Ø6x12

Table D27-2: Material specification

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
Tube	S235 JRH according to EN 10219-1	
	Or stainless steel as described	

Table D27-3: Characteristic capacity

Model	Timber grain direction / load axis	Characteristic capacities [kN]
		R <sub>1,k</sub>
PPMINI	parallel	58.6 / k <sub>mod</sub> <sup>0.37</sup>
	perpendicular	21.6

## D28: PPR

Product name	Alternative names
PPR	

Figure D28-1: Drawings




Table D28-1: Size specification

Model	Product dimensions [mm]								Holes			
	A	B	D	E	F	G	t <sub>1</sub>	t <sub>2</sub>	Top		Bottom	
									Qty	size	Qty	size
PPR	100	100	130	130	100 - 160	20	4	4	4	Ø13	4	Ø13

Table D28-2: Material specification

Part	Material Grades	Coating specification
Plates	P355 NB according to EN 10120	Hot-dip galvanized according to EN ISO 1461
Tube	P235TR1 according to EN 10216-1	
Threaded rod	steel class 4.6 according to ISO 898	
	Or stainless steel as described	

Table D28-3: Characteristic capacity

Model	Fasteners				Characteristic capacities [kN] R <sub>1,k</sub>
	On post		On concrete		
	Qty	Type	Qty	Type	
PPR	4	Ø12	4	Ø12	50.2 / k <sub>mod</sub> <sup>0.5</sup>

Capacities are also valid when the connector is turned upside down.



## D29: PPRB

Product name	Alternative names
PPRB	

Figure D29-1: Drawings




Table D29-1: Size specification

Model	Product dimensions [mm]								Holes			
	A	B	D	E	F	G	t <sub>1</sub>	t <sub>2</sub>	Top		Bottom	
									Qty	size	Qty	size
PPRB	100	100	130	130	100 - 160	20	4	4	4	Ø13	4	Ø13

Table D29-2: Material specification

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Electroplated zinc Zn25/A according to EN ISO 2081 Or electroplated zinc Zn10/A (alkali zinc)
Tube	E235 according to EN 10305	
Threaded rod	steel class 4.6 according to ISO 898	
	Or stainless steel as described	

Table D29-3: Characteristic capacity

Model	Fasteners				Characteristic capacities [kN]
	On post		On concrete		
	Qty	Type	Qty	Type	
PPRB	4	Ø12	4	Ø12	42.7 / k <sub>mod</sub> <sup>0.5</sup>

Capacities are also valid when the connector is turned upside down.

### D30: PPRC

Product name	Alternative names
PPRC	

Figure D30-1: Drawings




Table D30-1: Size specification

Model	Product dimensions [mm]									Holes							
										Top				Bottom			
	A	B	D	E	F	G	$t_1$	$t_2$	Qty	size	Qty	size	Qty	size	Qty	size	
PPRC	10	100	13	13	100 - 150	20	5	5	8	$\text{Ø}6 \times 12$	4	$\text{Ø}12$	8	$\text{Ø}6 \times 12$	4	$\text{Ø}12$	

Table D30-2: Material specification

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Electroplated zinc Zn12/C according to EN ISO 2081 Or electroplated zinc Zn10/A (alkali zinc)
Tube	C15RPB according to EN 10084	
Threaded rod	steel class 4.6 according to ISO 898	
	Or stainless steel as described	

Table D30-3: Characteristic capacity

Model	Fasteners				Characteristic capacities [kN]
	On post		On concrete		
	Qty	Type	Qty	Type	$R_{1,k}$
PPRC	4 or 8	$\text{Ø}10$ or $\text{Ø}6$ at $45^\circ$	4	$\text{Ø}10$	$51.1 / k_{\text{mod}}^{0.5}$

### D31: PPRIX

Product name	Alternative names
PPRIX	

Figure D31-1: Drawings




Table D31-1: Size specification

Model	Product dimensions [mm]									Holes			
										Top		Bottom	
	A	B	D	E	F	G	t <sub>1</sub>	t <sub>2</sub>	Qty	size	Qty	size	
PPRIX	100	100	130	130	100 - 160	20	4	4	4	Ø12	4	Ø12	

Table D31-2: Material specification

Part	Material Grades	Coating specification
Plates	Stainless steel 316L according to EN 10088	
Tube	B 550 BR+AC according to 10080	
Threaded rod	A4 (AISI 316L) according to ISO 350	

Table D31-3: Characteristic capacity

Model	Fasteners				Characteristic capacities [kN]
	On post		On concrete		
	Qty	Type	Qty	Type	
PPRIX	4	Ø10	4	Ø10	36 / k <sub>mod</sub> <sup>0.5</sup>

Capacities are also valid when the connector is turned upside down.

### D32: PPS & PPSDT

Product name	Alternative names
PPS	PPSIX (for stainless steel version)
PPSDT	PPSDTIX (for stainless steel version)

Figure D32-1: Drawings




Table D32-1: Size specification

Model	Product dimensions [mm]								Holes					
									Top				Bottom	
	A	B	C	D	E	F	t <sub>1</sub>	t <sub>2</sub>	Qty	size	Qty	size	Qty	size
PPS170	80	80	114	100	100	56	4	4	2	Ø13			4	Ø12
PPS230	80	80	138	130	130	92	4	4	2	Ø13			4	Ø12
PPSDT160	34	60	104	100	100	56	4	4	1	Ø13			4	Ø14
PPSDT230	44	80	176	130	130	58	4	4	2	Ø13.5	1	Ø17	4	Ø14

**Table D32-2: Material specification**

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
	Or stainless steel as described	

**Table D32-3: Characteristic capacity**

Model	Fasteners				Characteristic capacities [kN]			
	On post		On concrete		R <sub>1,k</sub>	R <sub>2,k</sub>	R <sub>3,k</sub>	R <sub>4,k</sub>
	Qty	Type	Qty	Type				
PPS170	2	STD12	4	∅10	$25.9/k_{mod}^{0.5}$	16.3	$10.1/k_{mod}$	$1.2/k_{mod}$
PPS230	2	STD12	4	∅10	$34.5/k_{mod}^{0.5}$	17.9	$13.3/k_{mod}$	$1.03/k_{mod}$
PPSDT160	1	STD12	4	∅12	$40.5/k_{mod}^{0.5}$	8.4	5.5	$7.0/k_{mod}^{0.5}$
PPSDT230	2	STD12	4	∅12	$53.5/k_{mod}^{0.5}$	23	$\min(15 ; 13.7/k_{mod})$	$9.3/k_{mod}^{0.5}$
PPS170 IX	2	STD12	4	∅10	$23.3/k_{mod}^{0.5}$	16.3	$\min(21.3 ; 14.1/k_{mod})$	$0.98/k_{mod}$
PPSDT170IX	2	STD12	4	∅10	$23.3/k_{mod}^{0.5}$	16.3	$\min(21.3 ; 14.1/k_{mod})$	$0.98/k_{mod}$
PPSDT230 IX	2	STD12	4	∅12	$48.1/k_{mod}^{0.5}$	23	15	$8.5/k_{mod}^{0.5}$

To obtain full load-carrying capacities for lifting force and horizontal force the characteristic withdrawal capacity of the anchors should be minimum:

Model	Axial capacity [kN] of the anchor associated to full lifting capacity of postbase
PPS170	20.2
PPS230	23.7
PPSDT160	13.4
PPSDT230	26.8
PPSDT170IX	25.6
PPS170 IX	25.6
PPSDT230 IX	28.5

### D33: PPSP

Product name	Alternative names
PPSP	

Figure D33-1: Drawings




Table D33-1: Size specification

Model	Product dimensions [mm]				Holes	
	A	B	G	t	Qty	size
PPSP70	70	70	16	4	4	Ø11
PPSP90	90	90	16	4	4	Ø11
PPSP100	100	100	20	4	4	Ø12
PPSP130	130	130	20	4	4	Ø12

Table D33-2: Material specification

Part	Material Grades	Coating specification
Plates type PPSP100; PPSP130	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
Plates type PPSP70; PPSP90	DD11 acc to EN 10111	
Ribbed bar	B 550 BR+AC according to 10080 Or stainless steel as described	

Table D33-3: Characteristic capacity – for concrete C20/25

Model	Fasteners		Characteristic capacities [kN]
	On post		$R_{1,k}$
	Qty	Type	
PPSP70	4	Ø10	$\min(29.4/k_{mod}^{0.5}; 30.4/k_{mod})$
PPSP90	4	Ø10	$\min(31.2/k_{mod}^{0.5}; 30.4/k_{mod})$
PPSP100	4	Ø10	$\min(39.7/k_{mod}^{0.5}; 41.2/k_{mod})$
PPSP130	4	Ø10	$\min(39.7/k_{mod}^{0.5}; 41.2/k_{mod})$

### D34: PPSR320

Product name	Alternative names
PPSR320	

Figure D34-1: Drawings




Table D34-1: Size specification

Model	Product dimensions [mm]										Holes							
											Top				Bottom			
	A	B	C	D	E	F	G	H	t <sub>1</sub>	t <sub>2</sub>	Qty	size	Qty	size	Qty	size	Qty	size
PPSR320	100	100	170	130	130	100 - 150	20	80	4	5	2	Ø13	1	Ø17	8	Ø6x12	4	Ø12

Table D34-2: Material specification

Part	Material Grades	Coating specification
Horizontal plates	S235JR according to EN 10025	Electroplated Zinc Zn12/C according to ISO 2081 and EN1403 or Sherardizing class C30 according to EN 13811.
Nut	C15RPB according to EN 10084	
Threaded rod	Steel class 4.6 according to ISO 898	
Vertical plate	DD11 according to EN 10111	
	Or stainless steel as described	

Table D34-3: Characteristic capacity

Model	Fasteners				Characteristic capacities (kN)	
	On post		On concrete		R <sub>1,k</sub>	R <sub>2,k</sub>
	Qty	Type	Qty	Type		
PPSR320	1	Ø16	4	Ø10	51.1 / k <sub>mod</sub> <sup>0,5</sup>	min( 29.5 ; 20.9 / k <sub>mod</sub> )
	2	Ø12				20.9 / k <sub>mod</sub>

### D35: PPUP

Product name	Alternative names
PPUP	

Figure D35-1: Drawings




Table D35-1: Size specification

Model	Product dimensions [mm]									Holes					
	A	B	C	D	E	F	G	t <sub>1</sub>	t <sub>2</sub>	Top				Bottom	
										Qty	size	Qty	size	Qty	size
PPUP70	70	70	126.5	100	100	100	48.3	4	4	10	∅5	2	∅13.5	4	∅12
PPUP90	90	70	121.5	100	100	100	48.3	4	4	10	∅5	2	∅13.5	4	∅12

Table D35-2: Material specification

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
Tube	S235 JRH according to EN 10219-1	
	Or stainless steel as described	

Table D35-3: Characteristic capacity

Model	Fasteners				Characteristic capacities [kN]			
	On post		On concrete		R <sub>1,k</sub>	R <sub>2,k</sub>	R <sub>3,k</sub>	R <sub>4,k</sub>
	Qty	Type	Qty	Type				
PPUP70	10	CNA4,0x40	4	∅10	92.2	17.8	10.7	8.2 / (k <sub>mod</sub> <sup>0.5</sup> )
PPUP90	10	CNA4,0x50	4	∅10	min( 121.5; 102.8/k <sub>mod</sub> )	21.9	min( 13.1 ; 14.1/k <sub>mod</sub> )	10.6 / (k <sub>mod</sub> <sup>0.5</sup> )

To obtain full load-carrying capacities for lifting force and horizontal force, the characteristic withdrawal capacity of the anchors should be minimum: 14.9 kN for PPUP70 and 18.8 kN for PPUP90.



### D36: PU / EMBU

Product name	Alternative names
PUxx	EMBU

xx: width of PU

Figure D36-1: Drawings




Table D36-1: Size specification

Model	Product dimensions [mm]					Holes							
						Top				Bottom			
	A	B	C	F	t <sub>1</sub>	Qty	size	Qty	size	Qty			size
PU70-B	71	70	131	24	4	10	Ø5	4	Ø9			1	Ø17x20
PU80-B	81	70	126	24	4	10	Ø5	4	Ø9			1	Ø17x20
PU90-B	91	70	131	24	4	10	Ø5	4	Ø9	2	Ø9	1	Ø17x20
PU100-B	101	70	126	24	4	10	Ø5	4	Ø9	2	Ø9	1	Ø17x20
PU120-B	121	70	116	24	4	10	Ø5	4	Ø9	2	Ø9	1	Ø17x20
PU140-B	141	70	106	24	4	10	Ø5	4	Ø9	2	Ø9	1	Ø17x20

Table D36-2: Material specification

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Hot dip galvanized according to EN ISO 1461
	Or stainless steel as described	

Table D36-3: Characteristic capacity

Model	Fasteners				Characteristic capacities [kN]	
	On post		On concrete		R <sub>1,k</sub>	R <sub>2,k</sub>
	Qty	Type	Qty	Type		
PU70-B	n	CNA4,0	1	Ø16	max( 19.1 ; n x R <sub>lat,k</sub> )	min( n x R <sub>lat,k</sub> ; 14.1/k <sub>mod</sub> )
PU80-B	n	CNA4,0	1	Ø16		min( n x R <sub>lat,k</sub> ; 11.7/k <sub>mod</sub> )
PU90-B	n	CNA4,0	1	Ø16		min( n x R <sub>lat,k</sub> ; 10.0/k <sub>mod</sub> )
PU100-B	n	CNA4,0	1	Ø16		min( n x R <sub>lat,k</sub> ; 8.76/k <sub>mod</sub> )
PU120-B	n	CNA4,0	1	Ø16		min( n x R <sub>lat,k</sub> ; 6.99/k <sub>mod</sub> )
PU140-B	n	CNA4,0	1	Ø16		min( n x R <sub>lat,k</sub> ; 5.82/k <sub>mod</sub> )

n = total number of nails. If the number of nails on each side is different, n is twice the number of nails in the side where the number is the minimum.

### D37: PUA

Product name	Alternative names
PUAxx	U

Figure D37-1: Drawings




Table D37-1: Size specification

Model	Product dimensions [mm]					Holes					
						Top			Bottom		
	A	B	C	F	t	Qty	size	Qty	size	Qty	size
PUA45	46	70	127	30	3	10	Ø5	4	Ø9	1	Ø13x26-Ø16
PUA50	51	70	125	28	3	10	Ø5	4	Ø9	1	Ø13x26-Ø16
PUA60	61	70	120	23	3	10	Ø5	4	Ø9	1	Ø13x26-Ø16
PUA70	71	70	115	28	3	10	Ø5	4	Ø9	1	Ø13x26-Ø16
PUA80	81	70	110	23	3	10	Ø5	4	Ø9	1	Ø13x26-Ø16
PUA90	91	70	115	28	3	10	Ø5	4	Ø9	1	Ø13x26-Ø16
PUA100	101	70	110	23	3	10	Ø5	4	Ø9	1	Ø13x26-Ø16
PUA120	121	70	110	23	3	10	Ø5	4	Ø9	1	Ø13x26-Ø16
PUA/B42	42	70		27	3					1	Ø13x26-Ø16
PUA/B47	47	70		25	3					1	Ø13x26-Ø16
PUA/B57	57	70		20	3					1	Ø13x26-Ø16
PUA/B67	67	70		25	3					1	Ø13x26-Ø16
PUA/B77	77	70		20	3					1	Ø13x26-Ø16
PUA/B87	87	70		25	3					1	Ø13x26-Ø16
PUA/B97	97	70		20	3					1	Ø13x26-Ø16
PUA/B117	117	70		20	3					1	Ø13x26-Ø16

PUA/BXX are item codes for U-shaped bottom plates

**Table D37-2: Material specification**

Part	Material Grades	Coating specification
Plates	S250 GD according to EN 10346	Pre-galvanized steel min Z275 according to EN10346
	Or stainless steel as described	


**Table D37-3: Characteristic capacity**

Model	Fasteners				Characteristic capacities [kN]	
	On post		On concrete		R <sub>1,k</sub>	R <sub>2,k</sub>
	Qty	Type	Qty	Type		
PUA45 + PUA/B42	10	Ø5	1	Ø12	min( 29.6 ; 34.7/k <sub>mod</sub> )	min( 18.1 ; 10.9/k <sub>mod</sub> )
PUA50 + PUA/B47	10	Ø5	1	Ø12		min( 18.1 ; 9.8/k <sub>mod</sub> )
PUA60 + PUA/B57	10	Ø5	1	Ø12		7.6/k <sub>mod</sub>
PUA70 + PUA/B67	10	Ø5	1	Ø12		6.2/k <sub>mod</sub>
PUA80 + PUA/B77	10	Ø5	1	Ø12		5.2/k <sub>mod</sub>
PUA90 + PUA/B87	10	Ø5	1	Ø12		4.5/k <sub>mod</sub>
PUA100 + PUA/B97	10	Ø5	1	Ø12		4.0/k <sub>mod</sub>
PUA120 + PUA/B117	10	Ø5	1	Ø12		3.2/k <sub>mod</sub>

### D38: PVD / PVDB / PVI / PVIB

Product name	Alternative names
PVD80	PB31950; VarioD80
PVD120	PB31948; Vario D120
PVDB80	PB31951; VarioDB80
PVDB120	PB31949; Vario DB120
PVI	Vario I
PVIB	Vario IB

Figure D38-1: Drawings



**Table D38-1: Size specification**

Model	Product dimensions [mm]										Holes					
											Top				Bottom	
	A	B	C	D	E	F	G	H	t <sub>1</sub>	t <sub>2</sub>	Qty	size	Qty	size	Qty	size
PVD80	80 - 120	70	120	40	40	249 - 302	20		5	4	10	Ø5	2	Ø13.5		
PVD120	120 - 160	70	120	40	40	249 - 302	20		5	4	10	Ø5	2	Ø13.5		
PVDB80	80 - 120	70	120	70	160	136 - 189	20		5	8	10	Ø5	2	Ø13.5	2	Ø12
PVDB120	120 - 160	70	120	70	160	136 - 189	20		5	8	10	Ø5	2	Ø13.5	2	Ø12
PVI	60	90	110	40	40	222 - 274	20	70	8	4	4	Ø8.5				
PVIB	60	90	110	70	160	109 - 161	20	70	8	8	4	Ø8.5			2	Ø12

**Table D38-2: Material specification**


Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
Threaded rod	S355 JO according to EN 10025	
	Or stainless steel as described	

**Table D38-3: Characteristic capacity**


Model	Fasteners				Timber width [mm]	Characteristic capacities (kN)			
	On post		On concrete			R <sub>1,k</sub>	R <sub>2,k</sub>	R <sub>3,k</sub> *	R <sub>4,k</sub> *
	Qty	Type	Qty	Type					
PVD	10	CNA4,0x40	2	Ø10	80	min( 77.8 ; 49.0/k <sub>mod</sub> )	17.6	k <sub>3</sub> x 2.7/k <sub>mod</sub>	k <sub>4</sub> x 6.5/k <sub>mod</sub>
	10	CNA4,0x40			120		min( 17.6 ; 11.6/k <sub>mod</sub> )		
	10	CNA4,0x40			160		min( 15.2 ; 7.6/k <sub>mod</sub> )		
PVDB	10	CNA4,0x40	2	Ø10	80	min( 77.8 ; 49.0/k <sub>mod</sub> )	17.6	k <sub>3</sub> x 1.4/k <sub>mod</sub>	k <sub>4</sub> x 3.2/k <sub>mod</sub>
	10	CNA4,0x40			120		min( 17.6 ; 11.6/k <sub>mod</sub> )		
	10	CNA4,0x40			160		min( 15.2 ; 7.6/k <sub>mod</sub> )		
PVI	4	Ø8x80	2	Ø10	80	min( 90.7 ; 49.0/k <sub>mod</sub> )	16.0	k <sub>3</sub> x 2.7/k <sub>mod</sub>	k <sub>4</sub> x min( 2.5 ; 2.2/k <sub>mod</sub> )
	4	Ø8x120			120		20.7		k <sub>4</sub> x min( 3.8 ; 3.8/k <sub>mod</sub> )
	4	Ø8x160			160		20.7		k <sub>4</sub> x min( 5.7 ; 4.7/k <sub>mod</sub> )
PVIB	4	Ø8x80	2	Ø10	80	min( 90.7 ; 49.0/k <sub>mod</sub> )	16.0	k <sub>3</sub> x 2.6/k <sub>mod</sub>	k <sub>4</sub> x min( 1.9 ; 1.9/k <sub>mod</sub> )
	4	Ø8x120			120		20.7		k <sub>4</sub> x min( 3.3 ; 2.7/k <sub>mod</sub> )
	4	Ø8x160			160		20.7		k <sub>4</sub> x min( 3.5 ; 2.7/k <sub>mod</sub> )

Capacities depends on k factors, which depend on distance g. The following given modification factors shall be used.

For PVDB and PVIB, the horizontal load  $F_3$  or  $F_4$  shall always be in the direction of the longer side of the bottom plate.



PVD	g (mm)	48	73	98
	$k_3$	1	0.79	0.65
	$k_4$	1	0.61	0.44
PVDB	g (mm)	136	161	186
	$k_3$	1	0.88	0.84
	$k_4$	1	0.78	0.73
PVI	g (mm)	32	57	82
	$k_3$	1.15	1	0.85
	$k_4$	1.15	1	0.85
PVIB	g (mm)	120	145	170
	$k_3$	1.1	1	0.85
	$k_4$	1.1	1	0.85



### D39: TPB

Product name	Alternative names
TPB195	

Figure D39-1: Drawings




Table D39-1: Size specification

Model	Product dimensions [mm]							Holes					
								Top		Bottom			
	A	B	C	D	E	$t_1$	$t_2$	Qty	size	Qty	size	Qty	size
TPB195	20	20	191	70	90	2	4	2	Ø11	4	Ø6	4	Ø12

**Table D39-2: Material specification**

Part	Material Grades	Coating specification
Plate and tube	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
	Or stainless steel as described	


**Table D39-3: Characteristic capacity**

Model	Fasteners				Characteristic capacities [kN]	
	On post		On concrete		R <sub>1,k</sub>	R <sub>2,k</sub>
	Qty	Type	Qty	Type		
TPB195	2	∅10x60	2	∅10	15.5	7.8
	2	∅10x70	2	∅10	16.0	8.0
	2	∅10x80	2	∅10	17.0	8.5
	2	∅10x90	2	∅10	18.2	9.1
	2	∅10x100	2	∅10	19.7	9.8
	2	∅10x120	2	∅10	23.1	10.4
	2	∅10x140	2	∅10	26.0	10.4

Minimum size of the column: 60x60 mm

The anchoring has to be checked for uplift load. It shall be fixed with two anchor diagonally opposite.

A hole ∅28 or 30mm must be drilled in the end of column.



### D40: PP18

Product name	Alternative names
PP18/24B	
PP18/24BZ	
PP18/24S	
PP18/24SZ	

Figure D40-1: Drawings




Table D40-1: Size specification

Model	Product dimensions [mm]								Holes	
	A	B	D	E	F	G	t1	t2	Top Ø	Bottom Ø
PP18/24B	80	80	130	130	180-240	24	8(10)	4	6,5	12
PP18/24S	80	80	80*	80*	300-360	24	8(10)	4	6,5	

\*this size can be in range from 70x70 to 100x100mm (alternative size)

Table D40-2: Material specification

Part	Material Grades	Coating specification
Plates & tube	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461 or Type ...Z: Zinc Nickel galvanization plus top coating
Threaded rod	S355JO according to EN 10025	
	Or stainless steel as described	



**Table D40-3: Characteristic capacity**


Model	Fasteners				Characteristic capacities [kN]		
	On post		On concrete		$R_{1,k}$	$R_{2,k}$	$R_{3,k} = R_{4,k}$
	Qty	Type	Qty	Type			
PP18/24B	4	Ø6	4	Ø10	min (100.5/k <sub>mod</sub> <sup>0.6</sup> ; 93 /k <sub>mod</sub> )	min (2.83xR <sub>ax.45</sub> ; 10.3/k <sub>mod</sub> )	min (0.71x R <sub>ax.45</sub> ; 2.0/k <sub>mod</sub> )
PP18/24S	4	Ø6			min (100.5/k <sub>mod</sub> <sup>0.6</sup> ; 93 /k <sub>mod</sub> )	min (2.83xR <sub>ax.45</sub> ; 10.3/k <sub>mod</sub> )	0.71x R <sub>ax.45</sub>

The capacities for  $R_{2,k}$  and  $R_{3,k}/R_{4,k}$  based on an axial capacity of the screws in the column with  $R_{ax.45,k}$ .  
The embedment length for PP18/24S in concrete shall be minimum 120mm.

### D41: PLO1

Product name	Alternative names
PLO1	

Figure D41-1: Drawings



PLO1


Table D41-1: Size specification

Model	Product dimensions [mm]							Holes	
	A	B	C	F	G	t <sub>1</sub>	t <sub>2</sub>	Top	
								Qty	size
PLO1	200	150	200	345	12	5	5	3	Ø13

Table D41-2: Material specification

Part	Material Grades	Coating specification
Plates	S235JR according to EN 10025:2004	Hot-dip galvanized according to EN ISO 1461:1999
Rebar	B500 or equivalent according to EN10080	
	Or stainless steel as described	


**Table D41-3: Characteristic capacity, configuration 1**



Capacities are valid for STD dowel or equivalent with  $f_{ud,k} \geq 340 \text{ N/mm}^2$

Model	Fasteners		Characteristic capacities (kN)		
	On post		$R_{1,k} = R_{2,k}$	$R_{3,k}$	$R_{4,k}$
	Qty	Type			
PLO1	3	$\varnothing 12 \times 180$	37,8	$\min(17.8 ; 23.5/k_{mod})$	17,1
		$\varnothing 12 \times 200$	43,3	$\min(21.2 ; 23.5/k_{mod})$	
		$\varnothing 12 \times 220$	43,3	$\min(24.6 ; 23.5/k_{mod})$	
		$\varnothing 12 \times 240$	43,3	$\min(28.1 ; 23.5/k_{mod})$	

**Table D41-4: Characteristic capacity, configuration 2**



Capacities are valid for STD dowel or equivalent with  $f_{ud,k} \geq 340 \text{ N/mm}^2$

Model	Fasteners		Characteristic capacities (kN)				
	On post		$R_{1,k} = R_{2,k}$		$R_{3,k}^{**}$		$R_{4,k}$
	Qty	Type	Internal	External*	Internal	External	
PLO1	3	$\varnothing 12 \times 180$	43,4	24,7	23,1	$23.5/k_{mod}$	17,1
		$\varnothing 12 \times 200$		29,4			
		$\varnothing 12 \times 220$		34,2			
		$\varnothing 12 \times 240$		35			

\* Transversal tension in timber shall be checked


\*\* sum of the two must be lower than  $23.5/k_{mod}$

## D42: PBW

Product name	Alternative names
PBWxxZ	
PBWxxG	

xx indicates the width "A" and can be any number between 45 and 100 mm (both values incl.).

Figure D42-1: Drawings



**Table D42-1: Size specification**

Model	Product dimensions [mm]								Holes	
	A	B	C	D	E	F	H	t	Ø5	Ø8,5
PBWxx	45-100	50	77	16	21	50	150	3,0	10	2
PBWTPxx	xx-8	58	-	-	-	-	-	3,0	0	0

xx indicates the width "A" and can be any number between 45 and 100 mm (both values incl.).

**Table D42-2: Material specification**

Part	Material Grades	Coating specification
PBWxxZ & PBWTPxxZ	S250 GD according to EN 10346	Pre-galvanized steel ZM310 according to EN10346
PBWxxG & PBWTPxxG	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461:1999

**Table D42-3: Characteristic capacity**

Model	Characteristic load carrying capacity (kN)				
	R <sub>1,k</sub>			R <sub>2,k</sub>	
	Fasteners	Concrete C12/15	Concrete C20/25	Fasteners	
PBWxx	10 x CSA5,0x40	22,0	22,0	4 x CSA5,0x40	2,6/k <sub>mod</sub>
PBWxx + PBWTPxx	10 x CSA5,0x40	35,0/k <sub>mod</sub>	43,0/k <sub>mod</sub>	4 x CSA5,0x40	2,6/k <sub>mod</sub>

## Column

### D50: OSP & OSPS

OSP Outdoor steel post

Product name	Alternative names			
	UK	France	DK	D
OSP				
OSPS				

The product OSP is composed of a tube with one welded plate SP at each end.

8 different plates SP with parameters described below are available.

The OSP characteristic capacity  $R_k$  to consider for one load direction is the minimum of the capacity given for each of the selected plates for this particular load direction. Failure modes associated to the tube, such as buckling or welding failure, are taken into account in each plate capacity in the following tables.

OSPS stands for OSP in the stainless steel version, the corresponding stainless steel plates are named SPS.

Figure D50-1: OSP Overview





Figure D50-2: Overall size specification

### Product parameters:

Top Steel Plate number TopSP	Bottom Steel Plate number BottomSP	Top and bottom SP angle Alpha (°)
1 to 9	1 to 9	from 0 to 360
A or D (mm)		for SP#
80, 90, 100, 120, 140, 150		4 and 5
from 75 to 142		6; 7 and 8
F (mm)	G (mm)	
From 100 to 3000	89	
	102	
	114	
	140	

The dimensions mentioned above are the necessary and sufficient parameters to determine all possible combinations. The compatibility between tube dimensions and plate dimensions are detailed for each plate further. The other dimensions that depend on these parameters are also specified in the further drawings.

Figure D50-3: Available SP and SPS Overview



for steel plate SP 6 and 8, the following rule shall be observed:

$$\pi \frac{G}{4} < A < G + 40 \text{ mm} \quad \text{or} \quad A - 40 \text{ mm} < G < \frac{4A}{\pi}$$

for steel plate SP 7, the following rule shall be observed:

$$\pi \frac{G}{4} + 10 < A < G + 40 \text{ mm} \quad \text{or} \quad A - 40 \text{ mm} < G < \frac{4A}{\pi} - 10$$

Other plate dimensions are given further in figures D50-4 to D50-12

Table D50-1: Material specification OSP


Part	Material thickness	Material grades	Coating specification
Tube	3	S235JR according to EN10025:2004	hot dip galvanization according to EN ISO 1461 with optional painting
Plates	4	S235JR according to EN10025:2004	hot dip galvanization according to EN ISO 1461 with optional painting

Table D50-2: Material specification OSPS

Part	Material thickness	Material grades	Coating specification
Tube	3	Stainless steel 1.4401. 1.4404. 1.4521. 1.4301 or 1.4509 according to EN 10088-2:2014	
Plates	4	Stainless steel 1.4401. 1.4404. 1.4521. 1.4301 or 1.4509 according to EN 10088-2:2014	



Figure D50-4: size specification SP1 or SPS1




Dimension A is linked to the tube diameter G:

Item	Product dimensions (mm)				Compatible with tube diam. G	$d_g$	Plate anchor holes
	A	B=A	C	t			
SP1/Ø89	150	150		4	88.9	12	4 Ø14
SP1/Ø102	160	160		4	101.6	12	4 Ø14
SP1/Ø114	180	180		4	114.3	18	4 Ø14
SP1/Ø140	200	200		4	139.7	20	4 Ø14





Figure D50-7: size specification SP4 or SPS4




Item	Product dimensions (mm)				Compatible with tube diam. G	Plate holes
	A	B	C	t		
SP4/ØG/80	80	160		4	88.9	2 Ø12
SP4/ØG/90	90	170		4	88.9 – 101.6	2 Ø12
SP4/ØG/100	100	180		4	88.9 – 101.6 – 114.3	2 Ø14
SP4/ØG/120	120	200		4	88.9 – 101.6 – 114.3 – 139.7	2 Ø14
SP4/ØG/140	140	220		4	114.3 – 139.7	2 Ø18
SP4/ØG/150	150	230		4	114.3 – 139.7	2 Ø18

G	dg
88.9	12
101.6	12
114.3	18
139.7	20



Figure D50-9: size specification SP6 or SPS6




Item	Product dimensions (mm)				Compatible with tube diam. G	Plate holes for screws
	A	B	C	t		
SP6/ØG/A	from 75 to 90	230	195 - A/2	4	89 - 102	12 Ø7
SP6/ØG/A	from 91 to 115	255	207.5 - A/2	4	89 - 102 - 114	12 Ø7
SP6/ØG/A	from 116 to 142	282	221 - A/2	4	89 - 102 - 114 - 140	12 Ø7

G	d <sub>g</sub>
88.9	12
101.6	12
114.3	18
139.7	20

Intermediate values for C are possible, as long as C > 150 mm.


Figure D50-10: size specification SP7 or SPS7




Item	Product dimensions (mm)				Compatible with tube diam. G	Plate holes for screws
	A	B	C	t		
SP7/ØG/A	from 75 to 142	A + 85	150	4	$A - 40 \text{ mm} < G < 4 \times A / \pi - 10$	12 Ø7

G	d <sub>g</sub>
88.9	12
101.6	12
114.3	18
139.7	20

Figure D50-11: size specification SP8 or SPS8




G	$d_g$
88.9	12
101.6	12
114.3	18
139.7	20



Item	Product dimensions (mm)				Compatible with tube diam. G	Plate holes for screws
	A	B	C	t		
SP8/ $\varnothing G/A$	from 75 to 142	A + 85	150	4	A - 40 mm < G < 4x A / $\pi$	18 $\varnothing 7$



Figure D50-12: size specification SP9 or SPS9



Item	Product dimensions (mm)					Compatible with tube diam. G	Plate holes for dowels
	A	B	C	H	t		
SP9/ØG	210	60	160	150	4	88.9 – 101.6 – 114.3 – 139.7	Ø13

**OSP characteristic capacities:**

The OSP characteristic capacity  $R_k$  to consider for one load direction is the minimum of the capacity given for each of the selected plates for this particular load direction. Failure modes associated to the tube, such as buckling or welding failure, are taken into account in each plate capacity. Values are given for timber C24 minimum and concrete C20/25. For F1 on timber perpendicular to grain, when using GL24 timber, values can be multiplied by 1.16.

Table D50-3: SP1, SP2 and SP3 Characteristic capacities

Model	Fasteners		Characteristic capacities on timber [kN]		Characteristic capacities on rigid support [kN]	
			$R_{1,k}$		$R_{1,k}$	$R_{2,k}^*$
			perpendicular to grain	Parallel to grain		
Qty	Type					
SP1/Ø89	4	Ø12	$54.44/k_{mod}^{0.38}$	155.76	116.91	14.88
SP1/Ø102	4	Ø12	$63.63/k_{mod}^{0.37}$	205.36	132.78	14.70
SP1/Ø114	4	Ø12	$73.9/k_{mod}^{0.37}$	239.52	144.16	13.22
SP1/Ø140	4	Ø12	$93.33/k_{mod}^{0.36}$	315.19	174.22	13.01
SP2/Ø89	2	Ø12	$27.16/k_{mod}^{0.12}$	-	93.95	10.71
SP2/Ø102	2	Ø12	$32.09/k_{mod}^{0.15}$	-	107.14	10.74
SP2/Ø114	2	Ø12	$35.45/k_{mod}^{0.16}$	-	115.92	10.11
SP2/Ø140	2	Ø12	$44.89/k_{mod}^{0.19}$	-	140.72	10.12
SP3/Ø89	3	Ø12	$22.23/k_{mod}^{0.14}$	-	71.54	7.94
SP3/Ø102	3	Ø12	$26.56/k_{mod}^{0.18}$	-	81.58	7.00
SP3/Ø114	3	Ø12	$29.33/k_{mod}^{0.19}$	-	90.68	9.15
SP3/Ø140	3	Ø12	$37.58/k_{mod}^{0.23}$	-	111.32	10.55

\* The capacity of the anchors is not considered and shall be checked by the user.





Table D50-4: SP4 Characteristic capacities

			Characteristic capacities on timber [kN]			Characteristic capacities on rigid support [kN]	
Model	Fasteners		R <sub>1,k</sub> * perpendicular to grain, end support			R <sub>1,k</sub>	R <sub>2,k</sub> **
	Qty	Type	Total	Short TM	Long TM		
SP4/Ø89/80	2	Ø10	51.2/k <sub>mod</sub> <sup>0.2</sup>	17.51/k <sub>mod</sub> <sup>0.2</sup>	33.69/k <sub>mod</sub> <sup>0.2</sup>	64.20	4.06
SP4/Ø89/90	2	Ø10	58.55/k <sub>mod</sub> <sup>0.19</sup>	18.23/k <sub>mod</sub> <sup>0.19</sup>	40.32/k <sub>mod</sub> <sup>0.19</sup>	73.90	4.14
SP4/Ø102/90	2	Ø10	59.19/k <sub>mod</sub> <sup>0.21</sup>	19.99/k <sub>mod</sub> <sup>0.21</sup>	39.19/k <sub>mod</sub> <sup>0.21</sup>	73.49	4.70
SP4/Ø89/100	2	Ø12	65.91/k <sub>mod</sub> <sup>0.18</sup>	19.33/k <sub>mod</sub> <sup>0.18</sup>	46.57/k <sub>mod</sub> <sup>0.18</sup>	82.25	4.51
SP4/Ø102/100	2	Ø12	67.01/k <sub>mod</sub> <sup>0.2</sup>	20.61/k <sub>mod</sub> <sup>0.2</sup>	46.4/k <sub>mod</sub> <sup>0.2</sup>	84.10	5.11
SP4/Ø114/100	2	Ø12	64.25/k <sub>mod</sub> <sup>0.21</sup>	22.22/k <sub>mod</sub> <sup>0.21</sup>	42.02/k <sub>mod</sub> <sup>0.21</sup>	79.16	5.90
SP4/Ø89/120	2	Ø12	80.62/k <sub>mod</sub> <sup>0.17</sup>	23.3/k <sub>mod</sub> <sup>0.17</sup>	57.31/k <sub>mod</sub> <sup>0.17</sup>	92.23	4.57
SP4/Ø102/120	2	Ø12	82.67/k <sub>mod</sub> <sup>0.19</sup>	23.16/k <sub>mod</sub> <sup>0.19</sup>	59.5/k <sub>mod</sub> <sup>0.19</sup>	100.86	5.07
SP4/Ø114/120	2	Ø12	81.66/k <sub>mod</sub> <sup>0.2</sup>	23.28/k <sub>mod</sub> <sup>0.2</sup>	58.37/k <sub>mod</sub> <sup>0.2</sup>	100.86	5.70
SP4/Ø140/120	2	Ø12	79.99/k <sub>mod</sub> <sup>0.24</sup>	27.5/k <sub>mod</sub> <sup>0.24</sup>	52.48/k <sub>mod</sub> <sup>0.24</sup>	96.15	7.57
SP4/Ø114/140	2	Ø16	98.26/k <sub>mod</sub> <sup>0.18</sup>	27.07/k <sub>mod</sub> <sup>0.18</sup>	71.19/k <sub>mod</sub> <sup>0.18</sup>	115.30	6.40
SP4/Ø140/140	2	Ø16	103.56/k <sub>mod</sub> <sup>0.13</sup>	29.33/k <sub>mod</sub> <sup>0.13</sup>	74.22/k <sub>mod</sub> <sup>0.13</sup>	121.48	8.40
SP4/Ø114/150	2	Ø16	106.56/k <sub>mod</sub> <sup>0.18</sup>	29.07/k <sub>mod</sub> <sup>0.18</sup>	77.49/k <sub>mod</sub> <sup>0.18</sup>	116.70	6.27
SP4/Ø140/150	2	Ø16	108.86/k <sub>mod</sub> <sup>0.2</sup>	28.76/k <sub>mod</sub> <sup>0.2</sup>	80.1/k <sub>mod</sub> <sup>0.2</sup>	131.78	8.01

\* Load bearing capacity for each timber part is described below

\*\* The capacity of the anchors is not considered and shall be checked by the user.



If the plate is used to connect two timber parts as described in config 1, with equal contact area, then the load applied on each part shall not exceed the half of the total capacity in the table above. If the plate is used to connect two timber parts as described in config 2, with one longer timber member (short TM/long TM), then the load applied on each member shall not exceed the values given in the table for short and long TM.

Table D50-5: SP5 Characteristic capacities

			Characteristic capacities on timber [kN]			Characteristic capacities on rigid support [kN]	
Model	Fasteners		R <sub>1,k</sub> perpendicular to grain		R <sub>1,k</sub> parallel to grain	R <sub>1,k</sub>	R <sub>2,k</sub> *
	Qty	Type	End support	Intermediate support			
SP5/Ø89/80	2	Ø10	42.25/k <sub>mod</sub> <sup>0.24</sup>	51.2/k <sub>mod</sub> <sup>0.2</sup>	113.00	64.20	4.06
SP5/Ø102/80	2	Ø10	42.43/k <sub>mod</sub> <sup>0.27</sup>	51.36/k <sub>mod</sub> <sup>0.23</sup>	106.85/k <sub>mod</sub> <sup>0.27</sup>	61.80	4.68
SP5/Ø89/90	2	Ø10	48.48/k <sub>mod</sub> <sup>0.23</sup>	58.55/k <sub>mod</sub> <sup>0.19</sup>	113.00	73.90	4.14
SP5/Ø102/90	2	Ø10	49.13/k <sub>mod</sub> <sup>0.25</sup>	59.19/k <sub>mod</sub> <sup>0.21</sup>	129.00	73.49	4.70
SP5/Ø114/90	2	Ø10	47.25/k <sub>mod</sub> <sup>0.28</sup>	57.3/k <sub>mod</sub> <sup>0.23</sup>	115.59/k <sub>mod</sub> <sup>0.33</sup>	67.29	5.44
SP5/Ø89/100	2	Ø12	54.71/k <sub>mod</sub> <sup>0.22</sup>	65.91/k <sub>mod</sub> <sup>0.18</sup>	155.80	82.25	4.51
SP5/Ø102/100	2	Ø12	55.83/k <sub>mod</sub> <sup>0.24</sup>	67.01/k <sub>mod</sub> <sup>0.2</sup>	129.00	84.10	5.11
SP5/Ø114/100	2	Ø12	54.42/k <sub>mod</sub> <sup>0.26</sup>	65.59/k <sub>mod</sub> <sup>0.22</sup>	146.00	79.92	5.90
SP5/Ø89/120	2	Ø12	67.18/k <sub>mod</sub> <sup>0.21</sup>	80.62/k <sub>mod</sub> <sup>0.17</sup>	155.80	92.23	4.57
SP5/Ø102/120	2	Ø12	69.24/k <sub>mod</sub> <sup>0.22</sup>	82.67/k <sub>mod</sub> <sup>0.19</sup>	205.36	100.86	5.07
SP5/Ø114/120	2	Ø12	68.77/k <sub>mod</sub> <sup>0.23</sup>	82.19/k <sub>mod</sub> <sup>0.2</sup>	146.00	101.62	5.70
SP5/Ø140/120	2	Ø12	67.74/k <sub>mod</sub> <sup>0.28</sup>	81.13/k <sub>mod</sub> <sup>0.23</sup>	168.00	96.15	7.57
SP5/Ø114/140	2	Ø16	83.12/k <sub>mod</sub> <sup>0.22</sup>	98.79/k <sub>mod</sub> <sup>0.18</sup>	252.87	116.06	6.40
SP5/Ø140/140	2	Ø16	83.97/k <sub>mod</sub> <sup>0.25</sup>	99.62/k <sub>mod</sub> <sup>0.21</sup>	168.00	121.48	8.40
SP5/Ø114/150	2	Ø16	90.3/k <sub>mod</sub> <sup>0.21</sup>	107.1/k <sub>mod</sub> <sup>0.18</sup>	252.87	117.46	6.27
SP5/Ø140/150	2	Ø16	92.09/k <sub>mod</sub> <sup>0.24</sup>	108.86/k <sub>mod</sub> <sup>0.2</sup>	281.63/k <sub>mod</sub> <sup>0.21</sup>	131.78	8.01

\* The capacity of the anchors is not considered and shall be checked by the user




Table D50-6: SP6 Characteristic capacities

			Characteristic capacities on timber [kN]		
Model	Fasteners		R <sub>1,k</sub> * perpendicular to grain		R <sub>2,k</sub> perpendicular to grain
	Qty	Type	End support	Intermediate support	
SP6/Ø89/75	12	≥Ø6	48.17/k <sub>mod</sub> <sup>0.22</sup>	56.57/k <sub>mod</sub> <sup>0.19</sup>	12 x R <sub>Vk,screw</sub> **
SP6/Ø102/75	12	≥Ø6	49.68/k <sub>mod</sub> <sup>0.24</sup>	58.06/k <sub>mod</sub> <sup>0.21</sup>	
SP6/Ø89/80	12	≥Ø6	51.68/k <sub>mod</sub> <sup>0.22</sup>	60.63/k <sub>mod</sub> <sup>0.19</sup>	
SP6/Ø102/80	12	≥Ø6	53.42/k <sub>mod</sub> <sup>0.24</sup>	62.36/k <sub>mod</sub> <sup>0.21</sup>	
SP6/Ø89/90	12	≥Ø6	58.68/k <sub>mod</sub> <sup>0.21</sup>	68.76/k <sub>mod</sub> <sup>0.18</sup>	
SP6/Ø102/90	12	≥Ø6	60.89/k <sub>mod</sub> <sup>0.23</sup>	70.96/k <sub>mod</sub> <sup>0.2</sup>	
SP6/Ø114/90	12	≥Ø6	59.75/k <sub>mod</sub> <sup>0.26</sup>	69.8/k <sub>mod</sub> <sup>0.23</sup>	
SP6/Ø89/100	12	≥Ø6	65.69/k <sub>mod</sub> <sup>0.21</sup>	76.88/k <sub>mod</sub> <sup>0.18</sup>	
SP6/Ø102/100	12	≥Ø6	68.37/k <sub>mod</sub> <sup>0.23</sup>	79.56/k <sub>mod</sub> <sup>0.2</sup>	
SP6/Ø114/100	12	≥Ø6	67.69/k <sub>mod</sub> <sup>0.25</sup>	78.87/k <sub>mod</sub> <sup>0.22</sup>	
SP6/Ø89/115	12	≥Ø6	76.19/k <sub>mod</sub> <sup>0.21</sup>	89.07/k <sub>mod</sub> <sup>0.18</sup>	
SP6/Ø102/115	12	≥Ø6	79.59/k <sub>mod</sub> <sup>0.22</sup>	92.46/k <sub>mod</sub> <sup>0.19</sup>	
SP6/Ø114/115	12	≥Ø6	79.62/k <sub>mod</sub> <sup>0.24</sup>	92.47/k <sub>mod</sub> <sup>0.21</sup>	
SP6/Ø140/115	12	≥Ø6	80.74/k <sub>mod</sub> <sup>0.28</sup>	93.57/k <sub>mod</sub> <sup>0.25</sup>	
SP6/Ø89/120	12	≥Ø6	79.7/k <sub>mod</sub> <sup>0.21</sup>	93.13/k <sub>mod</sub> <sup>0.18</sup>	
SP6/Ø102/120	12	≥Ø6	83.33/k <sub>mod</sub> <sup>0.22</sup>	96.75/k <sub>mod</sub> <sup>0.19</sup>	
SP6/Ø114/120	12	≥Ø6	83.59/k <sub>mod</sub> <sup>0.24</sup>	97.01/k <sub>mod</sub> <sup>0.21</sup>	
SP6/Ø140/120	12	≥Ø6	85.18/k <sub>mod</sub> <sup>0.28</sup>	98.57/k <sub>mod</sub> <sup>0.24</sup>	
SP6/Ø114/140	12	≥Ø6	99.49/k <sub>mod</sub> <sup>0.23</sup>	115.15/k <sub>mod</sub> <sup>0.2</sup>	
SP6/Ø140/140	12	≥Ø6	102.96/k <sub>mod</sub> <sup>0.26</sup>	118.6/k <sub>mod</sub> <sup>0.23</sup>	

\* For different width A than the ones given in the table, the user shall considered the minimum capacity between the two closest cases, dimension A can get up to 142 mm.

\*\* Timber submitted to perpendicular tension shall be verified by the user, reinforcement with fully threaded screw is allowed.






Table D50-7: SP7 Characteristic capacities

			Characteristic capacities on timber [kN]			
Model	Fasteners		R <sub>1,k</sub> * perpendicular to grain, end support			R <sub>2,k</sub> perpendicular to grain
	Qty	Type	Total	Short TM**	Long TM**	
SP7/Ø89/75	12	≥Ø6	56.57/k <sub>mod</sub> <sup>0.19</sup>	20.52/k <sub>mod</sub> <sup>0.19</sup>	36.05/k <sub>mod</sub> <sup>0.19</sup>	12 x Rvk.screw***
SP7/Ø89/80	12	≥Ø6	60.63/k <sub>mod</sub> <sup>0.19</sup>	21.21/k <sub>mod</sub> <sup>0.19</sup>	39.42/k <sub>mod</sub> <sup>0.19</sup>	
SP7/Ø89/90	12	≥Ø6	68.76/k <sub>mod</sub> <sup>0.18</sup>	22.32/k <sub>mod</sub> <sup>0.18</sup>	46.43/k <sub>mod</sub> <sup>0.18</sup>	
SP7/Ø102/90	12	≥Ø6	70.96/k <sub>mod</sub> <sup>0.2</sup>	24.11/k <sub>mod</sub> <sup>0.2</sup>	46.84/k <sub>mod</sub> <sup>0.2</sup>	
SP7/Ø89/100	12	≥Ø6	76.88/k <sub>mod</sub> <sup>0.18</sup>	23.84/k <sub>mod</sub> <sup>0.18</sup>	53.04/k <sub>mod</sub> <sup>0.18</sup>	
SP7/Ø102/100	12	≥Ø6	79.56/k <sub>mod</sub> <sup>0.2</sup>	25.12/k <sub>mod</sub> <sup>0.2</sup>	54.43/k <sub>mod</sub> <sup>0.2</sup>	
SP7/Ø114/100	12	≥Ø6	78.08/k <sub>mod</sub> <sup>0.22</sup>	27.04/k <sub>mod</sub> <sup>0.22</sup>	51.04/k <sub>mod</sub> <sup>0.22</sup>	
SP7/Ø89/115	12	≥Ø6	89.07/k <sub>mod</sub> <sup>0.18</sup>	27.44/k <sub>mod</sub> <sup>0.18</sup>	61.63/k <sub>mod</sub> <sup>0.18</sup>	
SP7/Ø102/115	12	≥Ø6	92.46/k <sub>mod</sub> <sup>0.19</sup>	27.3/k <sub>mod</sub> <sup>0.19</sup>	65.15/k <sub>mod</sub> <sup>0.19</sup>	
SP7/Ø114/115	12	≥Ø6	91.68/k <sub>mod</sub> <sup>0.21</sup>	28.28/k <sub>mod</sub> <sup>0.21</sup>	63.4/k <sub>mod</sub> <sup>0.21</sup>	
SP7/Ø140/115	12	≥Ø6	93.57/k <sub>mod</sub> <sup>0.25</sup>	32.7/k <sub>mod</sub> <sup>0.25</sup>	60.86/k <sub>mod</sub> <sup>0.25</sup>	
SP7/Ø89/120	12	≥Ø6	93.13/k <sub>mod</sub> <sup>0.18</sup>	28.64/k <sub>mod</sub> <sup>0.18</sup>	64.49/k <sub>mod</sub> <sup>0.18</sup>	
SP7/Ø102/120	12	≥Ø6	96.75/k <sub>mod</sub> <sup>0.19</sup>	28.5/k <sub>mod</sub> <sup>0.19</sup>	68.25/k <sub>mod</sub> <sup>0.19</sup>	
SP7/Ø114/120	12	≥Ø6	96.22/k <sub>mod</sub> <sup>0.21</sup>	28.52/k <sub>mod</sub> <sup>0.21</sup>	67.7/k <sub>mod</sub> <sup>0.21</sup>	
SP7/Ø140/120	12	≥Ø6	98.57/k <sub>mod</sub> <sup>0.24</sup>	33.19/k <sub>mod</sub> <sup>0.24</sup>	65.38/k <sub>mod</sub> <sup>0.24</sup>	
SP7/Ø114/140	12	≥Ø6	114.36/k <sub>mod</sub> <sup>0.2</sup>	33.13/k <sub>mod</sub> <sup>0.2</sup>	81.22/k <sub>mod</sub> <sup>0.2</sup>	
SP7/Ø140/140	12	≥Ø6	118.6/k <sub>mod</sub> <sup>0.23</sup>	34.27/k <sub>mod</sub> <sup>0.23</sup>	84.33/k <sub>mod</sub> <sup>0.23</sup>	


\* For different width A than the ones given in the table, the user shall considered the capacity between the two closest cases.

\*\* Load bearing capacity for each timber part is described below.


\*\*\* The uplift load applied on each part shall not exceed the half of the table Timber submitted to perpendicular tension shall be verified by the user, reinforcement with fully threaded screw is allowed.



Long timber member



Short timber member



Configuration 1

Configuration 2

If the plate is used to connect two timber parts as described in config 1, with equal contact area, then the load applied on each part shall not exceed the half of the total capacity in the previous table. If the plate is used to connect two timber parts as described in config 2, with one longer timber member (short TM/long TM), then the load applied on each member shall not exceed the values for short and long TM given in the table.

Table D50-8: SP8 Characteristic capacities

			Characteristic capacities on timber [kN]	
Model	Fasteners		R <sub>1,k</sub> * perpendicular to grain Intermediate support	R <sub>2,k</sub> perpendicular to grain
	Qty	Type		
SP8/Ø89/75	18	≥Ø6	59.93/k <sub>mod</sub> <sup>0.25</sup>	18 x R <sub>vk,screw</sub> **
SP8/Ø89/80	18	≥Ø6	61.7/k <sub>mod</sub> <sup>0.25</sup>	
SP8/Ø102/80	18	≥Ø6	67.37/k <sub>mod</sub> <sup>0.24</sup>	
SP8/Ø89/90	18	≥Ø6	64.39/k <sub>mod</sub> <sup>0.27</sup>	
SP8/Ø102/90	18	≥Ø6	70.76/k <sub>mod</sub> <sup>0.25</sup>	
SP8/Ø89/100	18	≥Ø6	68.37/k <sub>mod</sub> <sup>0.28</sup>	
SP8/Ø102/100	18	≥Ø6	73.05/k <sub>mod</sub> <sup>0.27</sup>	
SP8/Ø114/100	18	≥Ø6	80.13/k <sub>mod</sub> <sup>0.25</sup>	
SP8/Ø89/115	18	≥Ø6	78.63/k <sub>mod</sub> <sup>0.28</sup>	
SP8/Ø102/115	18	≥Ø6	78.63/k <sub>mod</sub> <sup>0.28</sup>	
SP8/Ø114/115	18	≥Ø6	82.53/k <sub>mod</sub> <sup>0.27</sup>	
SP8/Ø140/115	18	≥Ø6	98.84/k <sub>mod</sub> <sup>0.23</sup>	
SP8/Ø89/120	18	≥Ø6	82.05/k <sub>mod</sub> <sup>0.28</sup>	
SP8/Ø102/120	18	≥Ø6	82.05/k <sub>mod</sub> <sup>0.28</sup>	
SP8/Ø114/120	18	≥Ø6	82.78/k <sub>mod</sub> <sup>0.28</sup>	
SP8/Ø140/120	18	≥Ø6	99.78/k <sub>mod</sub> <sup>0.24</sup>	
SP8/Ø114/140	18	≥Ø6	95.73/k <sub>mod</sub> <sup>0.28</sup>	
SP8/Ø140/140	18	≥Ø6	100.79/k <sub>mod</sub> <sup>0.27</sup>	

\* For different width A than the ones given in the table, the user shall consider the minimum capacity between the two closest cases.

\*\*If the plate is used to connect three timber parts, then the load applied part shall not exceed the third of the table capacity. If two timber parts is connected, and one goes through the connector, then for this element capacity can be considered

\*\*\* Characteristic shear capacity of the screw, diameter ≥ 6 mm is recommended. If n timber parts are connected with one SP8, the uplift load on each part shall not exceed the 1/n<sup>th</sup> of the table capacity. Timber to perpendicular tension shall be verified by the user, reinforcement with fully screw is allowed.




Table D50-10: SP9 Characteristic capacities

			Characteristic capacities on timber [kN]					
			R <sub>1,k</sub> = R <sub>2,k</sub> * perpendicular to grain					
			STD Dowel length [mm]					
Model	Qty	Type	80	100	120	140	160	180
SP9-G	4	STD12	42.6	45.9	50.2	55.1	60.4	66.0

\*Capacities are valid for STD dowels or equivalent with  $f_{u,k} \geq 340$  N/mm<sup>2</sup>, this fastener shall not be used with SPS9

			Characteristic capacities on timber [kN]					
			R <sub>1,k</sub> = R <sub>2,k</sub> * perpendicular to grain					
			STD Dowel length [mm]					
Model	Qty	Type	80	100	120	140	160	180
SP9-G	4	STDS12	49.9	52.1	55.6	59.8	64.6	69.7

\*Capacities are valid for STDS dowels or equivalent with  $f_{u,k} \geq 500$  N/mm<sup>2</sup>, values are also valid with SPS9



**OSPS characteristic capacities:**

The OSPS characteristic capacity  $R_k$  to consider for one load direction is the minimum of the capacity given for each of the selected plates for this particular load direction. Failure modes associated to the tube, such as buckling or welding failure, are taken into account in each plate capacity. Values are given for timber C24 minimum and concrete C20/25. For F1 on timber perpendicular to grain, when using GL24 timber, values can be multiplied by 1.16.

Table D50-3: SPS1, SPS2 and SPS3 Characteristic capacities

Model	Fasteners		Characteristic capacities on timber [kN]		Characteristic capacities on rigid support [kN]	
			$R_{1,k}$		$R_{1,k}$	$R_{2,k}^*$
			perpendicular to grain	Parallel to grain		
Qty	Type					
SPS1/Ø89	4	Ø12	$50.33/k_{mod}^{0.37}$	121.8	108.23	12.03
SPS1/Ø102	4	Ø12	$58.96/k_{mod}^{0.37}$	157.75	122.88	11.88
SPS1/Ø114	4	Ø12	$68.55/k_{mod}^{0.36}$	191.72	133.57	10.69
SPS1/Ø140	4	Ø12	$86.79/k_{mod}^{0.35}$	254.7	161.36	10.52
SPS2/Ø89	2	Ø12	$26.23/k_{mod}^{0.13}$	-	91.38	8.66
SPS2/Ø102	2	Ø12	$30.89/k_{mod}^{0.16}$	-	103.96	8.68
SPS2/Ø114	2	Ø12	$34.12/k_{mod}^{0.17}$	-	112.6	8.17
SPS2/Ø140	2	Ø12	$43.03/k_{mod}^{0.19}$	-	136.34	8.18
SPS3/Ø89	3	Ø12	$21.32/k_{mod}^{0.16}$	-	69	6.42
SPS3/Ø102	3	Ø12	$25.37/k_{mod}^{0.19}$	-	78.46	5.66
SPS3/Ø114	3	Ø12	$28.01/k_{mod}^{0.2}$	-	87.36	7.40
SPS3/Ø140	3	Ø12	$35.73/k_{mod}^{0.23}$	-	106.93	8.53

\* The capacity of the anchors is not considered and shall be checked by the user.





Table D50-4: SPS4 Characteristic capacities

			Characteristic capacities on timber [kN]			Characteristic capacities on rigid support [kN]	
Model	Fasteners		$R_{1,k}$ * perpendicular to grain, end support			$R_{1,k}$	$R_{2,k}$ **
	Qty	Type	Total	Short TM	Long TM		
SPS4/Ø89/80	2	Ø10	48.84/ $k_{mod}^{0.21}$	16.63/ $k_{mod}^{0.21}$	32.2/ $k_{mod}^{0.21}$	59.71	3.28
SPS4/Ø89/90	2	Ø10	53.4/ $k_{mod}^{0.26}$	15.75/ $k_{mod}^{0.26}$	37.64/ $k_{mod}^{0.26}$	69.00	3.35
SPS4/Ø102/90	2	Ø10	56.49/ $k_{mod}^{0.21}$	19.13/ $k_{mod}^{0.21}$	37.35/ $k_{mod}^{0.21}$	68.14	3.80
SPS4/Ø89/100	2	Ø12	59.21/ $k_{mod}^{0.25}$	15.63/ $k_{mod}^{0.25}$	43.58/ $k_{mod}^{0.25}$	76.89	3.65
SPS4/Ø102/100	2	Ø12	62.11/ $k_{mod}^{0.25}$	18.47/ $k_{mod}^{0.25}$	43.64/ $k_{mod}^{0.25}$	78.35	4.13
SPS4/Ø114/100	2	Ø12	62.68/ $k_{mod}^{0.18}$	21.88/ $k_{mod}^{0.18}$	40.8/ $k_{mod}^{0.18}$	73.44	4.77
SPS4/Ø89/120	2	Ø12	72.75/ $k_{mod}^{0.24}$	18.87/ $k_{mod}^{0.24}$	53.88/ $k_{mod}^{0.24}$	85.02	3.70
SPS4/Ø102/120	2	Ø12	74.52/ $k_{mod}^{0.25}$	18.77/ $k_{mod}^{0.25}$	55.75/ $k_{mod}^{0.25}$	94.06	4.10
SPS4/Ø114/120	2	Ø12	73.7/ $k_{mod}^{0.26}$	19.13/ $k_{mod}^{0.26}$	54.57/ $k_{mod}^{0.26}$	94.27	4.61
SPS4/Ø140/120	2	Ø12	76.25/ $k_{mod}^{0.23}$	26.51/ $k_{mod}^{0.23}$	49.74/ $k_{mod}^{0.23}$	88.69	6.12
SPS4/Ø114/140	2	Ø16	88.88/ $k_{mod}^{0.24}$	21.97/ $k_{mod}^{0.24}$	66.91/ $k_{mod}^{0.24}$	107.29	5.18
SPS4/Ø140/140	2	Ø16	91.37/ $k_{mod}^{0.27}$	24.78/ $k_{mod}^{0.27}$	66.59/ $k_{mod}^{0.27}$	113.16	6.79
SPS4/Ø114/150	2	Ø16	96.6/ $k_{mod}^{0.24}$	23.61/ $k_{mod}^{0.24}$	72.99/ $k_{mod}^{0.24}$	107.79	5.07
SPS4/Ø140/150	2	Ø16	98.34/ $k_{mod}^{0.26}$	23.37/ $k_{mod}^{0.26}$	74.97/ $k_{mod}^{0.26}$	122.91	6.48

\* Load bearing capacity for each timber part is described below

\*\* The capacity of the anchors is not considered and shall be checked by the user.



If the plate is used to connect two timber parts as described in config 1, with equal contact area, then the load applied on each part shall not exceed the half of the total capacity in the table above. If the plate is used to connect two timber parts as described in config 2, with one longer timber member (short TM/long TM), then the load applied on each member shall not exceed the values for short and long TM given in table.

Table D50-5: SPS5 Characteristic capacities

Model	Fasteners		Characteristic capacities on timber [kN]			Characteristic capacities on rigid support [kN]	
			R <sub>1,k</sub> perpendicular to grain		R <sub>1,k</sub> parallel to grain	R <sub>1,k</sub>	R <sub>2,k</sub> *
	Qty	Type	End support	Intermediate support			
SPS5/∅89/80	2	∅10	$40.1/k_{mod}^{0.24}$	$49.05/k_{mod}^{0.2}$	106.91	59.71	3.28
SPS5/∅102/80	2	∅10	$39.99/k_{mod}^{0.27}$	$48.92/k_{mod}^{0.23}$	$96.71/k_{mod}^{0.33}$	56.81	3.78
SPS5/∅89/90	2	∅10	$46.18/k_{mod}^{0.23}$	$56.25/k_{mod}^{0.19}$	106.91	69.00	3.35
SPS5/∅102/90	2	∅10	$46.53/k_{mod}^{0.25}$	$56.59/k_{mod}^{0.21}$	122.18	68.14	3.80
SPS5/∅114/90	2	∅10	$44.52/k_{mod}^{0.28}$	$54.57/k_{mod}^{0.23}$	$108.21/k_{mod}^{0.32}$	61.81	4.40
SPS5/∅89/100	2	∅12	$52.25/k_{mod}^{0.22}$	$63.44/k_{mod}^{0.18}$	141.60	76.89	3.65
SPS5/∅102/100	2	∅12	$53.07/k_{mod}^{0.24}$	$64.26/k_{mod}^{0.2}$	122.18	78.35	4.13
SPS5/∅114/100	2	∅12	$51.54/k_{mod}^{0.26}$	$62.71/k_{mod}^{0.22}$	137.45	74.07	4.77
SPS5/∅89/120	2	∅12	$64.4/k_{mod}^{0.2}$	$77.85/k_{mod}^{0.17}$	141.60	85.02	3.70
SPS5/∅102/120	2	∅12	$66.17/k_{mod}^{0.22}$	$79.6/k_{mod}^{0.18}$	186.69	94.06	4.10
SPS5/∅114/120	2	∅12	$65.57/k_{mod}^{0.23}$	$79/k_{mod}^{0.19}$	137.45	94.90	4.61
SPS5/∅140/120	2	∅12	$64/k_{mod}^{0.27}$	$77.4/k_{mod}^{0.23}$	168.00	88.69	6.12
SPS5/∅114/140	2	∅16	$79.62/k_{mod}^{0.21}$	$95.29/k_{mod}^{0.18}$	229.88	107.92	5.18
SPS5/∅140/140	2	∅16	$79.92/k_{mod}^{0.24}$	$95.58/k_{mod}^{0.2}$	168.00	113.16	6.79
SPS5/∅114/150	2	∅16	$86.64/k_{mod}^{0.2}$	$103.44/k_{mod}^{0.17}$	229.88	108.42	5.07
SPS5/∅140/150	2	∅16	$87.89/k_{mod}^{0.23}$	$104.67/k_{mod}^{0.19}$	$276.57/k_{mod}^{0.16}$	122.91	6.48

\* The capacity of the anchors is not considered and shall be checked by the user




Table D50-6: SPS6 Characteristic capacities

			Characteristic capacities on timber [kN]		
Model	Fasteners		R <sub>1,k</sub> * perpendicular to grain		R <sub>2,k</sub> perpendicular to grain
	Qty	Type	End support	Intermediate support	
SPS6/∅89/75	12	≥∅6	45.75/k <sub>mod</sub> <sup>0.22</sup>	54.14/k <sub>mod</sub> <sup>0.19</sup>	12 x R <sub>Vk,screw</sub> **
SPS6/∅102/75	12	≥∅6	46.67/k <sub>mod</sub> <sup>0.26</sup>	55.05/k <sub>mod</sub> <sup>0.22</sup>	
SPS6/∅89/80	12	≥∅6	49.13/k <sub>mod</sub> <sup>0.22</sup>	58.08/k <sub>mod</sub> <sup>0.19</sup>	
SPS6/∅102/80	12	≥∅6	50.29/k <sub>mod</sub> <sup>0.25</sup>	59.23/k <sub>mod</sub> <sup>0.22</sup>	
SPS6/∅89/90	12	≥∅6	55.9/k <sub>mod</sub> <sup>0.22</sup>	65.98/k <sub>mod</sub> <sup>0.19</sup>	
SPS6/∅102/90	12	≥∅6	57.53/k <sub>mod</sub> <sup>0.24</sup>	67.59/k <sub>mod</sub> <sup>0.21</sup>	
SPS6/∅114/90	12	≥∅6	56.15/k <sub>mod</sub> <sup>0.27</sup>	66.2/k <sub>mod</sub> <sup>0.23</sup>	
SPS6/∅89/100	12	≥∅6	62.67/k <sub>mod</sub> <sup>0.21</sup>	73.87/k <sub>mod</sub> <sup>0.18</sup>	
SPS6/∅102/100	12	≥∅6	64.77/k <sub>mod</sub> <sup>0.23</sup>	75.96/k <sub>mod</sub> <sup>0.2</sup>	
SPS6/∅114/100	12	≥∅6	63.86/k <sub>mod</sub> <sup>0.26</sup>	75.03/k <sub>mod</sub> <sup>0.22</sup>	
SPS6/∅89/115	12	≥∅6	72.83/k <sub>mod</sub> <sup>0.21</sup>	85.71/k <sub>mod</sub> <sup>0.18</sup>	
SPS6/∅102/115	12	≥∅6	75.64/k <sub>mod</sub> <sup>0.23</sup>	88.51/k <sub>mod</sub> <sup>0.2</sup>	
SPS6/∅114/115	12	≥∅6	75.43/k <sub>mod</sub> <sup>0.24</sup>	88.29/k <sub>mod</sub> <sup>0.21</sup>	
SPS6/∅140/115	12	≥∅6	75.77/k <sub>mod</sub> <sup>0.29</sup>	88.6/k <sub>mod</sub> <sup>0.25</sup>	
SPS6/∅89/120	12	≥∅6	76.22/k <sub>mod</sub> <sup>0.21</sup>	89.65/k <sub>mod</sub> <sup>0.18</sup>	
SPS6/∅102/120	12	≥∅6	79.26/k <sub>mod</sub> <sup>0.22</sup>	92.69/k <sub>mod</sub> <sup>0.19</sup>	
SPS6/∅114/120	12	≥∅6	79.29/k <sub>mod</sub> <sup>0.24</sup>	92.7/k <sub>mod</sub> <sup>0.21</sup>	
SPS6/∅140/120	12	≥∅6	80.1/k <sub>mod</sub> <sup>0.28</sup>	93.49/k <sub>mod</sub> <sup>0.24</sup>	
SPS6/∅114/140	12	≥∅6	94.72/k <sub>mod</sub> <sup>0.23</sup>	110.38/k <sub>mod</sub> <sup>0.2</sup>	
SPS6/∅140/140	12	≥∅6	97.41/k <sub>mod</sub> <sup>0.26</sup>	113.05/k <sub>mod</sub> <sup>0.22</sup>	

\* For different width A than the ones given in the table, the user shall considered the minimum capacity between the two closest cases, dimension A can get up to 142 mm.

\*\* Timber submitted to perpendicular tension shall be verified by the user, reinforcement with fully threaded screw is allowed.






Table D50-7: SPS7 Characteristic capacities

			Characteristic capacities on timber [kN]			
Model	Fasteners		R <sub>1,k</sub> * perpendicular to grain, end support			R <sub>2,k</sub> perpendicular to grain
	Qty	Type	Total	Short TM**	Long TM**	
SPS7/∅89/75	12	≥∅6	54.14/k <sub>mod</sub> <sup>0.19</sup>	19.46/k <sub>mod</sub> <sup>0.19</sup>	34.67/k <sub>mod</sub> <sup>0.19</sup>	12 x Rvk.screw***
SPS7/∅89/80	12	≥∅6	58.08/k <sub>mod</sub> <sup>0.19</sup>	20.09/k <sub>mod</sub> <sup>0.19</sup>	37.99/k <sub>mod</sub> <sup>0.19</sup>	
SPS7/∅89/90	12	≥∅6	65.98/k <sub>mod</sub> <sup>0.19</sup>	21.09/k <sub>mod</sub> <sup>0.19</sup>	44.88/k <sub>mod</sub> <sup>0.19</sup>	
SPS7/∅102/90	12	≥∅6	67.59/k <sub>mod</sub> <sup>0.21</sup>	22.82/k <sub>mod</sub> <sup>0.21</sup>	44.77/k <sub>mod</sub> <sup>0.21</sup>	
SPS7/∅89/100	12	≥∅6	73.87/k <sub>mod</sub> <sup>0.18</sup>	22.48/k <sub>mod</sub> <sup>0.18</sup>	51.39/k <sub>mod</sub> <sup>0.18</sup>	
SPS7/∅102/100	12	≥∅6	75.96/k <sub>mod</sub> <sup>0.2</sup>	23.72/k <sub>mod</sub> <sup>0.2</sup>	52.24/k <sub>mod</sub> <sup>0.2</sup>	
SPS7/∅114/100	12	≥∅6	74.31/k <sub>mod</sub> <sup>0.22</sup>	25.67/k <sub>mod</sub> <sup>0.22</sup>	48.64/k <sub>mod</sub> <sup>0.22</sup>	
SPS7/∅89/115	12	≥∅6	85.71/k <sub>mod</sub> <sup>0.18</sup>	25.89/k <sub>mod</sub> <sup>0.18</sup>	59.81/k <sub>mod</sub> <sup>0.18</sup>	
SPS7/∅102/115	12	≥∅6	88.51/k <sub>mod</sub> <sup>0.2</sup>	25.71/k <sub>mod</sub> <sup>0.2</sup>	62.79/k <sub>mod</sub> <sup>0.2</sup>	
SPS7/∅114/115	12	≥∅6	87.57/k <sub>mod</sub> <sup>0.21</sup>	26.73/k <sub>mod</sub> <sup>0.21</sup>	60.83/k <sub>mod</sub> <sup>0.21</sup>	
SPS7/∅140/115	12	≥∅6	88.6/k <sub>mod</sub> <sup>0.25</sup>	31.17/k <sub>mod</sub> <sup>0.25</sup>	57.42/k <sub>mod</sub> <sup>0.25</sup>	
SPS7/∅89/120	12	≥∅6	89.65/k <sub>mod</sub> <sup>0.18</sup>	27.03/k <sub>mod</sub> <sup>0.18</sup>	62.62/k <sub>mod</sub> <sup>0.18</sup>	
SPS7/∅102/120	12	≥∅6	92.69/k <sub>mod</sub> <sup>0.19</sup>	26.85/k <sub>mod</sub> <sup>0.19</sup>	65.83/k <sub>mod</sub> <sup>0.19</sup>	
SPS7/∅114/120	12	≥∅6	91.98/k <sub>mod</sub> <sup>0.21</sup>	26.9/k <sub>mod</sub> <sup>0.21</sup>	65.08/k <sub>mod</sub> <sup>0.21</sup>	
SPS7/∅140/120	12	≥∅6	93.49/k <sub>mod</sub> <sup>0.24</sup>	31.6/k <sub>mod</sub> <sup>0.24</sup>	61.88/k <sub>mod</sub> <sup>0.24</sup>	
SPS7/∅114/140	12	≥∅6	109.66/k <sub>mod</sub> <sup>0.2</sup>	31.27/k <sub>mod</sub> <sup>0.2</sup>	78.39/k <sub>mod</sub> <sup>0.2</sup>	
SPS7/∅140/140	12	≥∅6	113.05/k <sub>mod</sub> <sup>0.22</sup>	32.43/k <sub>mod</sub> <sup>0.22</sup>	80.61/k <sub>mod</sub> <sup>0.22</sup>	


\* For different width A than the ones given in the table, the user shall considered the capacity between the two closest cases.

\*\* Load bearing capacity for each timber part is described below.

\*\*\* The uplift load applied on each part shall not exceed the half of the table Timber submitted to perpendicular tension shall be verified by the user, reinforcement with fully threaded screw is allowed.



Long timber member



Short timber member

Configuration 1

Configuration 2

If the plate is used to connect two timber parts as described in config 1, with equal contact area, then the load applied on each part shall not exceed the half of the total capacity in the previous table. If the plate is used to connect two timber parts as described in config 2, with one longer timber member (short TM/long TM), then the load applied on each member shall not exceed the values for short and long TM given in the table.


Table D50-8: SPS8 Characteristic capacities

			Characteristic capacities on timber [kN]	
Model	Fasteners		R <sub>1,k</sub> * perpendicular to grain Intermediate support	R <sub>2,k</sub> perpendicular to grain
	Qty	Type		
SPS8/∅89/75	18	≥∅6	57.3/k <sub>mod</sub> <sup>0.23</sup>	18 x R <sub>vk,screw</sub> **
SPS8/∅89/80	18	≥∅6	58.88/k <sub>mod</sub> <sup>0.24</sup>	
SPS8/∅102/80	18	≥∅6	64.56/k <sub>mod</sub> <sup>0.22</sup>	
SPS8/∅89/90	18	≥∅6	61.22/k <sub>mod</sub> <sup>0.26</sup>	
SPS8/∅102/90	18	≥∅6	67.6/k <sub>mod</sub> <sup>0.24</sup>	
SPS8/∅89/100	18	≥∅6	64.85/k <sub>mod</sub> <sup>0.27</sup>	
SPS8/∅102/100	18	≥∅6	69.53/k <sub>mod</sub> <sup>0.25</sup>	
SPS8/∅114/100	18	≥∅6	76.62/k <sub>mod</sub> <sup>0.23</sup>	
SPS8/∅89/115	18	≥∅6	74.58/k <sub>mod</sub> <sup>0.27</sup>	
SPS8/∅102/115	18	≥∅6	74.58/k <sub>mod</sub> <sup>0.27</sup>	
SPS8/∅114/115	18	≥∅6	78.48/k <sub>mod</sub> <sup>0.26</sup>	
SPS8/∅140/115	18	≥∅6	94.8/k <sub>mod</sub> <sup>0.22</sup>	
SPS8/∅89/120	18	≥∅6	77.82/k <sub>mod</sub> <sup>0.27</sup>	
SPS8/∅102/120	18	≥∅6	77.82/k <sub>mod</sub> <sup>0.27</sup>	
SPS8/∅114/120	18	≥∅6	78.55/k <sub>mod</sub> <sup>0.27</sup>	
SPS8/∅140/120	18	≥∅6	95.57/k <sub>mod</sub> <sup>0.22</sup>	
SPS8/∅114/140	18	≥∅6	90.79/k <sub>mod</sub> <sup>0.27</sup>	
SPS8/∅140/140	18	≥∅6	95.86/k <sub>mod</sub> <sup>0.26</sup>	

\* For different width A than the ones given in the table, the user shall consider the minimum capacity between the two closest cases.

\*\*If the plate is used to connect three timber parts, then the load applied part shall not exceed the third of the table capacity. If two timber parts is connected, and one goes through the connector, then for this element capacity can be considered

\*\*\* Characteristic shear capacity of the screw, diameter ≥ 6 mm is recommended. If n timber parts are connected with one SP8, the uplift load on each part shall not exceed the 1/n<sup>th</sup> of the table capacity. Timber to perpendicular tension shall be verified by the user, reinforcement with fully screw is allowed.




# Hold Downs

## D60: AH

Product name	Alternative names
AH	

Figure D60-1: Drawings



**Table D60-1: Size specification**

Model	Product dimensions [mm]							Holes							
								Top				Bottom			
	A	B	C	t (washer)	E	I	t	Qty	size	Qty	size	Qty	size	Qty	size
AH16050	160	50	40		18	32	3	10	Ø5	3	Ø13	4	Ø5	1	Ø13
AH19050-2	192	52	40	10	25	20	2	16	Ø5					1	Ø13
AH29050-2	292	52	40	10	25	20	2	23	Ø5					1	Ø13
AH39050-2	392	52	40	10	27	22	2	27	Ø5					1	Ø13
AH49050-2	492	52	40	10	27	22	2	36	Ø5					1	Ø13
AH61050-2	612	52	40	10	27	22	2	45	Ø5					1	Ø13
AH19050-4	194	54	40	10	29	24	4	12	Ø5					1	Ø13
AH29050-4	294	54	40	10	29	24	4	18	Ø5					1	Ø13
AH39050-4	394	54	40	10	29	24	4	27	Ø5					1	Ø13
AH49050-4	494	54	40	10	29	24	4	36	Ø5					1	Ø13
AH61050-4	614	54	40	10	29	24	4	45	Ø					1	Ø13

**Table D60-2: Material specification**

Part	Material Grades	Coating specification
Strap	S250 GD according to EN 10346	Pre-galvanized steel min Z275 according to EN10346
Washer	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
	Or stainless steel as described	

**Figure D60-2: Nail pattern**

	Minimum	Maximum
AH16050	2	Purlin = 10 column = 6, the 4 lower holes cannot be used
types 190xx and up	2	Purlin: use all holes other than the lower 2 holes Column: use all holes other than the lower 3 holes




**Table D60-3: Characteristic capacity**

Characteristic capacities [kN]		
Model	R <sub>1,k</sub> on rigid support	R <sub>1,k</sub> on rigid support with an intermediate timber layer
AH16050	$\min( n_{\text{eff}} \times R_{\text{lat},k} ; 15.3 / k_{\text{mod}} )$	$\min( n_{\text{eff}} \times R_{\text{lat},k} ; 15.3 / k_{\text{mod}} )$
AH19050-2	$\min( n_{\text{eff}} \times R_{\text{lat},k} ; 15.23 / k_{\text{mod}} )$	$\min \left\{ \begin{array}{l} \frac{0.037}{k_{\text{mod}}} \times \frac{d_a^3 \times N_{Rk,s}}{d_N^2 \times \pi} + 6.41 \text{ kN} \\ \left[ \left( \frac{0.05}{3 \times R_{ax,k,nail}} \right)^2 + \left( \frac{1}{R_{lat,k,nail} \times n} \right)^2 \right]^{-0.5} \\ 12.57 / k_{\text{mod}} \end{array} \right\}$
AH29050-2		
AH39050-2		
AH49050-2		
AH61050-2		
AH19050-4	$\min( n_{\text{eff}} \times R_{\text{lat},k} ; 19.77 / k_{\text{mod}} )$	$\min \left\{ \begin{array}{l} \frac{0.037}{k_{\text{mod}}} \times \frac{d_a^3 \times N_{Rk,s}}{d_N^2 \times \pi} + 6.41 \text{ kN} \\ \left[ \left( \frac{0.05}{3 \times R_{ax,k,nail}} \right)^2 + \left( \frac{1}{R_{lat,k,nail} \times n} \right)^2 \right]^{-0.5} \\ 24.52 / k_{\text{mod}} \end{array} \right\}$
AH29050-4		
AH39050-4		
AH49050-4		
AH61050-4		
bolt factor/ Bolt forces	$k_{b,ax} = 2.33$ $k_{b,lat} = 0.79$	$F_{b,ax} = F_1 + 4.92 \text{ kN}$ $k_{b,lat} = 0.9$

**Table D60-4: Characteristic capacity (F<sub>1</sub> – Downward)**

Fastener Specification	Characteristic capacity [kN]
	R <sub>1,k</sub>
2 pcs CSA5,0x40 / 1 pcs Concrete Screw/Bolt	3.3


It is assumed that the connection cannot rotate.



**AH16050**

For a timber to timber connection (column or beam)

The connection is possible between the vertical flap and a beam or a column.



**Table D60-5: Characteristic capacity – 1 angle bracket per connection**

		Characteristic capacities [kN] - 1 Angle bracket		
Model	Fasteners		$R_{1,k}$	$R_{2,k}$ = $R_{3,k}$
	Qty	Type		
AH16050	8	CNA4.0x40	1.0	2.0
	8	CNA4.0x60	$\min(1.6 ; 1.2/k_{mod})$	2.6

By using one angle bracket, it is assumed  $f \sim 0$  mm.


**Table D60-5: Characteristic capacity – 2 angle brackets per connection**

		Characteristic capacities [kN] - 2 Angle brackets			
Model	Fasteners per angle bracket		$R_{1,k}$	$R_{2,k} = R_{3,k}$	$R_{4,k} = R_{4,k}$
	Qty	Type			
AH16050	8	CNA4.0x40	$\min(2.7 ; 2.7/k_{mod})$	4.0	$\min(2.1 ; 2.1/k_{mod})$
	8	CNA4.0x60	$\max(2.68/k_{mod} ; 4.48 - 1.0/k_{mod})$	5.2	$\max(2.6 ; 2.1/k_{mod})$

### D61: AKR

Product name	Alternative names
AKR	

Figure D61-1: Drawings



**Table D61-1: Size specification**

Model	Product dimensions [mm]				Holes									
					Top, flange A				Bottom, flange B					
	A	B	C	t	Qty	size	Qty	size	Qty	size	Qty	size	Qty	size
AKR95G	95	85	65	4	9	Ø5.2			1	Ø13.5	1	Ø11	2	Ø5.2
AKR95x3				3										
AKR95S				3										
AKR95LG				4										
AKR95x3L				3										
AKR95LS				3										
AKR135G	135	85	65	4	14	Ø5.2	1	Ø13.5	1	Ø13.5	1	Ø11	2	Ø5.2
AKR135x3				3										
AKR135S				3										
AKR135LG				4										
AKR135x3L				3										
AKR135LS				3										
AKR165G	165	85	65	4	15	Ø5.2	1	Ø13.5	1	Ø13.5	1	Ø11	2	Ø5.2
AKR165x3				3										
AKR165S				3										
AKR165LG				4										
AKR165x3L				3										
AKR165LS				3										
AKR205G	205	85	65	4	20	Ø5.2	2	Ø13.5	1	Ø13.5	1	Ø11	2	Ø5.2
AKR205x3				3										
AKR205S				3										
AKR205LG				4										
AKR205x3L				3										
AKR205LS				3										
AKR245G	245	85	65	4	22	Ø5.2	2	Ø13.5	1	Ø13.5	1	Ø11	2	Ø5.2
AKR245x3				3										
AKR245S				3										
AKR245LG				4										
AKR245x3L				3										
AKR245LS				3										
AKR285G	285	85	65	4	26	Ø5.2	3	Ø13.5	1	Ø13.5	1	Ø11	2	Ø5.2
AKR285x3				3										
AKR285S				3										
AKR285LG				4										
AKR285x3L				3										
AKR285LS				3										

The letter "L" in the model name stands for **long oblong hole**, which is on the short flange.

**Table D61-2: Material specification**

Part	Material Grades	Coating specification
4 mm thick plates	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
3 mm thick plates	S250 GD according to EN 10326	Pre-galvanized steel min Z275 according to EN10326
	Or stainless steel as described	

The types 165 and 245 are respectively options of the AKR205 and 285 and can only be cut at the factory (with chamfer). The corresponding nail patterns are respectively n°11 and n°20.

A nail pattern of a small AKR can be used for a larger AKR also. with using the capacity for the nail pattern of the smaller one.

The nail patterns 13 and 18 are only for force direction  $F_1$ .


The nail pattern “partial/column” are for connection to a beam and also to a column.

The nail pattern “column” are also possible for a connection to a beam.

For connection to a column. nail pattern with nails in the lower part as shown below or with less nails are only to be considered:


Figure D61-2: Nail pattern

AKR95/..L




\*) = connection to column possible


AKR135/..L



AKR205/..L



AKR285/..L



**Table D61-3: Characteristic capacities for load direction  $F_1$  for one AKR**

Model	Nail pattern n°	n	Characteristic capacities [kN]					
			CNA4.0x40		CNA4.0x50		CNA4.0x60	
			$R_{bend.nail.k}$	$R_{1.nail.k}$	$R_{bend.nail.k}$	$R_{1.nail.k}$	$R_{bend.nail.k}$	$R_{1.nail.k}$
AKR95	1	8	6.60	8.78	8.80	11.32	11.00	13.24
AKR95	2	5	2.99	5.75	3.98	7.39	4.98	8.59
AKR95	3	5	6.31	5.15	8.41	6.67	10.52	7.86
AKR95	4	4	5.06	4.13	6.75	5.35	8.44	6.30
AKR135	5	13	4.34	15.89	5.79	20.34	7.24	23.46
AKR135	6	9	4.34	10.60	5.79	13.60	7.24	15.77
AKR135	7	8	1.97	10.24	2.62	13.06	3.28	14.97
AKR135	8	5	1.97	6.28	2.62	8.02	3.28	9.22
AKR205	9	10	4.34	9.50	5.79	12.36	7.24	14.67
AKR205	10	14	4.34	16.71	5.79	21.43	7.24	24.80
AKR205/AKR165	11	11	4.34	14.61	5.79	18.57	7.24	21.16
AKR205	12	8	1.97	7.15	2.62	9.32	3.28	11.12
AKR205	13	3	See Table D61-4					
AKR205	14	8	0.80	8.54	1.07	11.04	1.34	12.95
AKR285	15	25	4.34	22.62	5.79	29.49	7.24	35.16
AKR245	16	18	1.97	19.52	2.62	25.20	3.28	29.50
AKR285	16	22	1.97	20.83	2.62	27.09	3.28	32.17
AKR285	17	14	1.97	13.97	2.62	18.12	3.28	21.40
AKR285	18	3	See Table D61-4					
AKR285	19	7	1.22	5.22	1.63	6.86	2.04	8.29
AKR285/AKR245	20	9	1.57	7.14	2.09	9.35	2.61	11.27
AKR95L	1	8	4.46	6.65	5.95	8.70	7.43	10.44
AKR95L	2	5	2.02	4.41	2.69	5.76	3.36	6.88
AKR95L	3	5	4.26	3.85	5.68	5.05	7.11	6.09
AKR95L	4	4	3.42	3.09	4.56	4.05	5.70	4.88
AKR135L	5	13	2.93	12.44	3.91	16.17	4.89	19.18
AKR135L	6	9	2.93	8.19	3.91	10.68	4.89	12.72
AKR135L	7	8	1.33	8.15	1.77	10.57	2.21	12.46
AKR135L	8	5	1.33	4.97	1.77	6.44	2.21	7.62
AKR205L	9	10	2.93	6.98	3.91	9.18	4.89	11.14
AKR205L	10	14	2.93	12.98	3.91	16.89	4.89	20.10
AKR205L/AKR165L	11	11	2.93	11.81	3.91	15.25	4.89	17.88
AKR205L	12	8	1.33	5.20	1.77	6.85	2.21	8.34
AKR205L	13	3	See Table D61-4					
AKR205L	14	8	0.54	6.43	0.72	8.42	0.91	10.14
AKR285L	15	25	2.93	16.48	3.91	21.71	4.89	26.43
AKR245-L	16	18	1.33	14.75	1.77	19.30	2.21	23.19
AKR285L	16	22	1.33	15.29	1.77	20.12	2.21	24.43
AKR285L	17	14	1.33	10.36	1.77	13.60	2.21	16.45
AKR285L	18	3	See Table D63-4					
AKR285L	19	7	0.83	3.71	1.10	4.91	1.38	6.03
AKR285L/AKR245L	20	9	1.06	5.11	1.41	6.75	1.76	8.27

n = number of nails according to the nail pattern


For an AKR with a thickness of 4.0mm:  $R_{1,k} = \min \left\{ \frac{R_{1,nail,k}}{k_{mod}} + R_{bend,nail,k} \right\}$

For an AKR with a thickness of 3.0mm:  $R_{1,k} = \min \left\{ \frac{R_{1,nail,k}}{k_{mod}} + R_{bend,nail,k} \right\}$  with  $R_{1,nail,k}$  and  $R_{bend,nail,k}$  are given in the

table before.

The force shall act in the middle of the beam/column. or the eccentricity may be overcome by clamping or an extra calculated force  $F_4$  shall be considered.

The values are also applicable for a connection with a gap between the short flange of the AKR and the bearing. for  $F_1$  load direction only.



The bolt shall have a capacity to sustain an axial force of  $F_{1,d}$ .

Instead of bolts also timber screws with washers can be applied to the bottom leg for a pure uplift force connection.

**Table D61-4: Characteristic capacities for load direction  $F_1$  for nail pattern 13 and 18. for one AKR:**

Characteristic capacity governed by nails: n=3 nails [kN]							
$R_{1,nail,k}$							
Nails	type AKR			type AKR...L			
	h=	73	113	153	73	113	153
CNA4.0x40		3.35	3.83	4.17	2.55	3.04	3.44
CNA4.0x50		<b>4.32</b>	<b>4.88</b>	<b>5.28</b>	<b>3.33</b>	<b>3.94</b>	<b>4.42</b>
CNA4.0x60		5.04	5.60	5.97	3.99	4.65	5.15

h = place of the lowermost nail above the line "b". Nail pattern 13: h=73mm. nail pattern 18: h=113mm


Characteristic capacity governed by steel [kN]	
$R_{F,1,i,k}$ [kN]	
AKR205	4.89
AKR285	4.02
AKR205L	3.30
AKR285L	2.72

$R_{F,1,i,k}$  is based on the bending


With  $i = h$

$R_{1,k} = \min(R_{1,nail,k}; R_{F,1,i,k})$

The capacity  $R_{1,nail,i,k}$  shall be calculated as design capacity with the current  $k_{mod}$ . the capacity  $R_{F,1,i,k}$  shall be calculated with  $k_{mod} = 1.0$  for all load durations.







**Table D61-5: Characteristic capacities for load direction  $F_{2/3}$  for one AKR**

Type	Nail pattern n°	n	Characteristic capacity $R_{2/3,k}$ [kN]		
			for CNA 4.0x40	for CNA 4.0x50	for CNA 4.0x60
AKR95	1	8	2.5	3.1	3.5
AKR95	2	5	1.8	2.2	2.5
AKR95	3	5	1.6	2.0	2.2
AKR95	4	4	1.5	1.9	2.1
AKR135	5	13	4.0	5.0	5.6
AKR135	6	9	3.0	3.7	4.2
AKR135	7	8	2.8	3.5	3.9
AKR135	8	5	1.9	2.4	2.8
AKR205	9	10	3.3	4.2	4.7
AKR205	10	14	3.9	5.0	5.9
AKR205/AKR165	11	11	3.5	4.5	5.2
AKR205	12	8	2.4	3.1	3.6
AKR205	13	3	n/a	n/a	n/a
AKR205	14	8	2.8	3.5	4.0
AKR285	15	25	4.4	5.8	7.0
AKR245	16	18	2.9	3.8	4.6
AKR285	16	22	2.9	3.8	4.7
AKR285	17	14	2.8	3.6	4.4
AKR285	18	3	n/a	n/a	n/a
AKR285	19	7	2.2	2.9	3.4
AKR285/AKR245	20	9	2.9	3.7	4.4
AKR95L	1	8	2.2	2.8	3.2
AKR95L	2	5	1.5	2.0	2.3
AKR95L	3	5	1.4	1.8	2.1
AKR95L	4	4	1.3	1.7	1.9
AKR135L	5	13	3.6	4.6	5.2
AKR135L	6	9	2.6	3.3	3.8

AKR135L	7	8	2.4	3.1	3.6
AKR135L	8	5	1.6	2.1	2.4
AKR205L	9	10	2.7	3.5	4.1
AKR205L	10	14	3.1	4.0	4.8
AKR205L/AKR165L	11	11	2.9	3.7	4.4
AKR205L	12	8	1.9	2.5	3.0
AKR205L	13	3	n/a	n/a	n/a
AKR205L	14	8	2.3	3.0	3.5
AKR285L	15	25	3.3	4.4	5.4
AKR245-L	16	18	2.1	2.8	3.4
AKR285L	16	22	2.1	2.8	3.5
AKR285L	17	14	2.1	2.7	3.4
AKR285L	18	3	n/a	n/a	n/a
AKR285L	19	7	1.7	2.2	2.7
AKR285L/AKR245L	20	9	2.2	2.9	3.5

n = number of nails according to the nail pattern

The connected beam shall be free of twisting. so that no rotation occurs.

For a connection to a column with this load direction. it is recommended to use 2 pieces of AKR.

The bolt shall have a min. capacity  $R_d$  to sustain an axial force of  $F_{2,d} \times 0.2$  and a lateral force of  $F_{2,d} / n_{AKR}$  .with  $n_{AKR}$  = number of AKR


**Characteristic capacities for load direction  $F_4$  (only for types without oblong hole) for one AKR**

for AKR with a thickness of 4.0mm:

$$R_{4,k} = \min \left\{ \begin{array}{l} \frac{10,6kN \times 50mm}{e \times k_{mod}} \\ 51kNmm \\ \frac{51kNmm}{(e - 71mm) \times k_{mod}} \end{array} \right.$$

for AKR with a thickness of 3.0mm:

$$R_{4,k} = \min \left\{ \begin{array}{l} \frac{6,3kN \times 50mm}{e \times k_{mod}} \\ 28,7kNmm \\ \frac{28,7kNmm}{(e - 71mm) \times k_{mod}} \end{array} \right.$$



Negative values may not be considered. e shall be inserted in [mm]

The bolt shall have a capacity to sustain an axial force of  $F_{4,d} \times 1.5$  . and a lateral force of  $F_{4,d} \times 1.0$ .

**Table D61-6: Characteristic capacities for load direction  $F_5$**  (only for types without long hole) for one AKR

Type	Nail pattern n°	n	Characteristic capacity $R_{5,k}$ [kN]			
			$e < 71$		$e > 71$	
			$X_1$	$e_{\max \text{ force}}$	$X_1$	$e_{\max \text{ force}}$
AKR95	1	8	402	131-e	378	e - 10
AKR95	2	5	244		256	
AKR95	3	5	319		215	
AKR95	4	4	257		172	
AKR135	5	13	419		742	
AKR135	6	9	357		480	
AKR135	7	8	247		500	
AKR135	8	5	197		301	
AKR205	9	10	354		382	
AKR205	10	14	402		378	
AKR205/AKR165	11	11	354		382	
AKR205	12	8	244		256	
AKR205	13	3				
AKR205	14	8	210		363	
AKR285	15	25	402		378	
AKR245	16	18	244		256	
AKR285	16	22	244		256	
AKR285	17	14	244		256	
AKR285	18	3				
AKR285	19	7	210		196	
AKR285/AKR245	20	9	274	271		


n = number of nails according to the nail pattern

$$R_{5,k} = \min \left\{ \begin{array}{l} \frac{X_1 \times R_{ax,k}}{e_{\max, \text{force}}} \\ \frac{536kNmm}{e \times k_{\text{mod}}} \\ \frac{51kNmm}{(e - 71mm) \times k_{\text{mod}}} \end{array} \right.$$

with  $R_{ax,k}$  [kN] = the axial characteristic capacity of the used nail sizes "e" shall be inserted in [mm]


Negative values may not be considered.

The bolt shall have a min. capacity  $R_d$  to sustain an axial force of  $F_{5,d} \times 1.0$  and a lateral force of  $F_{5,d} \times 1.0$ .



**Table D61-7: Characteristic capacities for load direction  $F_{4/5}$**  (only for types without long hole) for a pair of AKR

		Characteristic capacity [kN]
Type	Nail pattern n°	$R_{4/5,k}$
all with a thickness of 4.0mm	all	$26.5/k_{mod}$
all with a thickness of 3.0mm	all	$15.75/k_{mod}$



The size  $b$  shall be a minimum of 60mm.

The “left” AKR shall be checked additionally for a tension force:

$$F_{1,d}^* = \frac{F_{4/5,d} \times (e - 16,5mm)}{b + 83mm}$$

Sizes “ $e$ ” and “ $b$ ” shall be insert in [mm]

The bolt 1 shall have a capacity to sustain an axial force of  $F_{1,d}^* \times 1.0$ .

The bolt 2 shall have a capacity to sustain an axial force of  $F_{4/5,d} \times 0.5$  . and a lateral force of  $F_{4/5,d} \times 1.0$ .

**Table D61-8: Stiffness to F<sub>1</sub> and F<sub>2</sub> loads**

The stiffness  $K_{ser}$  of AKR and AKR-L submitted to F<sub>1</sub> and F<sub>2</sub> loads, is given in the two following tables for different sizes of CNA nails. Intermediate values can be determined by interpolation.

Type	Nail pattern n°	Nail quantity	$K_{ser}$ [kN/mm] for one AKR and load direction F <sub>1</sub> and CNA4.0x...			$K_{ser}$ [kN/mm] for one AKR and load direction F <sub>2</sub> and CNA4.0x...		
			40	50	60	40	50	60
AKR95	1	8	1.21	1.57	1.83	0.35	0.43	0.48
AKR95	2	5	0.80	1.02	1.19	0.25	0.30	0.35
AKR95	3	5	0.71	0.92	1.09	0.22	0.28	0.30
AKR95	4	4	0.57	0.74	0.87	0.21	0.26	0.29
AKR135	5	13	2.20	2.81	3.24	0.55	0.69	0.77
AKR135	6	9	1.47	1.88	2.18	0.41	0.51	0.58
AKR135	7	8	1.42	1.81	2.07	0.39	0.48	0.54
AKR135	8	5	0.87	1.11	1.28	0.26	0.33	0.39
AKR205	9	10	1.31	1.71	2.03	0.46	0.58	0.65
AKR205	10	14	2.31	2.96	3.43	0.54	0.69	0.82
AKR205	11	11	2.02	2.57	2.93	0.48	0.62	0.72
AKR205	12	8	0.99	1.29	1.54	0.33	0.43	0.50
AKR205	13	3	0.37	0.48	0.58	n/a		
AKR205	14	8	1.18	1.53	1.79	0.39	0.48	0.55
AKR285	15	25	3.13	4.08	4.70	0.61	0.80	0.97
AKR245	16	18	2,70	3,48	4,08	0,39	0,52	0,63
AKR285	16	22	2.88	3.75	4.15	0.40	0.53	0.65
AKR285	17	14	1.93	2.51	2.96	0.39	0.50	0.61
AKR285	18	3	0.41	0.54	0.63	n/a		
AKR285	19	7	0.72	0.95	1.15	0.30	0.40	0.47
AKR285	20	9	0.99	1.29	1.56	0.40	0.51	0.61
AKR95-L	1	8	0.92	1.20	1.44	0.30	0.39	0.44
AKR95-L	2	5	0.61	0.80	0.95	0.21	0.28	0.32
AKR95-L	3	5	0.53	0.70	0.84	0.19	0.25	0.29
AKR95-L	4	4	0.43	0.56	0.67	0.18	0.24	0.26
AKR135-L	5	13	1.72	2.24	2.65	0.50	0.64	0.72
AKR135-L	6	9	1.13	1.48	1.76	0.36	0.46	0.53
AKR135-L	7	8	1.13	1.46	1.72	0.33	0.43	0.50
AKR135-L	8	5	0.69	0.89	1.05	0.22	0.29	0.33
AKR205-L	9	10	0.97	1.27	1.54	0.37	0.48	0.57
AKR205-L	10	14	1.79	2.34	2.78	0.43	0.55	0.66
AKR205-L	11	11	1.63	2.11	2.47	0.40	0.51	0.61
AKR205-L	12	8	0.72	0.95	1.15	0.26	0.35	0.41
AKR205-L	13	3	0.27	0.36	0.43	n/a		
AKR205-L	14	8	0.89	1.16	1.40	0.32	0.41	0.48
AKR285-L	15	25	2.28	3.00	3.65	0.46	0.61	0.75
AKR245-L	16	18	2,04	2,67	3,21	0,29	0,39	0,47
AKR285-L	16	22	2.11	2.78	3.38	0.29	0.39	0.48
AKR285-L	17	14	1.43	1.88	2.27	0.29	0.37	0.47
AKR285-L	18	3	0.31	0.40	0.49	n/a		
AKR285-L	19	7	0.51	0.68	0.83	0.24	0.30	0.37
AKR285-L	20	9	0.71	0.93	1.14	0.30	0.40	0.48

The slip modulus of the anchorage at the bottom of the bracket shall also be considered together with the  $K_{ser}$  of the connector AKR.

## D62: BETA

Product name	Alternative names
BETA	

Figure D62-1: Drawings




Table D62-1: Size specification

Model	Product dimensions [mm]				Holes			
					Top		Bottom	
	A	B	C	t	Qty	size	Qty	size
BETA2/200	200	22	40	2	15	Ø5	1	Ø5
BETA2/300	300	22	40	2	22.5	Ø5	1	Ø5
BETA2/400	400	22	40	2	30	Ø5	1	Ø5
BETA2/500	500	22	40	2	37.5	Ø5	1	Ø5
BETA2/600	600	22	40	2	45	Ø5	1	Ø5
BETA4/200	200	24	40	4	15	Ø5	1	Ø5
BETA4/300	300	24	40	4	22.5	Ø5	1	Ø5
BETA4/400	400	24	40	4	30	Ø5	1	Ø5
BETA4/500	500	24	40	4	37.5	Ø5	1	Ø5
BETA4/600	600	24	40	4	45	Ø5	1	Ø5

Other lengths for the vertical flange are allowed.

Table D62-2: Material specification

Part	Material Grades	Coating specification
Plates	S250GD according to EN 10346	Pre-galvanized steel min Z275 according to EN10346
	Or stainless steel as described	

**Table D62-3: Characteristic capacity**

The characteristic load-carrying capacity of one Concrete anchor strap is calculated as:

$$R_{1,k} = \min \left\{ \begin{array}{l} A_{st} \times 0,37 \times f_{c,k}^{2/3} / k_{mod} \\ n_{ef} \times R_{lat,k} \\ 223 \times A_{gross} / k_{mod} \end{array} \right.$$

- $f_{c,k}$  = characteristic compression strength of the concrete according to EN 1992-1-1
- $n_{ef} = n^{k_{ef}}$  effective number of nails with  $k_{ef}$  by EC 5 . table 8.1
- $R_{lat,k}$  = characteristic lateral capacity of the connector nails
- $A_{gross}$  = gross area of the vertical flap in  $mm^2$
- $k_{mod}$  = load-duration factor
- $l_c$  = embedment length in concrete in mm

$$A_{st} = \begin{cases} A_{st,0} & \text{for } l_c = 100 \text{ mm} \\ A_{st,0} / 100 \text{ mm} \times l_c & \text{for } l_c > 100 \text{ mm} \end{cases}$$

Model	$A_{gross}$ ( $mm^2$ )	$A_{st,0}$ ( $mm^2$ )
BETA2/200	80	8400
BETA2/300	80	8400
BETA2/400	80	8400
BETA2/500	80	8400
BETA2/600	80	8400
BETA4/200	160	8800
BETA4/300	160	8800
BETA4/400	160	8800
BETA4/500	160	8800
BETA4/600	160	8800

The capacity of a model with a different length can be determine as the cross section area ( $A_{gross}$ ) is the same as the ones in the table above.

### D63: HD tension tie

Product name	Alternative names
HDxx	

Figure D63-1: Drawings




Table D63-1: Size specification

Model	Product dimensions [mm]						Washer dimensions [mm]		Holes			
									Top		Bottom*	
	A	B	C	D	E	t	J	K	Qty	size	Qty	minimum size
HD140M12G	140	90	60	12	28	2	90	50	17	$\text{Ø}5$	1	$\text{Ø}13.5 +1/-0.5$
HD240M12G	240	122	40	15	28	2	110	60	11	$\text{Ø}5$	1	$\text{Ø}13.5 +1/-0.5$
HD280M12G	280	122	40	15	28	2	110	60	11	$\text{Ø}5$	1	$\text{Ø}13.5 +1/-0.5$
HD340M12G	340	182	40	15	27	2	160	50	24	$\text{Ø}5$	1	$\text{Ø}13.5 +1/-0.5$
HD400M16G	400	123	40	15	28	3	110	60	29	$\text{Ø}5$	1	$\text{Ø}17.5 +1/-0.5$
HD420M16G	420	222	60	20	37	2	200	60	50	$\text{Ø}5$	1	$\text{Ø}17.5 +1/-0.5$
HD420M20G	420	102	60	20	37	2	85	60	50	$\text{Ø}5$	1	$\text{Ø}21.5 +1/-0.5$
HD480M20G	480	123	60	20	37.5	2.5	115	70	57	$\text{Ø}5$	1	$\text{Ø}21.5 +1/-0.5$

\* refers to the hole diameter in the washer. The hole in the sheet-metal part below the washer can be up to +2 mm larger than the hole in the washer

Other lengths (A) and other width (C) are allowed. If the associated cross section area  $A_{\text{gross}}$  is the same as one of the model in the table above, then the capacity is also the same.

The hole pattern (distances and hole diameter) can be changed as long as the net cross section is not reduced or considered as written below.



**Table D63-2: Material specification**

Part	Material Grades	Coating specification
Strap	S250GD according to EN 10346	Pre-galvanized steel min Z275 according to EN10346
Washer	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
	Or stainless steel as described	

**Table D63-3: Nail pattern**

	Minimum	Maximum
All types	2	All holes can be used by considering the minimum distance of the nails to the end of timber

**Table D63-4: Characteristic capacity**

The characteristic load-carrying capacity in N of one Tension Tie is calculated as:

$$R_{1,k} = \min \left\{ \begin{array}{l} \frac{W_{pl} \times 277}{E \times k_{mod}} \\ A_{gross} \times 223/k_{mod} \\ n_{ef} \times R_{lat,k} \end{array} \right\}$$

$A_{gross}$  = gross cross sectional area of the vertical flap in  $\text{mm}^2 = B \times t_1$ . see table below

$R_{lat,k}$  = characteristic lateral Load-carrying capacity of one connector nail

$n_{ef} = n^{k_{ef}}$  effective number of nails with  $k_{ef}$  by EC 5 . table 8.1

$k_r$  = reduction factor. see table below

$k_{mod}$  = load-duration factor

$W_{pl}$  = the plastic section modulus of the lower part; see table below

$E$  = distance of the bolt hole to the vertical flange – as given in table D63-1

type	$A_{gross}$ [ $\text{mm}^2$ ]	$k_r$	$W_{pl}$ [ $\text{mm}^3$ ]
HD340M12	80	0.84	2025
HD400M16	120	0.76	2363
HD420M16	120	0.82	4200
HD420M20	120	0.56	3800
HD480M20	150	0.68	4800
HD140M12	120	0.71	1296

It must be checked that the anchor fulfils the following formula:  $\frac{F_{1,d}}{R_{anchor,d} \times k_r} \leq 1$

**A connection to the timber can also be occurring as shown next:**

Larger holes are possible for bolts or other fastener instead of a nail pattern.

For this cases the value  $R_{1,k}$  shall be calculate as:


$$R_{1,k} = A_{net} \times 295N/mm^2 \quad \text{with} \quad A_{net} = (C - G) \times t$$

For  $R_{lat,k}$  shall be use the characteristic lateral load-carrying capacity of the used fastener.

The lower part shall be as described before by using the  $W_{pl}$  from the table before.

**Installation on a timber floor:**

For the pressure area it may be possible to use screws for the pressure. In this case the calculation for the screws may be done separately according to the following system: see after table D64-3 (HD2P)



### D64: HD2P

HD2P is a connector product family in which each model is based on the combination of two components connected together with self-drilling screws. one upper part and one lower part taken from the following list and an optional washer.


Product name	Type	Alternative names
HDULx	Upper part	
HDURx	Upper part	
HDUSx	Upper part	
HDFx	Upper part	
HDBUx	Lower part	
HDBWx	Lower part	
HD2P60G *	Combination	
HD2PL40G **	Combination	
HD2P-U379S80***	Combination	

\*from components HDUF400 and HDBU220

\*\*from components HDUF250 and HDBU163

\*\*\*from components HDUS348-80-C and HDBU379-84-16-C

Figure D64-1: Drawings



**Table D64-1: Size specification**

Model	Product dimensions [mm]									Holes			
	A	B	C	D	E	t <sub>1</sub>	t <sub>2</sub>	J	K	Qty	size	Qty	size
HDF250G	250		40			2				11	Ø5		
HDF400G	400		60			2				40	Ø5		
HDS336G	336	44.5	61	100	236	2				12	Ø5		
HDS348-80G	348	78.5	81 <sup>6)</sup>	100	248	2				32	Ø5		
HDUL380G	380	55	52.5 - 55.0	65	315	2				20	Ø5		
HDUR380G	380	55	52.5 - 55.0	65	315	2				20	Ø5		
HDUL465G	465	55	52.5 - 55.0	150	315	2				20	Ø5		
HDUR465G	465	55	52.5 - 55.0	150	315	2				20	Ø5		
HDUL xx G	≥ 300	55	52.5 - 55.0	≥ 65	A - D	2					Ø5		
HDUR xx G	≥ 300	55	52.5 - 55.0	≥ 65	A - D	2					Ø5		
HDF40XG	≥ 250		≥ 40			2					Ø5		
HDF60XG	≥ 250		60			2					Ø5		
HDBU163G <sup>1)</sup>	65	163	40	30	50	3	10	40	50	2	Ø6	1	Ø13
HDBU220G <sup>1)2)</sup>	65	220	54	45	55	4	10 / 8	40 / 50	50	5	Ø6	1	Ø18
HDBU379G <sup>1)2)</sup>	65	379	40	45	114	4	10 / 8	40 / 50	50	5	Ø6	1	Ø18
HDBU379-84-16G <sup>5)</sup>	65	379	74	75	55	4	15	70	90	6	Ø6	1	Ø18
HDBW60G	82	65	50	15	27	2	15	50	60	2	Ø6	1	Ø14
HDBW160G	65	182	50	15	27	2	15	50	160	2	Ø6	1	Ø13.5 (+1; -0.5) <sub>3)</sub>
HDBW200G	65	222	60	20	37	2	20	60	200	5	Ø6	1	Ø17.5 (+1; -0.5) <sub>4)</sub>

Together with: <sup>1)</sup> US40/50/10G ; <sup>2)</sup> US50/50/8G; <sup>3)</sup> 12.5 to 14 mm; <sup>4)</sup> 16.5 to 18 mm ; <sup>5)</sup> washer70x90x15mm with Ø18mm; <sup>6)</sup> optional up to 141mm

For HDBUx and HDBWx (bottom parts), the size A can be modified.

For HDFxx the hole pattern (distances and hole diameter) can be changed as long as the net cross section is not reduced.


Combinations		upper parts									
		HDF250	HDF400	HDS336	HDS348-80G	HDUL380	HDUR380	HDUL465	HDUR465	HDF40X	HDF60X
lower parts	HDBU163G	o	o	o	o	o	o	o	o	o	
	HDBU220G		o		o	o	o	o	o		
	HDBU379G	o	o	o	o	o	o	o	o		o
	HDBU379-84-16G				o						
	HDBW60G	o	o	o	o	o	o	o	o	o	
	HDBW160G	o	o	o	o	o	o	o	o	o	
	HDBW200G		o	o	o	o	o	o	o		o

The free cells show non logical or not possible combinations.

**Table D64-2: Material specification**

Part	Material Grades	Coating specification
Plates	S250 GD according to EN 10346	Pre-galvanized steel min Z275 according to EN10346
Washer	S235JR according to EN 10025:2004	Hot-dip galvanized according to EN ISO 1461:1999
	Or stainless steel as described	

**Figure D64-2: Nail pattern for HDUS and HDUL/R**



	Minimum	Maximum
HDUF	2	All holes can be used by considering the minimum distance of the nails to the end of the timber
HDUS	Partial nailing 2x4 nails	full nailing 2x6 nails
HDUL/R	Partial nailing 14 nails	full nailing 20 nails
HDUS348-80G	2x6 nails on extreme rows. Then nail holes shall be filled symmetrically starting from top and bottom rows	full nailing 2x16 nails

**Table D64-3: Characteristic capacity**

The capacity of a combination of an upper and lower part is given by the lower capacity between the two parts given in the following tables.

Also the capacity of the anchor shall be checked by using the following formula:

$$R_{bolt,d} \geq F_{1,d} \times k_r$$

With:

$R_{bolt,k}$  = characteristic withdrawal capacity of the (anchor)-bolt in kN

$k_r$  = factor to calculate the force in the bolt, given in the following tables

$F_{1,d}$  = Design load applied to the connector.

Table of capacities of upper parts:

Characteristic capacities (kN)		
Model	$R_{1,k}$	
HDF250G	$\min \left\{ n_{ef} \times R_{lat,k} \right\}$ 17.8 kN/k <sub>mod</sub>	
HDF40XG		
HDF400G	$\min \left\{ n_{ef} \times R_{lat,k} \right\}$ 26.7 kN/k <sub>mod</sub>	
HDF60XG		
HDUS336G	$\min \left\{ C \times n_{ef \text{ per side}} \times R_{lat,k} \right\}$ with C = 1.95 23.1 kN/k <sub>mod</sub>	when full contact between top holdown part and timber
	$\min \left\{ D \times R_{lat,k} \right\}$ with D = $\begin{cases} 10.47 \text{ for full nailing} \\ 7.41 \text{ for partial nailing} \end{cases}$ 17.95 kN/k <sub>mod</sub>	when no full contact between top holdown part and timber
HDUS348-80G	$\min \left\{ n_{tot} \times 0,691 \times R_{lat,k} \right\}$ 42 kN/k <sub>mod</sub>	use nail holes symmetrically starting from top and bottom rows
HDUL380G	$\min \left\{ C \times R_{lat,k} \right\}$ with C = $\begin{cases} 11.7 \text{ for full nailing} \\ 8.1 \text{ for partial nailing} \end{cases}$ 21.4 × R <sub>ax,k</sub>	
HDUR380G		
HDUL465G		
HDUR465G		
HDUL xx G		
HDUR xx G		




Table of capacities of lower parts:

Characteristic capacities (kN)				
Model	$R_{1,k}$	$R_{s,k}$	Bolt factor k <sub>r</sub>	max n <sub>sc</sub>
HDBU163G	$\min \left\{ \begin{matrix} R_{s,k} / k_{mod} \\ V_{s,k} \times n_{sc} / k_{mod} \end{matrix} \right\}$	13.7	1.55	2
HDBU220G		34.6	1.4	3
HDBU379G		16.7	1.46	2
HDBW60G		19.8	2	2
HDBW160G		21.2	1.24	2
HDBW200G		23.4	1.23	3
HDBU379-84-16G		$\min \left\{ n_{sc} \times \left( \frac{1}{V_{s,k}} + \frac{0,035}{N_{s,k}} \right)^{-1} / k_{mod} \right\}$	45.95	1.17


With:

- n<sub>ef</sub> = n<sup>kef</sup> effective number of nails with k<sub>ef</sub> by EC 5 . table 8.1
- n<sub>per.-side</sub> = number of nails on each side
- n<sub>tot</sub> = total number of nails
- V<sub>s,k</sub> = characteristic Capacity of self-tapping screws (for EJOT JT2-3-5.5\*25 V<sub>s,k</sub>= 6.4 kN)
- N<sub>s,k</sub> = characteristic Capacity of self-tapping screws (for EJOT JT2-3-5.5\*25 N<sub>s,k</sub>= 3.4 kN)
- n<sub>sc</sub> = number of self-drilling screws
- R<sub>ax,k</sub> = characteristic axial capacity of one nail in kN
- R<sub>lat,k</sub> = characteristic lateral load-carrying capacity of one nail in kN
- R<sub>s,k</sub> = capacity given in the table

The different γ<sub>m</sub> for the screws are included in the formulas


**Installation on a timber floor:**

For the pressure area it may be possible to use screws for the pressure. In this case the calculation for the screws may be done separately according the following system:



The force for the screws at the end of the washer may be calculated with the given lever arms. The screws may be placed with a distance of 5 mm from the end of the washer.

The force axial to the screw is:  $F_{ax,d} = F_{1,d} \times (k_r - 1)$  as compression



The distances between the screws and to the edges are to be considered. as given in an approval or according EN1995 or a national standard.

**A connection to the timber can also be occurring with a HDUFxx next**

Larger holes are possible for bolts or other fasteners instead of a nail. For this cases the value  $R_{1,k}$  shall be calculate as:


$$R_{1,k} = \min \left\{ \begin{array}{l} n_{ef} \times R_{lat,k} \\ \frac{A_{net} \times 295 N/mm^2}{k_{mod}} \end{array} \right.$$

With  $A_{net} = (C-G) \times t_1$

$R_{lat,k}$  is the characteristic lateral load-carrying capacity of the used fastener.

The length of the HDUF may be selected as required for the used fastener.

HDUF: the hole pattern may be modified as showing below:



### D65: HD3B

Product name	Alternative names
HD3B	

Figure D65-1: Drawings




Table D65-1: Size specification

Model	Product dimensions [mm]								Holes					
									Top				Bottom	
	A	B	C	D	E	F	G	t	Qty	size	Qty	size	Qty	size
HD3B	220	56	59	11	33	45	123	2.7	2	Ø17.5	2	Ø4	1	Ø17.5

Table D65-2: Material specification

Part	Material Grades	Coating specification
Plate	G90 galvanized steel SS Grade 33 according to ASTM A-653	
	corresponding to S235 JR according to EN 10025	
	Or stainless steel as described	

Table D65-3: Characteristic capacity

Model	Type of stud	Fasteners				Characteristic capacities [kN]
		On stud		On support		
		Qty	Type	Qty	Type	
		R <sub>1,k</sub>				
HD3B	Steel	2	Ø16	1	Ø16	39.89
	Timber	2	Ø16	1	Ø16	15.59

For a timber with a size < 100x100mm: the capacity of the bolts in the timber are to be checked:

$n \times F_{v,RK}$ ; with  $n$ = number of bolts

It must be checked, that the anchor fulfils the following formula:

$$\frac{F_{1,d}}{R_{anchor,d}} \leq 1$$



### D66: HD5A

Product name	Alternative names
HD5A	

Figure D66-1: Drawings




Table D66-1: Size specification

Model	Product dimensions [mm]								Holes			
									Top		Bottom	
	A	B	C	D	E	F	G	t	Qty	size	Qty	size
HD5A	239	90.4	68.9	13	56	77	133	2.8	2	Ø21	1	Ø22

Table D66-2: Material specification

Part	Material Grades	Coating specification
Plate	G90 galvanized steel SS Grade 33 according to ASTM A-653	
	corresponding to S235 JR according to EN 10025	
	Or stainless steel as described	

Table D66-3: Characteristic capacity


The characteristic load-carrying capacity of one Hold Down HD5A is calculated as:

$$R_{1,k} = \min \left\{ \begin{array}{l} 8,2kN / k_{mod} \\ 4,15 \times A_{n,U} \times f_{c,90,k} \end{array} \right.$$

- $A_{n,u}$  = net area of the washer (on the backside of connected timber)
- $f_{c,90,k}$  = characteristic compressive strength perpendicular to timber
- $R_{anchor,d}$  = Tensile design capacity of the anchor bolt in the concrete
- $k_{mod}$  = load duration factor

It must be checked, that the anchor fulfils the following formula:


$$\frac{F_{1,d}}{R_{anchor,d}} \leq 1$$



**D67: HE**

Product name	Alternative names
HE	

**Figure D67-1: Drawings**



**Table D67-1: Size specification**


n/a

**Table D67-2: Material specification**

Part	Material Grades	Coating specification
Plates	S250 GD according to EN 10346	Pre-galvanized steel min Z275 according to EN10346
	Or stainless steel as described	

**Nail pattern:**

	Minimum	Maximum
HE135	3	6
HE175	3	10
HE XXX	3	22



The size for type HE xxx may be in a range from 115 mm to 315 mm in steps of 20mm

The nails shall be placed alternating in height.

**Table D67-3: Characteristic capacity**

The characteristic load-carrying capacity of one HE Anchor is calculated as:

$$R_{1,k} = \min \left\{ \begin{array}{l} C \times R_{lat,k} \\ 8,5kN / k_{mod} \times (t / 4mm) \end{array} \right.$$

$R_{lat,k}$  = characteristic lateral capacity of the connector nails / bolt M12

C = the factor from the following table

$k_{mod}$  = load-duration factor


t = thickness of HE anchor [mm]

**Table 67-4**

no of nails	$I_p$ [mm <sup>2</sup> ]	faktor "C"
3	800	3.0
4	1944	3.8
5	2230	4.4
6	2688	4.7
7	4557	6.1
8	5450	6.6
9	8278	8.0
10	9813	8.6

**Table 67-5**

no of bolt	$I_p$ [mm <sup>2</sup> ]	faktor "C"
2 M12	1800	1,9

**D68: HTT & LTT****Figure D68-1: Drawings****Table D68-1: Size specification**

Model	Product dimensions [mm]						Holes							
							Top				Bottom			
	A	B	C	D	E	t	Qty	size	Qty	size	Qty	size	Qty	size
LTT20B	502	70	51	7	35	2.7	10	Ø5	2	Ø14			1	Ø21
HTT4	309	62	64	12	33	2.8	18	Ø4.7					1	Ø17.5
HTT5	403	62	64	12	33	2.8	26	Ø4.7					1	Ø17.5
HTT16	403	62	64	12	33	2.8	18	Ø4.7					1	Ø18
HTT22	569	62	64	12	33	2.8	32	Ø4.7					1	Ø18
HTT22E & HTT22F	558	60	63	12	33	3	31	Ø5	3	Ø21	3	Ø5x12	1	Ø18
HTT31	790	60	90	12	33	3	41	Ø5	6	Ø21	4	Ø5x12	1	Ø25

**Table D68-2: Material specification**

Part	Material Grades	Coating specification
HTT4 HTT5 HTT16 HTT22 & LTT20B	G90 galvanized steel SS Grade 33 according to ASTM A-653  Or stainless steel as described	
HTT22F	S250GD according to EN 10346  Or stainless steel as described	Z275 according to EN 10346
HTT22E	S350GD according to EN 10346  Or stainless steel as described	Z275 according to EN 10346
HTT31	S350GD according to EN 10346	Z275 according to EN 10346

The nails in the vertical flap have to be arranged equally left and right about the centre-line.

Model	Minimum	Maximum
LTT20B	2	10
HTT4	4	18
HTT5	4	26
HTT16	4	18
HTT22	4	32
HTT22E & HTT22F	10	34
HTT31	45 CSA5,0x80 / 6 ZYK + 4 CSA5,0x80	


**Table D68-3: Characteristic capacity**

**HTT4/5/16/22**

The characteristic load-carrying capacity of one Hold Down is calculated as:


HTT4 & HTT5 &  
HTT16 & HTT22  
without Washer:

$$R_{1,k} = \min \begin{cases} (n - 3,5) \times R_{lat,k} \\ 25,2 \times R_{ax,k} \\ \frac{43,0}{k_{mod}} \end{cases}$$



HTT4 & HTT5  
with Washer:

$$R_{1,k} = \min \begin{cases} (n - 3,5) \times R_{lat,k} \\ 32,3 \times R_{ax,k} \end{cases}$$



HTT5 installed on 1,2 mm Light Gauge Steel with FPHSD34S1214R

Light Gauge Steel Framing Screws (fully Screwed = 26 pcs.) with Washer:  $R_{1,k} = 43,7$  kN

$R_{lat,k}$  = characteristic lateral load-carrying capacity of one nail

$R_{ax,k}$  = characteristic withdrawal capacity of one nail

$k_{mod}$  = load duration factor

$n$  = number of nails

It must be checked, that the anchor fulfils the following formula: 
$$\frac{F_{1,d}}{R_{anchor,d}} \leq 1$$

The values are also applicable for a connection with a gap between the short flanges of the HTT and the bearing support.

### LTT20B

The characteristic load-carrying capacity of one Hold Down LTT 20B is calculated as:

$$R_{1,k} = \min \left\{ \begin{array}{l} n \times R_{lat,k} \\ 2,85kN / k_{mod} \end{array} \right.$$

$R_{lat,k}$  = characteristic lateral load-carrying capacity of one nail  
 $k_{mod}$  = load duration factor  
 $n$  = number of nails  
 $R_{anchor,d}$  = Tensile design capacity of the anchor bolt in the concrete

It must be checked, that the anchor fulfils the following formula:

$$\frac{1,5 \times F_{1,d}}{R_{anchor,d}} \leq 1$$

### HTT22F & HTT22E

The capacity of the **HTT22F** in kN is:

$$R_{1,k} = \min \left\{ \begin{array}{l} (n - 3.5) \times R_{lat,k} \\ k_2 \times R_{ax,k} \\ 47.2/k_{mod} \text{ for CNA or CSA and } 37.4/k_{mod} \text{ for fasteners in big holes} \end{array} \right.$$

The capacity of the **HTT22E** in kN is:

$$R_{1,k} = \min \left\{ \begin{array}{l} (n - 3.5) \times R_{lat,k} \\ k_2 \times R_{ax,k} \\ 57.5/k_{mod} \text{ for CNA or CSA and } 47.6/k_{mod} \text{ for fasteners in big holes} \end{array} \right.$$

With:

$n$  the number of nails in the hold down

$R_{lat,k}$  the lateral capacity of the nails

$R_{ax,k}$  the axial capacity of the nails

$$k_2 = \begin{cases} 53.5 & \text{if CNA4.0x35 or 40} \\ 43.2 & \text{if CNA4.0x50 or 60 or CSA screws from 35 to 80mm long} \end{cases}$$

When used with fasteners in big holes, at least the 3 oblongs and the first row of round hole must be filled with fasteners.

Stiffness of the connection in kN/mm can be determined using the equation:

$$k_{ser} = a \times (n - 3) + b$$

With  $n$ , the number of nails in the timber  
a and b as shown in the table below:

Type of fastener	HTT22F		HTT22E	
	$a$	$b$	$a$	$b$
CNA4.0x35	0.117	1.437	0.117	1.437
CNA4.0x40	0.121	1.633	0.122	1.623
CNA4.0x50	0.131	2.026	0.134	1.995
CNA4.0x60	0.140	2.419	0.145	2.367
CSA5.0x35	0.154	1.892	0.190	2.340
CSA5.0x40	0.150	2.023	0.186	2.501
CSA5.0x50	0.144	2.242	0.179	2.772
CSA5.0x80	0.127	2.899	0.157	3.585

If an extra US50/50/8G-B is used, capacity doesn't change but  $k_{ser}$  shall be multiplied by 1.3 for both HTT22E & HTT22F.

It must be checked, that the anchor fulfils the following formula:

$$\frac{F_{1,d}}{R_{anchor,d}} \leq 1$$

The values are also applicable for a connection with a gap between the short flange of the HTT and the bearing support.

The stiffness  $K_{ser}$  of HTT5/16/22, submitted to vertical load, is given in the two following tables with  $n$  = numbers of CNA nails.

**Table D68-4:  $K_{ser}$  of HTT4/5/16/22 without additional washer**

number of nails	$K_{ser}$ [kN/mm] for nails CNA4,0x ...			
	35	40	50	60
$\geq 5$	0,31 + (n-5)x0,2	0,33 + (n-5)x0,22	0,40 + (n-5)x0,27	0,43 + (n-5)x0,29

**Table D68-5:  $K_{ser}$  of HTT4/5/16/22 with additional washer**

number of nails	$K_{ser}$ [kN/mm] for nails CNA4,0x ...			
	35	40	50	60
$\geq 15$	3,04 + (n-15)x0,265	3,34 + (n-15)x0,29	4,03 + (n-15)x0,35	4,29 + (n-15)x0,374

The slip modulus of the anchor shall also be considered together with the  $K_{ser}$  of the connector HTT.

The connection of CLT panel to a rigid support with an HTT22 with CNA4.0x60 offers a mean ratio  $D_{u,80\%} / D_y > 6$  ( $D_{u,80\%} / D_y$  ratio disclosed in EN12512), therefore this connection has a high capacity to dissipate energy according to EN 1998-1:2004 §8 and is suitable for dissipative zone of DCH class building.


The connection of CLT panel to a CLT support with an HTT22 with CNA4.0x60 offers a mean ratio  $4 < D_{u,80\%} / D_y < 6$ , therefore this connection has a medium capacity to dissipate energy according to EN 1998-1:2004 §8 and is suitable

for dissipative zone of DCM class building. The anchor or fastener in the support shall be designed with sufficient overstrength to ensure the development of cyclic yielding in the dissipation zones as disclosed in 8.6 (4) in EN 1998-1:2004.

### HTT31

For connection with fastener:

$$R_{1,k} = \min \begin{cases} (n - 4) \times R_{lat,k} \\ 26.8 \times R_{ax,k} \\ 85.1 / k_{mod} \end{cases}$$



For connection with Zyklop™:

$$R_{1,k} = \min \begin{cases} n_z \times R_{ZYK,k} \\ n_{ef} \times R_{ax,screw} \times 0.86 \\ 26.8 \times R_{ax,k} \\ 78.3 / k_{mod} \end{cases}$$

With:

- $n$  = the number of fastener including the 4 CSA screws in the lowermost oblong holes
  - $n_z$  = number of ZYKT69 or ZYK10
  - $n_{ef}$  = eff. number of ZYKT69 or ZYK10 acc. to the ETA-07/0137
  - $R_{lat,k}$  = the lateral capacity of one fastener
  - $R_{ax,k}$  = the axial capacity of one fastener
  - $R_{k,ZYK}$  = the lateral capacity of the ZYKLOP connector (ZYKT69 or ZYK10) or alternative the lateral capacity of a bolt M20 steel-timber.
  - $R_{ax,screw}$  = the axial capacity of the screw inside the ZYKLOP connector
- The relevant values for the Zyklop™ are given in ETA-07/0317.

Stiffness of the connection with HTT31 :


**Table D60-6:  $K_{ser}$  of HTT31**

Model	Fasteners		Stiffness** (kN/mm)
	Qty	Type	
HTT31	6 *	ZYKT69	17,1
HTT31	6 *	Bolt Ø20	
HTT31	45	CSA5,0x80	24,3

\* with additional 4 CSA5,0x80 in the oblong holes

\*\* for a lower number of fasteners the  $K_{ser}$  -value shall be reduced according to the number of fasteners.






HTT31

### D69: MAH

Product name	Alternative names
MAH	-

**Table D69-1: Size specification**




Model	Product dimensions [mm]						Holes			
							Top		Bottom	
	A	B	C	D	E	t	Qty	size	Qty	size
MAH485	484	53	55	12.2	40	2	23	Ø5	1	Ø18

**Table D69-2: Material specification**

Part	Material Grades	Coating specification
MAH485	S250 GD according to EN 10346	Pre-galvanized steel min Z275 according to EN10346
US50/50/8G	S235JR according to EN 10025	Hot-dip galvanized according to EN ISO 1461
	Or stainless steel as described	

**Table D69-3: Characteristic capacity**



Model	Characteristic capacities [kN]	
	R <sub>1,k</sub>	
	Flat	Folded*
MAH485	min( n <sub>eff</sub> X R <sub>lat,k</sub> ; 18.7 / k <sub>mod</sub> )	min( n <sub>eff</sub> X R <sub>lat,k</sub> ; 24.6 / k <sub>mod</sub> )

\*US50/50/8G is compulsory

Note:

- Values can be calculated with CNA4.0 nails and CSA5.0 nails
- The principle is to start nailing at the bottom and go up regularly
- If extra strap is added the maximum number of nails on the part where there is only strap is equal to the number of nails that go through strap + MAH

The anchor must be able to take a load : “F<sub>anchor,Rk</sub> ≥ 1.96 × F<sub>k</sub>”

**Stiffness:**

Note: the minimum number of fastener is 7 and the maximum is 21. No data are given with extra strap.

$$k_{ser} = a \times n + b$$

with n. the number of fasteners

k<sub>ser</sub> is the stiffness in kN/mm

:

	flat configuration		folded configuration	
	a	b	a	b
CNA4.0x35	0,160	1,805	0,205	2,319
CNA4.0x40	0,161	1,824	0,207	2,343
CNA4.0x50	0,165	1,862	0,214	2,417
CNA4.0x75	0,173	1,957	0,231	2,620
CSA5.0x50	0,223	2,524	0,286	3,242

### D70: PROFA

Product name	Alternative names
PROFA	

Figure D7-1: Drawings




Table D70-1: Size specification

n/a

Table D70-2: Material specification

Part	Material Grades	Coating specification
Plates	S250 GD according to EN 10346	Pre-galvanized steel min Z275 according to EN10346
	Or stainless steel as described	





Table D70-3: Nail pattern

Model	Minimum	Maximum
PROFA108	2	6
PROFA158	2	10
PROFA198	2	14
PROFA159	2	8

PROFA XXX	2	28
-----------	---	----

The size for type PROFA xxx may be in a range from 159 mm to 359 mm in steps of 20mm

The nails shall be placed alternating in height.



#### Table D70-4: Characteristic capacity

The characteristic load-carrying capacity of one Profile Anchor is calculated as:

For PROFA 108/158/198 (thickness = 3.0 mm)

$$R_{1,k} = \min \left\{ \begin{array}{l} n \times R_{lat,k} \\ 6,3kN / k_{mod} \end{array} \right.$$

For PROFA 159 to PROFA 359 (thickness = 4.0mm)

$$R_{1,k} = \min \left\{ \begin{array}{l} n \times R_{lat,k} \\ 9,4kN / k_{mod} \end{array} \right.$$

For PROFA 159 to PROFA 359 (thickness = 3.0mm)

$$R_{1,k} = \min \left\{ \begin{array}{l} n \times R_{lat,k} \\ 7,1kN / k_{mod} \end{array} \right.$$

For PROFA 159 to PROFA 359 (thickness = 2.0mm in steel 1.4529)

$$R_{1,k} = \min \left\{ \begin{array}{l} n \times R_{lat,k} \\ 5,65kN / k_{mod} \end{array} \right.$$

$n$  = number of the nails / connector screws; the nails will be used side by side.

$R_{lat,k}$  = characteristic lateral capacity of the fasteners / bolt M12

$k_{mod}$  = load-duration factor

## D71: SCMF

The plate SCMF is made to be used with HDUxx components from the HD2P product family. Self-drilling screws are used to connect SCMF to HDUxx at each end.

Product name	Alternative names
SCMF	

Figure D71-1: Drawings




Table D71-1: Size specification

Model	Product dimensions [mm]			Holes	
	A	B	t	Qty	size
SCMF40/B	40	≥100	2	6	∅6
SCMF60/B	60	≥100	2	10	∅6
SCMF80/B	80	≥100	2	10	∅6

Table D71-2: Material specification

Part	Material Grades	Coating specification
Plates	S250 GD according to EN 10346	Pre-galvanized steel min Z275 according to EN10346
	Or stainless steel as described	

Table D71-3: Characteristic capacity

The capacity of the connector that includes SCMF and the two HDU components is equal to the minimum capacity of the three parts. The capacity of SCMF itself is given below.

Model	Fasteners		Characteristic capacities [kN]	
	Qty	Type	R <sub>1,k</sub>	R <sub>s,k</sub>
			$\min \left\{ \begin{array}{l} R_{s,k} / k_{mod} \\ V_{R,k} \times n_{sc} / k_{mod} \end{array} \right.$	
SCMF40	2x3	Self-drilling screw ∅5.5		16.6
SCMF60	2x5			24.9
SCMF80	2x5			36.8

V<sub>R,k</sub> = characteristic Capacity of self-tapping screws (for EJOT JT2-3-5.5\*25 V<sub>R,k</sub> = 6.4 kN)

n<sub>sc</sub> = number of self-drilling screws

R<sub>s,k</sub> = steel cross section capacity given in the table