



CorePro LED candles and lusters

CorePro LEDcandle ND 4-25W E14 827 B35 FR

The CorePro LEDcandles and lusters are designed for retrofit replacement of incandescent lamps, and are particularly attractive for chandeliers. They are compatible with fixtures with an E14 holder for candles and E14 or E27 holders for lusters, and are available in either warm white, white or cool daylight color temperatures. LED lamps deliver huge energy savings and minimize maintenance cost. The CorePro LED candles and lusters are perfect for your basic lighting needs. They provide the beautiful light and dependable performance you expect from LED at an affordable price.

Product data


General Information		Operating and Electrical	
Cap-Base	E14 [E14]	Input Frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Nom)	4 W
Nominal Lifetime (Nom)	15000 h	Lamp Current (Nom)	35 mA
Switching Cycle	50000X	Wattage Equivalent	25 W
Technical Type	4-25W	Starting Time (Nom)	0.5 s
Light Technical		Warm Up Time to 60% Light (Nom)	0.5 s
Color Code	827 [CCT of 2700K]	Power Factor (Nom)	0.4
Luminous Flux (Nom)	250 lm	Voltage (Nom)	220-240 V
Color Designation	Warm White (WW)	Temperature	
Correlated Color Temperature (Nom)	2700 K	T-Case Maximum (Nom)	75 °C
Luminous Efficacy (rated) (Nom)	62.50 lm/W	Controls and Dimming	
Color Consistency	<6	Dimmable	No
Color Rendering Index (Nom)	80		
LLMF At End Of Nominal Lifetime (Nom)	70 %		

CorePro LED candles and lusters

Mechanical and Housing	
Bulb Finish	Frosted
Approval and Application	
Energy Efficiency Label (EEL)	A+
Energy Consumption kWh/1000 h	4 kWh
Product Data	
Full product code	871829178701300

Order product name	CorePro LEDcandle ND 4-25W E14 827 B35 FR
EAN/UPC - Product	8718291787013
Order code	929001157402
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001157402
Net Weight (Piece)	0.040 kg



Dimensional drawing



LED ND 4-25W E14 827 220-240V B35 FR

Product	D	C
CorePro LEDcandle ND 4-25W E14 827 B35 FR	35 mm	106 mm

Photometric data




CorePro LEDcandle 4-25W E14 827 FR B35

CorePro LEDcandle 4-25W E14 827 FR B35


CorePro LED candles and lusters

Photometric data




SDPO_LEDCL_0003-Spectral Power distribution

Lifetime



LEDbulb 60W E14 827 FR B38



LEDbulb 60W E14 827 FR B38

