

Uponor Fluvia Move Push MPG-10-A-W



Produkt	Uponor nr	NRF nr
---------	-----------	--------

Uponor Fluvia Move Push MPG-10-A-W

1078306

8361062

Shuntgruppe integrerad med Smatrix reglering och pump från Wilo.
*OBS! Denna produkt ersätter artikel Uponor Fluvia E Push MPG-10-A
Uponor nr 1048780, NRF 836 24 96.*

Shuntgruppe med
utomhuskompenserad
framledningstemperatur. Regleras
med Uponor Regulator Smatrix
Move, utomhusgivare ingår.

Pump:

Wilo Yonos Para 15/6 RKA 130,
230V EEI 0,17

Q:

0,1-2,5 m³/h,

H:

6-2,4 m

Anslutning primärt:

Inv ¾", max 90°C

Anslutning sekundärt:

Utv 1", max 60°C

Blandningsventil:

Trevägs motorventil, KVS=4,3

Tryckklass:

PN10

Max yta:


Vid 50W/m² ca 220 m²

Uponor Fluvia Move Pumpgroup MPG


Uponor



MPG-10-A



MPG-10-B



$Q_{max} = 10 \text{ kW}$



$\vartheta_{sec} = 15 - 55^\circ\text{C}$













$kvs = 5 \text{ m}^3/\text{h}$








$P_{max} = 6 \text{ bar}$







15 Ltr/h





OPEN



Uponor Corporation
www.uponor.com

Uponor reserves the right to make changes, without prior notification, to the specification of incorporated components in line with its policy of continuous improvement and development.

uponor