

L-PB

Design Series sortlakeret L-jern

Sortlakeret L-jern ingår i vores Design Series med beslag til brug i havekonstruktioner og lignende hvor man ønsker diskrete sorte beslag. L-jern anvendes til samling af rem eller overligger til stolpe

Egenskaber

Materiale

- Stålkvalitet: Galvaniseret stål S250GD + ZPRO
- Korrosionsbeskyttelse: ZPRO coating - svarende til en zinklagstykkelse på ca. 55 µm + Sortlakeret RAL 9005

Benefits

- Increases the strength of beam-to-column connections,
- Makes pergolas, awnings and other light structures more reliable where the end of a beam is supported by a post,
- Simple to install using black head SSH-PB screws,
- High corrosion resistance for use under service class 3 conditions,
- Black paiting : discrete...


Anvendelse

Support

- **Header Member:** Solid timber, composite timber, glulam
- **Joist:** Solid timber, composite timber, glulam

For use with

- Joists




L-PB

Design Series sortlakeret L-jern

Teknisk data

Dimensioner



Art. nr.	DB nr.	Dimensioner [mm]				Huller		
		A	B	C	t	Ø5	Ø8,5	Ø10
L150PB	2145777	150	150	40	2	10	3	-
L190BPB	-	190	190	70	3	-	-	5

L-PB

Design Series sortlakeret L-jern

Montering

Fasteners

- Black head screw SSH8.0X40PB

Installation

- For standard timber section from 90x90 mm to 200x200 mm

Hedgaardsvej 11 8300 Odder
tel: +45 8781 7400
fax : +45 8781 7409

L-PB
Design Series sortlakeret L-jern

Copyright by Simpson Strong-Tie®
Oplysningerne i dette dokument ejes eksklusivt af Simpson Strong-Tie® A/S.
De er kun gældende i forbindelse med produkter, som forhandles af Simpson Strong-Tie® A/S.

2024-01-10

www.strongtie.dk**SIMPSON****Strong-Tie®**