

# **ENVIRONMENTAL PRODUCT DECLARATION**

IN ACCORDANCE WITH EN 15804 + A1



# 1 General information

## 1.1 Note on this document

The original document was written in German. All other language versions are translations of the original document.

## 1.2 Declaration holder

Geberit International AG  
 Schachenstrasse 77  
 CH-8645 Jona  
 Tel. +41 55 221 6300  
 sustainability@geberit.com  
 www.geberit.com

Geberit is one of the pioneers when it comes to sustainability in the sanitary industry. Sustainable has formed an integral component of the corporate strategy for around 30 years. The Geberit Group has a group certificate in accordance with ISO 9001 (quality), ISO 14001 (environment) und ISO 45001 (occupational health and safety). Life cycle assessments were produced for key products from an early stage and Ecodesign has been an integral component of the product development process since 2008. You can find current and comprehensive information on sustainability in the current annual report or at [www.geberit.com/nachhaltigkeit](http://www.geberit.com/nachhaltigkeit).

## 1.3 Declared product


This declaration applies to Geberit Mapress Stainless Steel fittings listed in the section in the appendix chapter of this document, see "Assortment of Geberit Mapress Stainless Steel fittings", page 8. Articles with gunmetal or brass components are not covered by this declaration. A piece of Geberit Mapress Stainless Steel bend 90° with an outer diameter of 22 mm (art. no. 30104) has been used as a reference article.



## 1.4 Verification and validity

Programme holder: Geberit International AG  
 Declaration number: GEB\_EPD\_8914347147  
 Validity: 01/02/2022 to 31/01/2027  
 Data calculated by: Intep, [www.intep.com](http://www.intep.com)

Environmental declarations for construction products may not be comparable if they do not comply with the EN 15804. It is only possible to make a limited comparison of life cycle assessment results which are based on different background databases.

The European standard EN 15804 + A1 is used as the core PCR.	
Independent verification of the declaration and information in accordance with EN ISO 14025:2010	
<input type="checkbox"/> Internal	<input checked="" type="checkbox"/> External
 Dr. Frank Werner	

## 2 Product

### 2.1 Description and application purpose

Geberit Mapress Stainless Steel is a supply system made of austenitic or ferritic stainless steel, in which pipes and fittings are pressed into piping systems.

The system pipes are made of three different alloys:

- Chromium-nickel-molybdenum steel (CrNiMo, stainless steel 1.4401)
- Chromium-molybdenum titanium steel (CrMoTi, stainless steel 1.4521)
- Chromium-nickel steel (CrNi, stainless steel 1.4301)

The pipes are connected by means of stainless steel fittings (stainless steel 1.4401). Fittings with a thread and/or plain end are used for the connection to various connections. Articles with parts made of gunmetal or brass are not covered by this declaration.

Different seal rings are inserted in the fittings depending on the system:

- Geberit Mapress Stainless Steel: seal ring made of chlorobutyl rubber (CIIR)
- Geberit Mapress Stainless Steel (gas): seal ring made of hydrogenated acrylonitrile-butadiene rubber (HNBR)
- Geberit Mapress Stainless Steel (FKM, blue): seal ring made of fluoro rubber (FKM)

The Geberit Mapress Stainless Steel fitting with the CIIR seal ring is also available as a LABS-free version, i.e. free of paint-wetting impairment substances, e.g. Free of silicone.

Application purpose:

The seal ring has a decisive influence on the application purpose. Due to the wide range of possible combinations of pipes, fittings and seal rings, the system covers a wide range of applications in technical building systems, industry and shipbuilding.

#### 2.1.1 Geberit Mapress Stainless Steel fittings

The Geberit Mapress Stainless Steel fitting connects the Geberit Mapress Stainless Steel system pipes in various combinations. The main material is CrNiMo steel (stainless steel 1.4401). Seal rings made of different materials (CIIR, HNBR or FKM) can be inserted into the fitting. The pressing procedure permanently deforms the fitting bead and pipe and presses them to make them leakproof. During the pressing procedure, the pressing indicator is detached and is disposed of as part of the packaging, together with the protection plugs, in accordance with the regulations in force in the country of installation.




Figure 1: Structure of a Geberit Mapress bend 90°

- |   |   |
|---|---|
| 1 | Fitting body (stainless steel 1.4401)           |
| 2 | Moulded fitting bead (stainless steel 1.4401)   |
| 3 | Seal ring (CIIR or FKM)                         |
| 4 | Pressing socket                                 |
| 5 | Protection plug (PE-LD)                         |
| 6 | Pressing indicator (multilayer film PET-PS-PET) |

For the composition by raw materials, see chapter "Product composition", page 5.

## 2.2 Range and conversion factors

The reference product for this declaration is the Geberit Mapress Stainless Steel bend 90° (art. no. 30104) made of CrNiMo 1.4401. This article was chosen as a reference because it is the standard fitting for most applications. The life cycle assessment results in chapter 4 can be converted to the other sales articles listed in the appendix of this document using the net weight with the conversion factor in accordance with the following tables, see "Assortment of Geberit Mapress Stainless Steel fittings", page 8.

## 3 Life cycle assessment – calculation criteria

### 3.1 System boundaries

This environmental product declaration is a Cradle-to-gate-with-options declaration including transport and waste processing during the disposal phase. The use and demolition are not considered.

Product			Construction process		Use	End-of-life			
Raw material	Transport to the manufacturer	Manufacturing	Distribution	Installation within the building		Demolition	Transport to waste processing	Reuse, recovery, recycling	Disposal
A1	A2	A3	A4	A5	B1-B7	C1	C2	C3	C4
x	x	x	x	x	–	–	x	x	x

x Considered/relevant

– Not considered/not relevant

### 3.2 Product composition

The reference article consists of the following raw materials:

Raw material	Quantity [g]
Stainless steel	100
Elastomers	2
<b>Total</b>	<b>102</b>
Recycled content (post-consumer)	22 %

The packaging consists of 4 g of cardboard and 4 g of plastic (including protective caps).

The articles shown in this environmental product declaration do not contain PVC or halogen compounds.

List of substances contained in the product, which are included in the "Candidate List of Substances of Very High Concern for Authorisation" if the content exceeds the limits for their registration by the European Chemicals Agency:

- none

### 3.3 Assumptions and background information

**(A1)** For the raw material supply, the entire raw and recycled material input was modelled using corresponding data, including the losses of 1–6 % relating to material and production. Secondary materials comprise those environmental influences that arise from the collection of waste and from recycling. The following recycled content was recorded: 22 % for stainless steel and 10 % for cardboard.

**(A2)** For transportation from suppliers in Europe and Asia to Geberit, standard transport distances were assumed for each country and load factors contained in the background data were used. Class Euro 5 diesel lorries are used as the means of transport within Europe. Intercontinental transportation consists of freighters and subsequent local distribution by lorry.

**(A3)** Products are manufactured in one or more Geberit factories within Europe, which are all certified in accordance with ISO 9001, 14001 and 45001. A current ISO certificate can be downloaded online. All suppliers sign the Geberit suppliers' code of conduct and undergo a detailed selection and inspection procedure.

The electricity consumption plays an important role in in-house production. Average values from the respective factories and a country-specific combination of power sources are assumed.

The production and provision of packaging materials and means of production (technical lubricants) were also modelled in phase A3. The consumption of additional auxiliary materials and water is negligible. Production waste is taken into account. However, the scrap flows associated with the production flows are not listed in A3 as they are handled with a conservative allocation factor of 0.

Background data from the ecoinvent database was used for the third-party components.

**(A4)** Transportation from Geberit to customers within Europe is done by logistics partners through the modern, efficient central warehouse in Pfullendorf (DE), which is certified in accordance with ISO 9001, 14001 and 45001. Class Euro 5 and 6 lorries are mainly used for the transport. Distribution in countries outside Europe is mainly done by means of freighters together with lorries to distribute the products locally. In the main market in Europe, the average transport distance is 650 km and the loading weight is 8 t/lorry.

**(A5)** The installation is easy and needs no additional auxiliary materials and practically no energy. The packaging waste generated can be completely reused or converted into energy in the respective country depending on the disposal infrastructure.

100 % of cardboard and paper is recycled. The energy is recovered from plastic in the packaging in an incineration plant. The assumed energy content per kg is 43.9 MJ for plastics and 30.2 MJ for elastomers. The energy efficiency is 42 % for heat and 14 % for electricity.

**(B1-B7)** No further statements are made concerning the use phase.

**(C1-C4)** Waste that is reused is removed from the product system without causing any environmental impact from the first life cycle. No credits are accounted for cases where production of such waste was avoided. With respect to disposal, it has been assumed that all waste is collected once it has been taken from the building site and is sorted appropriately. 100 % of all metal parts are recycled. The plastic parts are incinerated (with the assumptions already described). A transport distance of 20km is assumed for both disposal options.

## 3.4 Data basis and data quality

This environmental product declaration is based on a comprehensive life cycle assessment according to ISO 14044:2006. A detailed background report, which meets the requirements of EN 15804, is used for verification. Inventory data is based predominantly on data that was provided by Geberit International AG in 2021. ecoinvent data (version 3.4, 2017, [www.ecoinvent.org](http://www.ecoinvent.org)) and the system model "cut-off by classification" were used for all further data. The quality of the data can therefore be considered to be good.

## 4 Life cycle assessment – results

The following tables contain the results based on a piece of the declared product.

### 4.1 Environmental impact

	Unit	A1	A2	A3	A4	A5	C1	C2	C3	C4
Global warming (GWP)	kg CO <sub>2</sub> -eq	3.53E-01	1.35E-03	1.28E-01	5.85E-03	4.86E-04	0	1.84E-04	1.70E-02	0
Ozone depletion (ODP)	kg CFC-11-eq	1.04E-09	2.66E-10	6.76E-09	1.15E-09	4.97E-13	0	3.61E-11	2.34E-11	0
Photochemical ozone creation (POCP)	kg C <sub>2</sub> H <sub>4</sub> -eq	3.65E-06	2.15E-07	3.73E-05	9.32E-07	7.18E-10	0	2.92E-08	3.53E-08	0
Acidification (AP)	kg SO <sub>2</sub> -eq	1.72E-03	4.36E-06	5.73E-04	1.89E-05	4.47E-08	0	5.92E-07	1.68E-06	0
Eutrophication (EP)	kg PO <sub>4</sub> <sup>3-</sup> -eq	1.26E-04	9.62E-07	2.66E-04	4.17E-06	3.88E-08	0	1.31E-07	1.35E-06	0
Depletion of abiotic resources (ADP), fossil fuels	MJ	5.46E+00	2.25E-02	1.38E+00	9.75E-02	5.81E-05	0	3.06E-03	2.26E-03	0
Depletion of abiotic resources (ADP), elements	kg Sb-eq	1.92E-05	2.63E-09	5.43E-07	1.14E-08	5.71E-12	0	3.58E-10	2.63E-10	0

A1	Raw material	C1	Demolition
A2	Transport to the manufacturer	C2	Transport to waste processing
A3	Manufacturing	C3	Reuse, recovery, recycling
A4	Distribution	C4	Disposal
A5	Installation		

### 4.2 Resource use

	Unit	A1	A2	A3	A4	A5	C1	C2	C3	C4
Use of primary energy, renewable, w/o raw material use	MJ	8.93E-01	3.83E-04	1.45E-01	1.66E-03	1.05E-06	0	5.20E-05	6.39E-05	0
Use of primary energy, renewable, raw material use	MJ	0	0	0	0	0	0	0	0	0
Use of primary energy, renewable, total	MJ	8.93E-01	3.83E-04	2.05E-01	1.66E-03	1.05E-06	0	5.20E-05	6.39E-05	0
Use of primary energy, non-renewable, w/o raw material use	MJ	5.83E+00	2.32E-02	1.56E+00	1.00E-01	5.94E-05	0	3.15E-03	2.33E-03	0
Use of primary energy, non-renewable, raw material use	MJ	2.24E-01	0	7.44E-03	0	0	0	0	0	0
Use of primary energy, non-renewable, total	MJ	6.05E+00	2.32E-02	1.57E+00	1.00E-01	5.94E-05	0	3.15E-03	2.33E-03	0
Use of secondary materials	kg	2.21E-02	0	0	0	0	0	0	0	0
Use of renewable secondary fuels	MJ	0	0	0	0	0	0	0	0	0
Use of non-renewable secondary fuels	MJ	0	0	0	0	0	0	0	0	0
Use of net fresh water	m <sup>3</sup>	2.62E-03	7.91E-06	1.41E-02	1.76E-04	6.00E-07	0	5.51E-06	6.09E-05	0

### 4.3 Output flows and waste

	Unit	A1	A2	A3	A4	A5	C1	C2	C3	C4
Hazardous waste	kg	4.95E-06	1.11E-08	3.39E-06	4.80E-08	4.99E-10	0	1.51E-09	1.65E-08	0
Radioactive waste	kg	2.33E-04	1.54E-07	4.11E-06	6.65E-07	1.11E-10	0	2.09E-08	5.47E-09	0
Non-hazardous waste	kg	3.47E-02	1.90E-03	2.38E-02	8.23E-03	7.99E-06	0	2.58E-04	3.63E-04	0
Components for re-use	kg	0	0	0	0	0	0	0	0	0
Materials for recycling	kg	0	0	0	0	3.53E-03	0	0	1.00E-01	0
Materials for energy recovery	kg	0	0	0	0	0	0	0	0	0
Exported energy – electricity	MJ	0	0	0	0	2.41E-02	0	0	8.29E-03	0
Exported energy – heat	MJ	0	0	0	0	7.24E-02	0	0	2.49E-02	0

## 5 Appendix

### 5.1 Assortment of Geberit Mapress Stainless Steel fittings

The life cycle assessment results in chapter 4 can be converted to the other sales articles listed using the net weight with the conversion factor in accordance with the following tables.

#### 5.1.1 Geberit Mapress Stainless Steel

Geberit Mapress Stainless Steel pipe nipple

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
32050	12	15	23	0.22
32051	15	18	23	0.23
32052	20	22	30	0.3
32053	25	28	48	0.47
32054	32	35	78	0.77
32055	40	42	127	1.25
32056	50	54	173	1.7
32057	65	76.1	487	4.79
32058	80	88.9	617	6.08
32059	100	108	907	8.93

Geberit Mapress Stainless Steel coupling

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33001	10	12	14	0.14
32002	12	15	38	0.37
32003	15	18	41	0.41
32004	20	22	58	0.57
32005	25	28	69	0.68
32006	32	35	98	0.97
32007	40	42	132	1.3
32008	50	54	190	1.87
32009	65	76.1	640	6.31
32010	80	88.9	855	8.43
32011	100	108	1326	13.07

Geberit Mapress Stainless Steel slip coupling

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
32101	10	12	34	0.33
32102	12	15	58	0.57
32103	15	18	66	0.65
32104	20	22	84	0.83
32105	25	28	118	1.16
32106	32	35	145	1.43
32107	40	42	215	2.12
32108	50	54	317	3.13
32109	65	76.1	990	9.75



Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
32110	80	88.9	1283	12.64
32111	100	108	1784	17.58

## Geberit Mapress Stainless Steel reducer with plain end

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33002	12 / 10	15	30	0.29
33003	15 / 10	18	40	0.39
32303	15 / 12	18	38	0.37
33004	20 / 10	22	46	0.45
32305	20 / 12	22	43	0.42
32306	20 / 15	22	45	0.44
32307	25 / 12	28	54	0.53
32308	25 / 15	28	58	0.58
32309	25 / 20	28	62	0.61
32310	32 / 12	35	84	0.82
32311	32 / 15	35	85	0.84
32312	32 / 20	35	69	0.68
32313	32 / 25	35	86	0.85
32314	40 / 12	42	101	1
32315	40 / 15	42	104	1.02
32316	40 / 20	42	114	1.12
32317	40 / 25	42	104	1.02
32318	40 / 32	42	103	1.02
32319	50 / 12	54	157	1.55
32320	50 / 15	54	158	1.56
32321	50 / 20	54	161	1.58
32322	50 / 25	54	206	2.03
32323	50 / 32	54	158	1.56
32324	50 / 40	54	162	1.6
32331	65 / 50	76.1	464	4.57
32338	80 / 50	88.9	660	6.5
32339	80 / 65	88.9	721	7.1
32345	100 / 50	108	821	8.08
32346	100 / 65	108	872	8.59
32348	100 / 80	108	1140	11.23

## Geberit Mapress Stainless Steel bend

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
36101	12	15	47	0.46
36103	20	22	71	0.7
36104	25	28	71	0.7
36105	32	35	107	1.05
36106	40	42	135	1.33
36107	50	54	222	2.19
36108	65	76.1	688	6.78
36109	80	88.9	915	9.01
36110	100	108	1321	13.01
36121	12	15	48	0.48
36123	20	22	73	0.72
36124	25	28	105	1.04
36125	32	35	118	1.16
36126	40	42	170	1.67
36127	50	54	239	2.36
36128	65	76.1	773	7.62
36129	80	88.9	1020	10.05
36130	100	108	1529	15.07
30601	10	12	38	0.37
30602	12	15	51	0.5
30603	15	18	61	0.6
30604	20	22	81	0.8
30605	25	28	112	1.1
32606	32	35	119	1.18
32607	40	42	174	1.72
32608	50	54	260	2.56
32609	65	76.1	802	7.9
32610	80	88.9	1187	11.69
32611	100	108	1797	17.71
36161	12	15	42	0.42
36163	20	22	77	0.76
36164	25	28	108	1.07
36165	32	35	120	1.19
36166	40	42	180	1.77
36167	50	54	306	3.01
36168	65	76.1	905	8.92
36169	80	88.9	1152	11.35
36170	100	108	1985	19.56
30101	10	12	47	0.46
30102	12	15	58	0.58
30103	15	18	75	0.74
30104	20	22	102	1

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
30105	25	28	138	1.36
31106	32	35	160	1.58
31107	40	42	245	2.41
31108	50	54	355	3.5
31109	65	76.1	1161	11.44
31110	80	88.9	1551	15.28
31111	100	108	2395	23.6

## Geberit Mapress Stainless Steel bend with plain end

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
36111	12	15	45	0.44
36113	20	22	68	0.67
36114	25	28	87	0.86
36115	32	35	109	1.07
36116	40	42	135	1.33
36117	50	54	195	1.92
36118	65	76.1	596	5.88
36119	80	88.9	893	8.8
36120	100	108	1292	12.73
36131	12	15	46	0.45
36133	20	22	73	0.72
36134	25	28	99	0.97
36135	32	35	116	1.14
36136	40	42	156	1.53
36137	50	54	227	2.23
36138	65	76.1	688	6.78
36139	80	88.9	935	9.21
36140	100	108	1480	14.59
30701	10	12	17	0.17
30702	12	15	49	0.48
30703	15	18	55	0.54
30704	20	22	75	0.74
30705	25	28	112	1.11
32706	32	35	118	1.16
32707	40	42	169	1.67
32708	50	54	272	2.68
32709	65	76.1	880	8.67
32710	80	88.9	1158	11.41
32711	100	108	1759	17.33
36171	12	15	25	0.25
36173	20	22	79	0.78
36174	25	28	128	1.26
36175	32	35	143	1.41
36176	40	42	190	1.87

5 Appendix

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
36177	50	54	284	2.8
36178	65	76.1	907	8.94
36179	80	88.9	1160	11.43
36180	100	108	1784	17.57
30301	10	12	25	0.25
30302	12	15	55	0.54
30303	15	18	66	0.65
30304	20	22	99	0.98
30305	25	28	139	1.37
33306	32	35	157	1.55
33307	40	42	228	2.25
33308	50	54	355	3.5
33309	65	76.1	1117	11
33310	80	88.9	1531	15.08
33311	100	108	2296	22.62

Geberit Mapress Stainless Steel bend with plain ends

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
30892	12	15	96	0.95
30893	15	18	116	1.14
30894	20	22	130	1.28
30905	25	28	182	1.79
30906	32	35	367	3.62
30907	40	42	558	5.5
30908	50	54	886	8.73
30009	65	76.1	1011	9.96
30010	80	88.9	1286	12.67
30011	100	108	1916	18.87
30932	12	15	97	0.96
30933	15	18	110	1.08
30934	20	22	125	1.23
30935	25	28	170	1.67
30936	32	35	363	3.58
30937	40	42	557	5.48
30938	50	54	898	8.85
30029	65	76.1	1113	10.96
30030	80	88.9	1349	13.29
30031	100	108	2051	20.21
30872	12	15	84	0.82
30873	15	18	113	1.11
30874	20	22	149	1.47
30875	25	28	177	1.75
30876	32	35	365	3.6
30877	40	42	310	3.05

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
30878	50	54	884	8.71
30049	65	76.1	1196	11.78
30050	80	88.9	1400	13.79
30051	100	108	2141	21.09
30942	12	15	94	0.92
30943	15	18	112	1.11
30944	20	22	130	1.28
30955	25	28	150	1.48
30956	32	35	349	3.44
30957	40	42	550	5.42
30958	50	54	874	8.61
30069	65	76.1	1328	13.08
30070	80	88.9	1651	16.27
30071	100	108	2341	23.06
30402	12	15	93	0.92
30403	15	18	104	1.02
30404	20	22	135	1.33
30405	25	28	182	1.79
30406	32	35	363	3.58
30407	40	42	541	5.33
30408	50	54	877	8.64
30089	65	76.1	1536	15.13
30090	80	88.9	1881	18.53
30091	100	108	2756	27.16

## Geberit Mapress Stainless Steel pipe bridge

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
30802	12	15	78	0.77
30803	15	18	99	0.98
30804	20	22	133	1.31
30805	25	28	190	1.87

## Geberit Mapress Stainless Steel T-piece, equal

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33008	10	12	51	0.5
31002	12	15	67	0.66
31003	15	18	78	0.77
31004	20	22	114	1.12
31005	25	28	144	1.42
31006	32	35	195	1.92
31007	40	42	281	2.77
31008	50	54	401	3.95
31009	65	76.1	1291	12.72
31010	80	88.9	1628	16.04
31011	100	108	2529	24.91

## Geberit Mapress Stainless Steel T-piece, reduced

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33005	12 / 10 / 12	15	68	0.67
33006	15 / 10 / 15	18	76	0.74
31208	15 / 12 / 12	18	84	0.83
31204	15 / 12 / 15	18	75	0.74
33007	20 / 10 / 20	22	95	0.94
31227	20 / 12 / 15	22	109	1.07
31206	20 / 12 / 20	22	101	1
31228	20 / 15 / 15	22	107	1.05
31207	20 / 15 / 20	22	96	0.95
31209	25 / 12 / 25	28	125	1.23
31210	25 / 15 / 25	28	129	1.27
31234	25 / 20 / 20	28	140	1.38
31211	25 / 20 / 25	28	134	1.32
31212	32 / 12 / 32	35	174	1.72
31213	32 / 15 / 32	35	163	1.61
31235	32 / 20 / 25	35	182	1.8
31214	32 / 20 / 32	35	171	1.69
31242	32 / 25 / 25	35	190	1.87
31215	32 / 25 / 32	35	178	1.75
31216	40 / 12 / 40	42	233	2.3
31217	40 / 15 / 40	42	236	2.33
31243	40 / 20 / 32	42	231	2.27
31218	40 / 20 / 40	42	227	2.24
31251	40 / 25 / 32	42	244	2.41
31219	40 / 25 / 40	42	231	2.28
31220	40 / 32 / 40	42	245	2.42
31221	50 / 12 / 50	54	331	3.26
31222	50 / 15 / 50	54	360	3.55
31223	50 / 20 / 50	54	361	3.56
31224	50 / 25 / 50	54	353	3.48
31225	50 / 32 / 50	54	354	3.49
31226	50 / 40 / 50	54	364	3.58
31229	65 / 20 / 65	76.1	979	9.64
31230	65 / 25 / 65	76.1	1005	9.9
31231	65 / 32 / 65	76.1	1054	10.38
31232	65 / 40 / 65	76.1	1035	10.2
31233	65 / 50 / 65	76.1	1029	10.14
31236	80 / 20 / 80	88.9	1179	11.62
31237	80 / 25 / 80	88.9	1277	12.58
31238	80 / 32 / 80	88.9	1183	11.66
31239	80 / 40 / 80	88.9	1264	12.46
31240	80 / 50 / 80	88.9	1307	12.88

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
31241	80 / 65 / 80	88.9	1498	14.76
31244	100 / 20 / 100	108	1844	18.17
31245	100 / 25 / 100	108	1813	17.86
31246	100 / 32 / 100	108	2049	20.19
31247	100 / 40 / 100	108	1852	18.25
31248	100 / 50 / 100	108	2076	20.45
31249	100 / 65 / 100	108	2198	21.66
31250	100 / 80 / 100	108	2156	21.24

## Geberit Mapress Stainless Steel T-piece with male thread

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
31401	12 / 10 / 12	15	92	0.91
31454	12 / 15 / 12	15	82	0.81
31455	15	18	101	0.99
31458	20	22	151	1.49
31461	25	28	192	1.89
31464	32	35	288	2.84

## Geberit Mapress Stainless Steel T-piece with female thread

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
31303	10 / 12 / 10	12	64	0.63
31304	12 / 15 / 12	15	87	0.86
31305	15	18	93	0.92
31306	15 / 20 / 15	18	125	1.23
31307	20 / 15 / 20	22	115	1.13
31308	20	22	142	1.4
31309	25 / 15 / 25	28	142	1.4
31310	25 / 20 / 25	28	154	1.52
31311	25	28	260	2.56
31312	32 / 15 / 32	35	183	1.81
31313	32 / 20 / 32	35	214	2.11
31316	40 / 15 / 40	42	250	2.46
31317	40 / 20 / 40	42	279	2.75
31320	50 / 15 / 50	54	365	3.6
31321	50 / 20 / 50	54	369	3.63
31324	50	54	701	6.91
31326	65 / 20 / 65	76.1	1000	9.85
31329	65 / 50 / 65	76.1	1319	13
31331	80 / 20 / 80	88.9	1381	13.61
31334	80 / 50 / 80	88.9	1598	15.74
31336	100 / 20 / 100	108	1969	19.4
31339	100 / 50 / 100	108	2237	22.04

## Geberit Mepla adapter to Geberit Mapress, with plain end

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
601.510.00.5	12	16	33	0.33
602.510.00.5	15	20	51	0.5
602.511.00.5	15 / 20	20	61	0.6
603.510.00.5	20	26	70	0.69
604.510.00.5	25	32	89	0.88
605.510.00.5	32	40	163	1.61
606.510.00.5	40	50	257	2.53
607.510.00.5	50	63	673	6.63

## Geberit Mapress Stainless Steel adapter with male thread

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33017	10	12	35	0.34
33009	10 / 15	12	55	0.54
31726	12 / 10	15	46	0.46
31703	12 / 15	15	58	0.57
31714	12 / 20	15	95	0.93
31704	15	18	61	0.6
31705	15 / 20	18	78	0.77
31715	20 / 15	22	67	0.66
31707	20	22	77	0.76
31716	20 / 25	22	133	1.31
31717	25 / 20	28	91	0.9
31708	25	28	93	0.92
31718	25 / 32	28	216	2.13
31719	32 / 25	35	159	1.57
31709	32	35	190	1.87
31720	32 / 40	35	311	3.07
31721	40 / 32	42	213	2.1
31710	40	42	195	1.92
31722	50 / 40	54	358	3.53
31711	50	54	298	2.93
31713	65	76.1	795	7.83
31724	80	88.9	1194	11.76

## Geberit Mapress Stainless Steel adapter with male thread G

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
31731	12	15	73	0.72
31732	15	18	78	0.77
31733	20	22	118	1.16
31734	25	28	183	1.8
31735	32	35	197	1.94
31736	40	42	223	2.2
31737	50	54	486	4.79



## Geberit Mapress Stainless Steel adapter with male thread and plain end

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
31932	12 / 15	15	60	0.59
31933	15	18	62	0.61
31936	20	22	82	0.8
31937	25	28	123	1.21
31938	32	35	212	2.09
31939	40	42	303	2.98
31940	50	54	346	3.41

## Geberit Mapress Stainless Steel adapter with female thread

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33018	10	12	43	0.42
33010	10 / 15	12	42	0.41
31801	12 / 10	15	52	0.51
31802	12 / 15	15	41	0.4
31823	12 / 20	15	91	0.89
31803	15	18	58	0.57
31804	15 / 20	18	77	0.75
31805	20 / 15	22	76	0.75
31806	20	22	74	0.72
31824	20 / 25	22	136	1.34
31807	25 / 15	28	122	1.2
31819	25 / 20	28	100	0.99
31809	25	28	157	1.55
31825	25 / 32	28	204	2.01
31820	32 / 25	35	197	1.94
31811	32	35	200	1.97
31826	32 / 40	35	228	2.25
31821	40 / 32	42	172	1.7
31814	40	42	234	2.31
31822	50 / 40	54	384	3.78
31818	50	54	450	4.43

## Geberit Mapress Stainless Steel adapter with female thread and plain end, long

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
90932	12 / 15	15	100	0.98
90933	15	18	118	1.17
90934	15 / 20	18	139	1.37
90935	20 / 15	22	132	1.3
90936	20	22	158	1.56

## Geberit Mapress Stainless Steel adapter with female thread and plain end

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33846	20 / 15	22	67	0.66
33848	25 / 15	28	86	0.84
33850	32 / 15	35	102	1
33852	40 / 15	42	121	1.19
33854	50 / 15	54	157	1.55
33860	65 / 15	76.1	367	3.62
33862	80 / 15	88.9	464	4.57
33864	100 / 15	108	702	6.92

## Geberit Mapress Stainless Steel elbow adapter 90° with male thread

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33833	12 / 15	15	124	1.22
33834	15	18	140	1.38
33835	20	22	186	1.84
33836	25	28	290	2.86
33837	32	35	466	4.59
33838	40	42	658	6.48
33839	50	54	933	9.19

## Geberit Mapress Stainless Steel bend adapter 90° with male thread

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
30502	12 / 10	15	71	0.7

## Geberit adapter with male thread MF 1/2" and male thread

Art. no.	DN	R ["]	Net weight [g/item]	Conversion factor
632.005.00.1	15	1/2	86	0.85

## Geberit Mapress Stainless Steel union with union nut made of CrNi steel

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
35390	12	15	147	1.45
35391	15	18	155	1.53
35392	20	22	212	2.09
35393	25	28	346	3.41
35394	32	35	488	4.81
35395	40	42	551	5.43
35396	50	54	1020	10.05

## Geberit Mapress Stainless Steel adapter with union nut made of CrNi steel

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
35132	12	15	72	0.71
35134	20	22	99	0.97
35075	25	28	266	2.62

## Geberit Mapress Stainless Steel adapter union with male thread, union nut made of CrNi steel

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
35360	12 / 15	15	146	1.44
35361	12 / 20	15	182	1.79
35362	15	18	147	1.44
35363	15 / 20	18	180	1.77
35364	20 / 15	22	198	1.95
35365	20	22	204	2.01
35366	20 / 25	22	265	2.61
35367	25	28	364	3.59
35368	32	35	514	5.06
35369	40	42	600	5.91
35370	50	54	957	9.43

## Geberit Mapress Stainless Steel adapter union with female thread, union nut made of CrNi steel

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
35350	12 / 15	15	135	1.33
35357	12 / 20	15	157	1.55
35351	15	18	139	1.37
35358	15 / 20	18	159	1.57
35352	20	22	200	1.97
35359	20 / 25	22	239	2.35
35353	25	28	388	3.82
35354	32	35	474	4.67
35355	40	42	529	5.21
35356	50	54	1029	10.14

## Geberit Mapress Stainless Steel flange PN 10/16, with pressing socket

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33732	15 / 12	15	728	7.17
33733	15	18	741	7.3
33734	20	22	1035	10.19
33735	25	28	1314	12.94
33736	32	35	1793	17.67
33737	40	42	2045	20.15
33738	50	54	2550	25.12
33739	65	76.1	3175	31.28
33740	80	88.9	3860	38.03
33741	100	108	4594	45.26

## Geberit Mapress Stainless Steel flange PN 10/16, with plain end

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33748	50	54	2600	25.62
33749	65	76.1	3157	31.1
33750	80	88.9	3950	38.92
33752	100	108	4500	44.33

## Geberit Mapress Stainless Steel flanged stub with plain end, for loose flange PN 6

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
36149	20	22	267	2.63
36150	25	28	276	2.72
36151	32	35	394	3.88
36152	40	42	481	4.74
36153	50	54	614	6.05
36154	65	76.1	710	6.99
36155	80	88.9	1130	11.13
36156	100	108	1408	13.87

## Geberit Mapress Stainless Steel flanged stub with plain end, for loose flange PN 10/16

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
36141	20	22	240	2.37
36142	25	28	357	3.52
36143	32	35	444	4.37
36144	40	42	522	5.14
36145	50	54	737	7.27
36146	65	76.1	847	8.34
36147	80	88.9	1294	12.75
36148	100	108	1572	15.49

## Geberit Mapress Stainless Steel axial expansion fitting with pressing sockets

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33932	12	15	105	1.03
33933	15	18	122	1.2
33934	20	22	131	1.29
33935	25	28	144	1.42
33936	32	35	256	2.52
33937	40	42	449	4.42
33938	50	54	564	5.55
33939	65	76.1	1154	11.37
33940	80	88.9	1294	12.75
33941	100	108	4777	47.06

## Geberit Mapress Stainless Steel bulkhead and deck passing with two plain ends

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
90980	12	15	368	3.63
90981	15	18	515	5.07
90982	20	22	640	6.31
90983	25	28	708	6.98
90984	32	35	1136	11.19
90985	40	42	1532	15.09
90986	50	54	1960	19.31
90987	65	76.1	2851	28.09
90988	80	88.9	3910	38.52
90989	100	108	5549	54.67

## Geberit Mapress Stainless Steel cap

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33212	12	15	19	0.19
33213	15	18	24	0.24
33214	20	22	31	0.3
33215	25	28	44	0.43
33216	32	35	59	0.59
33217	40	42	90	0.89
33218	50	54	132	1.3
33219	65	76.1	350	3.45
33220	80	88.9	457	4.5
33221	100	108	709	6.99

## Geberit Mapress Stainless Steel elbow tap connector 90°

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33013	10 / 15	12	111	1.09
33403	12 / 15	15	115	1.13
33405	15	18	112	1.1
33406	20	22	140	1.38
33407	20	22	159	1.57

## Geberit Mapress Stainless Steel elbow tap connector 90°, offset

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33423	12 / 15	15	155	1.53
33425	15	18	157	1.55
33427	20	22	187	1.84

## Geberit Mapress Stainless Steel corner elbow connector 90°, offset

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33503	12 / 15 / 12	15	182	1.79

### 5.1.2 Geberit Mapress Stainless Steel (Gas)

Geberit Mapress Stainless Steel pipe nipple (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
32050	12	15	23	0.22
32051	15	18	23	0.23
32052	20	22	30	0.3
32053	25	28	48	0.47
32054	32	35	78	0.77
32055	40	42	127	1.25
32056	50	54	173	1.7
32057	65	76.1	487	4.79
32058	80	88.9	617	6.08
32059	100	108	907	8.93

Geberit Mapress Stainless Steel coupling (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34101	12	15	38	0.37
34102	15	18	44	0.44
34103	20	22	59	0.58
34104	25	28	72	0.71
34105	32	35	84	0.83
34106	40	42	127	1.25
34107	50	54	207	2.04
34248	65	76.1	658	6.48
34249	80	88.9	889	8.75

Geberit Mapress Stainless Steel slip coupling (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34108	12	15	76	0.75
34109	15	18	68	0.67
34110	20	22	91	0.89
34111	25	28	119	1.18
34112	32	35	136	1.34
34113	40	42	200	1.97
34114	50	54	328	3.23
34162	65	76.1	960	9.46

Geberit Mapress Stainless Steel reducer with plain end (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34115	15 / 12	18	38	0.37
34116	20 / 12	22	45	0.44
34117	20 / 15	22	42	0.41
34118	25 / 12	28	63	0.62
34119	25 / 15	28	60	0.59
34120	25 / 20	28	65	0.64
34123	32 / 20	35	92	0.9

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34124	32 / 25	35	78	0.77
34127	40 / 20	42	132	1.3
34128	40 / 25	42	121	1.19
34129	40 / 32	42	116	1.14
34132	50 / 20	54	176	1.74
34133	50 / 25	54	201	1.98
34134	50 / 32	54	196	1.93
34135	50 / 40	54	179	1.76
34259	100 / 50	108	758	7.47
34260	100 / 65	108	866	8.53
34261	100 / 80	108	1006	9.91

## Geberit Mapress Stainless Steel bend (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34014	12	15	51	0.5
34015	15	18	72	0.71
34016	20	22	84	0.82
34017	25	28	114	1.12
34193	32	35	126	1.24
34194	40	42	185	1.82
34195	50	54	275	2.71
34447	65	76.1	886	8.73
34448	80	88.9	1030	10.15
34449	100	108	1737	17.11
34000	12	15	58	0.57
34001	15	18	74	0.73
34002	20	22	101	1
34003	25	28	142	1.4
34187	32	35	167	1.64
34188	40	42	231	2.28
34189	50	54	383	3.78
34441	65	76.1	1179	11.62
34442	80	88.9	1532	15.1
34443	100	108	2377	23.42

## Geberit Mapress Stainless Steel bend with plain end (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34021	12	15	48	0.48
34022	15	18	60	0.59
34023	20	22	81	0.8
34024	25	28	108	1.07
34196	32	35	126	1.24
34197	40	42	176	1.73
34198	50	54	274	2.7
34450	65	76.1	756	7.45

5 Appendix

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34451	80	88.9	1020	10.05
34452	100	108	1600	15.77
34007	12	15	54	0.53
34008	15	18	69	0.68
34009	20	22	101	0.99
34010	25	28	143	1.41
34190	32	35	160	1.58
34191	40	42	230	2.27
34192	50	54	342	3.37
34444	65	76.1	1158	11.41
34445	80	88.9	1551	15.28
34446	100	108	2280	22.47

Geberit Mapress Stainless Steel bend with plain ends (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
30892	12	15	96	0.95
30893	15	18	116	1.14
30894	20	22	130	1.28
30905	25	28	182	1.79
30906	32	35	367	3.62
30907	40	42	558	5.5
30908	50	54	886	8.73
30009	65	76.1	1011	9.96
30010	80	88.9	1286	12.67
30011	100	108	1916	18.87
30932	12	15	97	0.96
30933	15	18	110	1.08
30934	20	22	125	1.23
30935	25	28	170	1.67
30936	32	35	363	3.58
30937	40	42	557	5.48
30938	50	54	898	8.85
30029	65	76.1	1113	10.96
30030	80	88.9	1349	13.29
30031	100	108	2051	20.21
30872	12	15	84	0.82
30873	15	18	113	1.11
30874	20	22	149	1.47
30875	25	28	177	1.75
30876	32	35	365	3.6
30877	40	42	310	3.05
30878	50	54	884	8.71
30049	65	76.1	1196	11.78
30050	80	88.9	1400	13.79



Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
30051	100	108	2141	21.09
30942	12	15	94	0.92
30943	15	18	112	1.11
30944	20	22	130	1.28
30955	25	28	150	1.48
30956	32	35	349	3.44
30957	40	42	550	5.42
30958	50	54	874	8.61
30069	65	76.1	1328	13.08
30070	80	88.9	1651	16.27
30071	100	108	2341	23.06
30402	12	15	93	0.92
30403	15	18	104	1.02
30404	20	22	135	1.33
30405	25	28	182	1.79
30406	32	35	363	3.58
30407	40	42	541	5.33
30408	50	54	877	8.64
30089	65	76.1	1536	15.13
30090	80	88.9	1881	18.53
30091	100	108	2756	27.16

## Geberit Mapress Stainless Steel pipe bridge (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
30802	12	15	78	0.77
30803	15	18	99	0.98
30804	20	22	133	1.31
30805	25	28	190	1.87

## Geberit Mapress Stainless Steel T-piece, equal (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34028	12	15	81	0.8
34029	15	18	97	0.95
34030	20	22	112	1.11
34031	25	28	150	1.48
34032	32	35	174	1.71
34033	40	42	256	2.52
34034	50	54	408	4.02
34285	65	76.1	1174	11.57
34286	80	88.9	1550	15.27
34287	100	108	2335	23

## Geberit Mapress Stainless Steel T-piece, reduced (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34035	15 / 12 / 15	18	89	0.87
34036	20 / 12 / 20	22	104	1.02
34037	20 / 15 / 20	22	122	1.2
34038	25 / 12 / 25	28	133	1.31
34039	25 / 15 / 25	28	137	1.35
34040	25 / 20 / 25	28	153	1.5
34041	32 / 12 / 32	35	145	1.43
34042	32 / 15 / 32	35	161	1.58
34043	32 / 20 / 32	35	182	1.79
34044	32 / 25 / 32	35	194	1.91
34140	40 / 12 / 40	42	236	2.33
34141	40 / 15 / 40	42	243	2.4
34045	40 / 20 / 40	42	222	2.18
34046	40 / 25 / 40	42	280	2.76
34047	40 / 32 / 40	42	246	2.42
34048	50 / 20 / 50	54	340	3.35
34049	50 / 25 / 50	54	345	3.4
34050	50 / 32 / 50	54	352	3.46
34051	50 / 40 / 50	54	350	3.45
34062	65 / 20 / 65	76.1	976	9.62
34065	65 / 25 / 65	76.1	975	9.6
34079	65 / 32 / 65	76.1	1055	10.39
34080	65 / 40 / 65	76.1	1064	10.48
34081	80 / 20 / 80	88.9	1253	12.34
34082	80 / 25 / 80	88.9	1274	12.55
34085	80 / 32 / 80	88.9	1278	12.59
34088	80 / 40 / 80	88.9	1285	12.66
34094	100 / 20 / 100	108	1844	18.17
34095	100 / 25 / 100	108	1939	19.11
34096	100 / 32 / 100	108	1917	18.89
34097	65 / 50 / 65	76.1	1058	10.42
34098	80 / 50 / 80	88.9	1340	13.2
34099	100 / 50 / 100	108	1903	18.75

## Geberit Mapress Stainless Steel T-piece with female thread (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34052	12 / 15 / 12	15	94	0.92
34053	15	18	95	0.94
34054	15 / 20 / 15	18	131	1.29
34055	20 / 15 / 20	22	105	1.03
34056	20	22	146	1.44
34057	25 / 15 / 25	28	148	1.46
34058	25 / 20 / 25	28	179	1.76
34059	32 / 15 / 32	35	164	1.62
34060	32 / 20 / 32	35	182	1.79
34061	40 / 15 / 40	42	242	2.39
34126	40 / 20 / 40	42	277	2.73
34063	50 / 15 / 50	54	338	3.33
34264	50 / 20 / 50	54	354	3.48
34265	50	54	693	6.83
34266	65 / 20 / 65	76.1	1015	10
34267	65 / 50 / 65	76.1	1370	13.5
34268	80 / 20 / 80	88.9	1320	13.01
34269	80 / 50 / 80	88.9	1702	16.77
34270	100 / 20 / 100	108	1854	18.26
34271	100 / 50 / 100	108	2249	22.16

## Geberit Mapress Stainless Steel adapter to cutting ring connection (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34355	12	15	42	0.42

## Geberit Mapress Stainless Steel adapter with male thread (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34066	12 / 15	15	61	0.6
34142	12 / 20	15	95	0.93
34067	15	18	64	0.63
34143	15 / 20	18	78	0.77
34069	20 / 15	22	71	0.7
34070	20	22	80	0.78
34346	20 / 25	22	138	1.36
34068	25 / 20	28	99	0.98
34071	25	28	111	1.09
34075	32 / 25	35	158	1.56
34072	32	35	181	1.78
34076	32 / 40	35	316	3.11
34073	40	42	198	1.95

## 5 Appendix

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34074	50	54	353	3.47
34077	65	76.1	817	8.05
34078	80	88.9	1134	11.17

### Geberit Mapress Stainless Steel adapter with male thread and plain end (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
31932	12 / 15	15	60	0.59
31933	15	18	62	0.61
31936	20	22	82	0.8
31937	25	28	123	1.21
31938	32	35	212	2.09
31939	40	42	303	2.98
31940	50	54	346	3.41

### Geberit Mapress Stainless Steel adapter with female thread (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34083	12 / 15	15	41	0.4
34169	12 / 20	15	93	0.91
34084	15	18	79	0.78
34170	15 / 20	18	98	0.97
34086	20 / 15	22	70	0.69
34087	20	22	83	0.82
34347	20 / 25	22	151	1.49
34089	25	28	158	1.56
34093	32 / 25	35	206	2.03
34090	32	35	198	1.95
34091	40	42	250	2.46
34092	50	54	420	4.14

### Geberit Mapress Stainless Steel adapter with female thread and plain end (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33846	20 / 15	22	67	0.66
33848	25 / 15	28	86	0.84
33850	32 / 15	35	102	1
33852	40 / 15	42	121	1.19
33854	50 / 15	54	157	1.55
33860	65 / 15	76.1	367	3.62
33862	80 / 15	88.9	464	4.57
33864	100 / 15	108	702	6.92

## Geberit Mapress Stainless Steel adapter with female thread and plain end, long (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
90932	12 / 15	15	100	0.98
90933	15	18	118	1.17
90934	15 / 20	18	139	1.37
90935	20 / 15	22	132	1.3
90936	20	22	158	1.56

## Geberit Mapress Stainless Steel elbow adapter 90° with male thread (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34149	12 / 15	15	124	1.22
34150	15	18	139	1.37
34151	20	22	183	1.8
34154	25 / 20	28	169	1.67
34152	25	28	297	2.93
34153	32	35	448	4.41

## Geberit Mapress Stainless Steel elbow adapter 90° with female thread (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34144	12 / 15	15	105	1.03
34145	15	18	105	1.03
34146	20	22	190	1.87
34147	25	28	311	3.06
34148	32	35	423	4.16

## Geberit Mapress Stainless Steel elbow adapter 90° with female thread and plain end (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33203	12 / 15	15	79	0.78

## Geberit Mapress Stainless Steel adapter union with male thread, union nut made of CrNi steel (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34430	12 / 15	15	146	1.43
34431	12 / 20	15	198	1.95
34432	15	18	170	1.67
34433	15 / 20	18	194	1.91
34434	20 / 15	22	221	2.18
34435	20	22	204	2.01
34436	20 / 25	22	283	2.79
34437	25	28	373	3.68
34438	32	35	529	5.21
34439	40	42	595	5.86
34440	50	54	984	9.69

Geberit Mapress Stainless Steel adapter union with female thread, union nut made of CrNi steel (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34400	12 / 15	15	121	1.2
34401	12 / 20	15	155	1.52
34402	15	18	117	1.15
34403	15 / 20	18	149	1.46
34404	20	22	215	2.12
34405	20 / 25	22	206	2.03
34406	25	28	394	3.88
34407	32	35	402	3.96
34408	40	42	486	4.79
34409	50	54	1029	10.14

Geberit Mapress Stainless Steel adapter with union nut made of CrNi steel (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34158	20	22	116	1.14
34161	20	22	233	2.3
34159	25	28	207	2.04

Geberit Mapress Stainless Steel adapter with union nut made of CrNi steel and plain end (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34214	25	28	327	3.22

Geberit Mapress Stainless Steel flange PN 10/16, with pressing socket (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34204	25 / 20	22	1234	12.16
34205	25	28	1298	12.79
34206	32	35	1814	17.87
34207	40	42	2035	20.05
34208	50	54	2390	23.54
34209	65	76.1	3175	31.28
34210	80	88.9	3860	38.03
34211	100	108	4594	45.26

Geberit Mapress Stainless Steel flange PN 10/16, with plain end (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33748	50	54	2600	25.62
33749	65	76.1	3157	31.1
33750	80	88.9	3950	38.92
33752	100	108	4500	44.33
34212	25	28	1489	14.67

## Geberit Mapress Stainless Steel flanged stub with plain end, for loose flange PN 10/16 (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
36141	20	22	240	2.37
36142	25	28	357	3.52
36143	32	35	444	4.37
36144	40	42	522	5.14
36145	50	54	737	7.27
36146	65	76.1	847	8.34
36147	80	88.9	1294	12.75
36148	100	108	1572	15.49

## Geberit Mapress Stainless Steel cap (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34462	12	15	40	0.39
34463	15	18	39	0.38
34464	20	22	51	0.5
34465	25	28	62	0.61
34466	32	35	79	0.78
34467	40	42	108	1.06
34468	50	54	177	1.74
34469	65	76.1	364	3.58
34470	80	88.9	465	4.58
34471	100	108	740	7.29

## Geberit Mapress Stainless Steel elbow tap connector 90° (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
34136	12	15	118	1.16
34137	15	18	114	1.12
34139	20	22	141	1.39
34138	20	22	160	1.58

## Geberit Mapress Stainless Steel elbow tap connector 90°, offset, circular hole 50 mm (gas)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
91097	20	22	203	2
91099	20 / 25	22	271	2.67
91100	25	28	291	2.87
91098	25 / 20	28	256	2.52

### 5.1.3 Geberit Mapress Stainless Steel (LABS-free)

Geberit Mapress Stainless Steel coupling (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
82002	12	15	41	0.4
82003	15	18	43	0.42
82004	20	22	55	0.54
82005	25	28	73	0.72
82006	32	35	95	0.94
82007	40	42	129	1.27
82008	50	54	181	1.78
82009	65	76.1	578	5.69
82010	80	88.9	863	8.51
82011	100	108	1273	12.54

Geberit Mapress Stainless Steel slip coupling (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
82102	12	15	63	0.62
82103	15	18	69	0.68
82104	20	22	85	0.84
82105	25	28	110	1.08
82106	32	35	150	1.48
82107	40	42	212	2.09
82108	50	54	311	3.06
82109	65	76.1	911	8.98
82110	80	88.9	1236	12.18
82111	100	108	1829	18.02

Geberit Mapress Stainless Steel reducer with plain end (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
82303	15 / 12	18	34	0.34
82305	20 / 12	22	44	0.43
82306	20 / 15	22	45	0.45
82307	25 / 12	28	44	0.43
82308	25 / 15	28	48	0.47
82309	25 / 20	28	59	0.58
82310	32 / 12	35	69	0.68
82311	32 / 15	35	87	0.86
82312	32 / 20	35	78	0.77
82313	32 / 25	35	88	0.87
82314	40 / 12	42	93	0.91
82315	40 / 15	42	105	1.03
82316	40 / 20	42	114	1.12
82317	40 / 25	42	97	0.96
82318	40 / 32	42	92	0.9
82319	50 / 12	54	151	1.49



Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
82320	50 / 15	54	149	1.47
82321	50 / 20	54	153	1.51
82322	50 / 25	54	185	1.82
82323	50 / 32	54	195	1.92
82324	50 / 40	54	155	1.52
82331	65 / 50	76.1	485	4.78
82338	80 / 50	88.9	643	6.33
82339	80 / 65	88.9	673	6.63
82345	100 / 50	108	759	7.47
82346	100 / 65	108	906	8.93
82348	100 / 80	108	1020	10.05

## Geberit Mapress Stainless Steel bend (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
80602	12	15	56	0.55
80603	15	18	58	0.57
80604	20	22	80	0.79
80605	25	28	118	1.16
82606	32	35	123	1.21
82607	40	42	151	1.48
82608	50	54	265	2.61
82609	65	76.1	858	8.45
82610	80	88.9	1064	10.48
82611	100	108	1711	16.86
80102	12	15	53	0.52
80103	15	18	75	0.74
80104	20	22	91	0.9
80105	25	28	143	1.41
81106	32	35	157	1.55
81107	40	42	236	2.33
81108	50	54	352	3.47
81109	65	76.1	1136	11.19
81110	80	88.9	1519	14.97
81111	100	108	2305	22.71

## Geberit Mapress Stainless Steel bend with plain end (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
80702	12	15	46	0.45
80703	15	18	57	0.56
80704	20	22	80	0.79
80705	25	28	107	1.05
82706	32	35	120	1.18
82707	40	42	164	1.61
82708	50	54	263	2.59
82709	65	76.1	778	7.66

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
82710	80	88.9	1004	9.89
82711	100	108	1647	16.23
80302	12	15	54	0.53
80303	15	18	72	0.71
80304	20	22	98	0.96
80305	25	28	141	1.39
83306	32	35	155	1.53
83307	40	42	224	2.21
83308	50	54	357	3.52
83309	65	76.1	1115	10.99
83310	80	88.9	1398	13.77
83311	100	108	2116	20.85

## Geberit Mapress Stainless Steel T-piece, equal (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
81002	12	15	71	0.7
81003	15	18	85	0.83
81004	20	22	108	1.06
81005	25	28	142	1.4
81006	32	35	197	1.94
81007	40	42	273	2.69
81008	50	54	410	4.04
81009	65	76.1	1259	12.4
81010	80	88.9	1578	15.55
81011	100	108	2480	24.43

## Geberit Mapress Stainless Steel T-piece, reduced (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
81204	15 / 12 / 15	18	75	0.74
81206	20 / 12 / 20	22	93	0.91
81207	20 / 15 / 20	22	100	0.98
81209	25 / 12 / 25	28	125	1.23
81210	25 / 15 / 25	28	127	1.25
81211	25 / 20 / 25	28	127	1.26
81212	32 / 12 / 32	35	174	1.71
81213	32 / 15 / 32	35	178	1.75
81214	32 / 20 / 32	35	175	1.72
81215	32 / 25 / 32	35	72	0.71
81216	40 / 12 / 40	42	213	2.1
81217	40 / 15 / 40	42	236	2.33
81218	40 / 20 / 40	42	232	2.28
81219	40 / 25 / 40	42	242	2.38
81220	40 / 32 / 40	42	73	0.72
81221	50 / 12 / 50	54	322	3.17
81222	50 / 15 / 50	54	348	3.42

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
81223	50 / 20 / 50	54	319	3.14
81224	50 / 25 / 50	54	342	3.36
81225	50 / 32 / 50	54	339	3.34
81226	50 / 40 / 50	54	363	3.58
81229	65 / 20 / 65	76.1	955	9.41
81230	65 / 25 / 65	76.1	1007	9.93
81231	65 / 32 / 65	76.1	1000	9.85
81232	65 / 40 / 65	76.1	1033	10.18
81233	65 / 50 / 65	76.1	1023	10.08
81236	80 / 20 / 80	88.9	1243	12.25
81237	80 / 25 / 80	88.9	1266	12.47
81238	80 / 32 / 80	88.9	1259	12.4
81239	80 / 40 / 80	88.9	1273	12.54
81240	80 / 50 / 80	88.9	1322	13.02
81241	80 / 65 / 80	88.9	1458	14.36
81244	100 / 20 / 100	108	1842	18.15
81245	100 / 25 / 100	108	1870	18.42
81246	100 / 32 / 100	108	1964	19.35
81247	100 / 40 / 100	108	1866	18.38
81248	100 / 50 / 100	108	1831	18.04
81249	100 / 65 / 100	108	2018	19.88
81250	100 / 80 / 100	108	2194	21.62

## Geberit Mapress Stainless Steel T-piece with male thread (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
81454	12 / 15 / 12	15	76	0.75
81455	15	18	95	0.94
81458	20	22	152	1.5
81461	25	28	185	1.82

## Geberit Mapress Stainless Steel T-piece with female thread (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
81304	12 / 15 / 12	15	78	0.77
81305	15	18	96	0.95
81306	15 / 20 / 15	18	121	1.19
81307	20 / 15 / 20	22	113	1.11
81308	20	22	146	1.44
81309	25 / 15 / 25	28	141	1.39
81310	25 / 20 / 25	28	170	1.68
81311	25	28	257	2.53
81312	32 / 15 / 32	35	185	1.83
81313	32 / 20 / 32	35	203	2
81316	40 / 15 / 40	42	237	2.34
81317	40 / 20 / 40	42	267	2.63
81320	50 / 15 / 50	54	329	3.24

5 Appendix

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
81321	50 / 20 / 50	54	369	3.64
81324	50	54	686	6.76
81326	65 / 20 / 65	76.1	1040	10.25
81331	80 / 20 / 80	88.9	1281	12.62
81334	80 / 50 / 80	88.9	1617	15.93
81336	100 / 20 / 100	108	1860	18.32
81339	100 / 50 / 100	108	2199	21.67

Geberit Mapress Stainless Steel adapter with male thread (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
81726	12 / 10	15	44	0.43
81703	12 / 15	15	54	0.53
81714	12 / 20	15	97	0.96
81704	15	18	63	0.62
81705	15 / 20	18	72	0.71
81715	20 / 15	22	67	0.66
81707	20	22	57	0.56
81716	20 / 25	22	138	1.35
81717	25 / 20	28	97	0.96
81708	25	28	104	1.03
81718	25 / 32	28	213	2.1
81719	32 / 25	35	150	1.47
81709	32	35	172	1.69
81720	32 / 40	35	317	3.12
81721	40 / 32	42	217	2.14
81710	40	42	191	1.88
81722	50 / 40	54	357	3.52
81711	50	54	340	3.35
81713	65	76.1	783	7.72
81724	80	88.9	1145	11.28

## Geberit Mapress Stainless Steel adapter with female thread (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
81802	12 / 15	15	40	0.39
81823	12 / 20	15	86	0.85
81803	15	18	61	0.6
81804	15 / 20	18	77	0.76
81805	20 / 15	22	79	0.78
81806	20	22	79	0.77
81824	20 / 25	22	132	1.3
81807	25 / 15	28	125	1.23
81819	25 / 20	28	101	0.99
81809	25	28	154	1.52
81825	25 / 32	28	193	1.9
81820	32 / 25	35	208	2.05
81811	32	35	204	2.01
81826	32 / 40	35	230	2.27
81821	40 / 32	42	190	1.88
81814	40	42	233	2.3
81822	50 / 40	54	380	3.74
81818	50	54	445	4.39

## Geberit Mapress Stainless Steel elbow adapter 90° with male thread (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
83833	12 / 15	15	108	1.06
83834	15	18	130	1.28
83835	20	22	191	1.88
83836	25	28	302	2.98
83837	32	35	412	4.06
83838	40	42	605	5.96
83839	50	54	919	9.05

## Geberit Mapress Stainless Steel elbow adapter 90° with female thread (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
83803	12 / 15	15	105	1.04
83804	15	18	103	1.01
83805	20	22	191	1.88
83806	25	28	270	2.66
83807	32	35	389	3.83

Geberit Mapress Stainless Steel adapter union with male thread, union nut made of CrNi steel (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
85360	12 / 15	15	151	1.49
85362	15	18	155	1.52
85365	20	22	215	2.12
85367	25	28	369	3.64
85368	32	35	496	4.89
85369	40	42	570	5.62
85370	50	54	947	9.33

Geberit Mapress Stainless Steel adapter union with female thread, union nut made of CrNi steel (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
85350	12 / 15	15	130	1.28
85351	15	18	120	1.18
85358	15 / 20	18	171	1.69
85352	20	22	180	1.77
85359	20 / 25	22	236	2.33
85353	25	28	390	3.84
85354	32	35	472	4.65
85355	40	42	516	5.08
85356	50	54	998	9.83

Geberit Mapress Stainless Steel adapter with union nut made of CrNi steel (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
85132	12	15	75	0.74
85134	20	22	100	0.99
85075	25	28	275	2.71

Geberit Mapress Stainless Steel flange PN 10/16, with pressing socket (LABS-free)

Art. no.	d [mm]	Net weight [g/item]	Conversion factor
83712	15	754	7.43
83713	18	698	6.88
83714	22	1055	10.39
83715	28	1137	11.2
83716	35	1918	18.9
83717	42	2070	20.4
83718	54	2429	23.93
83719	76.1	3175	31.28
83720	88.9	3860	38.03
83721	108	4594	45.26

## Geberit Mapress Stainless Steel flange PN 10/16, with plain end (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
33748	50	54	2600	25.62
33749	65	76.1	3157	31.1
33750	80	88.9	3950	38.92
33752	100	108	4500	44.33

## Geberit Mapress Stainless Steel flanged stub with plain end, for loose flange PN 6 (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
36149	20	22	267	2.63
36150	25	28	276	2.72
36151	32	35	394	3.88
36152	40	42	481	4.74
36153	50	54	614	6.05
36154	65	76.1	710	6.99
36155	80	88.9	1130	11.13
36156	100	108	1408	13.87

## Geberit Mapress Stainless Steel flanged stub with plain end, for loose flange PN 10/16 (LABS-free)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
36141	20	22	240	2.37
36142	25	28	357	3.52
36143	32	35	444	4.37
36144	40	42	522	5.14
36145	50	54	737	7.27
36146	65	76.1	847	8.34
36147	80	88.9	1294	12.75
36148	100	108	1572	15.49

### 5.1.4 Geberit Mapress Stainless Steel (FKM, blue)

Geberit Mapress Stainless Steel coupling (FKM, blue)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50061	10	12	14	0.14
50062	12	15	43	0.42
50063	15	18	50	0.49
50064	20	22	63	0.62
50065	25	28	80	0.79
50066	32	35	107	1.05
50067	40	42	148	1.46
50068	50	54	220	2.17
50071	65	76.1	622	6.13
50072	80	88.9	783	7.71
50073	100	108	1248	12.3

Geberit Mapress Stainless Steel slip coupling (FKM, blue)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50081	10	12	31	0.31
50082	12	15	62	0.61
50083	15	18	73	0.72
50084	20	22	89	0.88
50085	25	28	121	1.19
50086	32	35	147	1.45
50087	40	42	229	2.26
50088	50	54	343	3.38
50091	65	76.1	904	8.91
50092	80	88.9	1203	11.85
50093	100	108	1784	17.58

Geberit Mapress Stainless Steel reducer with plain end (FKM, blue)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50131	12 / 10	15	30	0.3
50132	15 / 10	18	45	0.44
50133	15 / 12	18	42	0.41
50134	20 / 12	22	51	0.5
50135	20 / 15	22	49	0.48
50136	25 / 12	28	55	0.54
50137	25 / 15	28	62	0.61
50138	25 / 20	28	67	0.66
50139	32 / 12	35	87	0.86
50140	32 / 15	35	85	0.84
50141	32 / 20	35	90	0.89
50142	32 / 25	35	92	0.91
50143	40 / 12	42	114	1.12
50144	40 / 15	42	68	0.67



Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50145	40 / 20	42	119	1.17
50146	40 / 25	42	127	1.25
50147	40 / 32	42	118	1.16
50148	50 / 12	54	170	1.67
50149	50 / 15	54	174	1.71
50150	50 / 20	54	166	1.64
50151	50 / 25	54	204	2.01
50152	50 / 32	54	196	1.93
50153	50 / 40	54	178	1.75
50164	65 / 50	76.1	468	4.61
50167	80 / 50	88.9	578	5.69
50168	80 / 65	88.9	637	6.28
50169	100 / 50	108	726	7.15
50171	100 / 65	108	922	9.08
50172	100 / 80	108	962	9.48

## Geberit Mapress Stainless Steel bend (FKM, blue)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50182	12	15	58	0.57
50184	20	22	72	0.71
50185	25	28	103	1.01
50186	32	35	129	1.27
50187	40	42	151	1.49
50188	50	54	210	2.07
50191	65	76.1	604	5.95
50192	80	88.9	870	8.57
50193	100	108	1179	11.62
50202	12	15	53	0.52
50204	20	22	70	0.69
50205	25	28	108	1.06
50206	32	35	122	1.2
50207	40	42	167	1.65
50208	50	54	245	2.41
50211	65	76.1	697	6.87
50212	80	88.9	919	9.05
50213	100	108	1329	13.09
50221	10	12	49	0.48
50222	12	15	56	0.55
50223	15	18	66	0.65
50224	20	22	87	0.86
50225	25	28	123	1.21
50226	32	35	140	1.38
50227	40	42	174	1.71
50228	50	54	287	2.83

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50231	65	76.1	758	7.47
50232	80	88.9	1076	10.6
50233	100	108	1671	16.46
50262	12	15	42	0.41
50264	20	22	73	0.72
50265	25	28	118	1.16
50266	32	35	130	1.28
50267	40	42	301	2.97
50268	50	54	301	2.97
50271	65	76.1	926	9.12
50272	80	88.9	1152	11.35
50273	100	108	1811	17.84
50281	10	12	46	0.45
50282	12	15	71	0.7
50283	15	18	79	0.78
50284	20	22	103	1.01
50285	25	28	143	1.41
50286	32	35	158	1.56
50287	40	42	246	2.42
50288	50	54	386	3.8
50291	65	76.1	1105	10.89
50292	80	88.9	1407	13.86
50293	100	108	2228	21.95

## Geberit Mapress Stainless Steel bend with plain end (FKM, blue)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50241	10	12	47	0.46
50242	12	15	52	0.51
50243	15	18	59	0.58
50244	20	22	77	0.76
50245	25	28	117	1.15
50246	32	35	138	1.36
50247	40	42	181	1.78
50248	50	54	264	2.6
50251	65	76.1	729	7.18
50252	80	88.9	1023	10.08
50253	100	108	1603	15.79
50311	10	12	53	0.52
50312	12	15	59	0.58
50313	15	18	80	0.79
50314	20	22	101	1
50315	25	28	148	1.46
50316	32	35	149	1.47
50317	40	42	245	2.41

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50318	50	54	347	3.42
50321	65	76.1	967	9.53
50322	80	88.9	1376	13.56
50323	100	108	2056	20.26

## Geberit Mapress Stainless Steel T-piece, equal (FKM, blue)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50331	10	12	49	0.48
50332	12	15	74	0.73
50333	15	18	89	0.88
50334	20	22	125	1.23
50335	25	28	155	1.53
50336	32	35	212	2.09
50337	40	42	270	2.66
50338	50	54	452	4.45
50341	65	76.1	1098	10.82
50342	80	88.9	1492	14.7
50343	100	108	2359	23.24

## Geberit Mapress Stainless Steel T-piece, reduced (FKM, blue)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50353	12 / 10 / 12	15	72	0.71
50354	15 / 10 / 15	18	76	0.75
50356	15 / 12 / 15	18	87	0.86
50357	20 / 12 / 20	22	107	1.05
50359	20 / 15 / 20	22	104	1.02
50362	25 / 12 / 25	28	137	1.35
50364	25 / 15 / 25	28	141	1.39
50366	25 / 20 / 25	28	146	1.44
50367	32 / 12 / 32	35	175	1.72
50368	32 / 15 / 32	35	163	1.61
50369	32 / 20 / 32	35	192	1.89
50370	32 / 25 / 32	35	180	1.77
50371	40 / 12 / 40	42	259	2.55
50372	40 / 15 / 40	42	250	2.46
50373	40 / 20 / 40	42	233	2.3
50374	40 / 25 / 40	42	231	2.28
50375	40 / 32 / 40	42	279	2.75
50376	50 / 12 / 50	54	383	3.77
50377	50 / 15 / 50	54	357	3.52
50378	50 / 20 / 50	54	328	3.23
50379	50 / 25 / 50	54	353	3.48
50380	50 / 32 / 50	54	388	3.82
50381	50 / 40 / 50	54	403	3.97
50389	65 / 20 / 65	76.1	930	9.16

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50390	65 / 25 / 65	76.1	1067	10.51
50391	65 / 32 / 65	76.1	912	8.99
50392	65 / 40 / 65	76.1	960	9.46
50393	65 / 50 / 65	76.1	1036	10.21
50395	80 / 20 / 80	88.9	1143	11.26
50396	80 / 25 / 80	88.9	1195	11.77
50397	80 / 32 / 80	88.9	1219	12.01
50398	80 / 40 / 80	88.9	1209	11.91
50399	80 / 50 / 80	88.9	1290	12.71
50400	80 / 65 / 80	88.9	1498	14.76
50401	100 / 20 / 100	108	1844	18.17
50402	100 / 25 / 100	108	1842	18.15
50403	100 / 32 / 100	108	1840	18.13
50404	100 / 40 / 100	108	1852	18.25
50405	100 / 50 / 100	108	1869	18.41
50407	100 / 65 / 100	108	2097	20.66
50408	100 / 80 / 100	108	2133	21.01

## Geberit Mapress Stainless Steel T-piece with female thread (FKM, blue)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50413	12 / 15 / 12	15	94	0.93
50414	15	18	107	1.05
50415	15 / 20 / 15	18	143	1.41
50416	20 / 15 / 20	22	125	1.23
50417	20	22	144	1.42
50418	25 / 15 / 25	28	155	1.53
50419	25 / 20 / 25	28	173	1.7
50420	25	28	259	2.55
50421	32 / 15 / 32	35	170	1.67
50422	32 / 20 / 32	35	222	2.19
50424	40 / 15 / 40	42	250	2.46
50425	40 / 20 / 40	42	289	2.85
50427	50 / 15 / 50	54	337	3.32
50428	50 / 20 / 50	54	386	3.8
50429	50	54	702	6.92
50437	65 / 20 / 65	76.1	882	8.69
50438	65 / 50 / 65	76.1	1319	13
50440	80 / 20 / 80	88.9	1193	11.75
50441	80 / 50 / 80	88.9	1724	16.99
50443	100 / 20 / 100	108	1877	18.49
50444	100 / 50 / 100	108	2188	21.56

## Geberit Mapress Stainless Steel adapter with male thread (FKM, blue)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50451	10 / 15	12	55	0.54
50452	12 / 10	15	51	0.5
50453	12 / 15	15	61	0.6
50454	12 / 20	15	99	0.98
50455	15	18	67	0.66
50456	15 / 20	18	85	0.84
50457	20 / 15	22	69	0.68
50458	20	22	84	0.83
50459	20 / 25	22	146	1.44
50460	25 / 20	28	129	1.27
50461	25	28	108	1.06
50463	32 / 25	35	167	1.65
50464	32	35	192	1.89
50465	40 / 32	42	237	2.33
50466	40	42	192	1.89
50467	50 / 40	54	378	3.72
50468	50	54	278	2.74
50471	65	76.1	773	7.62
50472	80	88.9	1194	11.76

## Geberit Mapress Stainless Steel adapter with female thread (FKM, blue)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50482	10 / 15	12	49	0.48
50484	12 / 15	15	46	0.45
50485	12 / 20	15	96	0.95
50486	15	18	64	0.63
50487	15 / 20	18	84	0.83
50488	20 / 15	22	107	1.05
50489	20	22	98	0.97
50490	20 / 25	22	140	1.38
50491	25 / 15	28	188	1.85
50492	25 / 20	28	120	1.18
50493	25	28	162	1.6
50494	32 / 25	35	212	2.09
50495	32	35	216	2.13
50496	32 / 40	35	234	2.31
50497	40 / 32	42	185	1.82
50498	40	42	244	2.4
50499	50 / 40	54	383	3.77
50500	50	54	442	4.35

## Geberit Mapress Stainless Steel elbow adapter 90° with male thread (FKM, blue)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50524	12 / 15	15	127	1.25
50526	15	18	119	1.17
50529	20	22	188	1.85
50532	25	28	309	3.04
50533	32	35	403	3.97
50534	40	42	658	6.48
50535	50	54	946	9.32

## Geberit Mapress Stainless Steel elbow adapter 90° with female thread (FKM, blue)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50544	12 / 15	15	103	1.01
50546	15	18	99	0.98
50549	20	22	194	1.91
50552	25	28	316	3.11
50553	32	35	397	3.91

## Geberit Mapress Stainless Steel adapter union with male thread, union nut made of CrNi steel (FKM, blue)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50581	12 / 15	15	151	1.49
50582	12 / 20	15	171	1.68
50583	15	18	150	1.48
50584	15 / 20	18	183	1.8
50585	20 / 15	22	212	2.09
50586	20	22	178	1.75
50587	20 / 25	22	271	2.67
50588	25	28	375	3.69
50589	32	35	502	4.95
50590	40	42	601	5.92
50591	50	54	972	9.58

## Geberit Mapress Stainless Steel adapter union with female thread, union nut made of CrNi steel (FKM, blue)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50631	12 / 15	15	134	1.32
50632	12 / 20	15	157	1.55
50633	15	18	141	1.39
50634	15 / 20	18	165	1.63
50635	20	22	202	1.99
50636	20 / 25	22	258	2.54
50637	25	28	395	3.89
50638	32	35	466	4.59
50639	40	42	534	5.26
50640	50	54	1030	10.15

## Geberit Mapress Stainless Steel flange PN 10/16, with pressing socket (FKM, blue)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50673	15	18	576	5.67
50674	20	22	1049	10.33
50675	25	28	1105	10.89
50676	32	35	1921	18.93
50677	40	42	2078	20.47
50678	50	54	2432	23.96
50679	65	76.1	3175	31.28
50680	80	88.9	3860	38.03
50681	100	108	4594	45.26
50683	15	18	576	5.67
50684	20	22	760	7.49
50685	25	28	1105	10.89
50686	32	35	1675	16.5
50687	40	42	2078	20.47
50688	50	54	2725	26.85
50691	65	76.1	3505	34.53
50692	80	88.9	4442	43.76
50693	100	108	5231	51.54

## Geberit Mapress Stainless Steel cap (FKM, blue)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50752	12	15	28	0.28
50753	15	18	26	0.26
50754	20	22	34	0.33
50755	25	28	50	0.49
50756	32	35	70	0.69
50757	40	42	88	0.87
50758	50	54	144	1.42
50761	65	76.1	364	3.59
50762	80	88.9	454	4.47
50763	100	108	727	7.16

## Geberit Mapress Stainless Steel elbow tap connector 90°, offset (FKM, blue)

Art. no.	DN	d [mm]	Net weight [g/item]	Conversion factor
50792	12 / 15	15	156	1.54
50793	15	18	147	1.45
50794	20	22	185	1.82



---

Geberit International AG  
Schachenstrasse 77, CH-8645 Jona  
documentation@geberit.com  
www.geberit.com

