

## **FDV DOCUMENTATION**

6280	Fiberfilt 10cm x 25m 80g
6282	Fiberfilt 100cm x 10m 80g
6288	Fiberfilt 100cm x 100m 80g

### **PRODUCT DESCRIPTION**

**Polymer Name: - Polypropylene Spun Bonded Non Woven Fabric**

### **TECHNICAL DATA SHEET**

Thickness: 0.40±0.03 mm

Different GSMs (grams per square meter): 80±3gm/square meter.

Color: White

Tensile Strength: 125 N

Max. Elongation: 50%

Temperature Resistance: -20°C to 70°C

Solubility in water: Not Soluble in water

### **SAFETY DATA SHEET**

#### **HAZARDOUS INGREDIENTS:**

This product does not meet the definition given in 29 CFR Part 1910.1200 (OSHA).  
Information is furnished as a customer service.

#### **OCCUPATIONAL CONTROL PROCEDURES:**

Eye Protection: As required by site-specific conditions. Not generally needed.

Skin Protection: None required.

Respiratory Protection: Not generally required unless needed to prevent respiratory  
Irritation.

Ventilation: Use adequate ventilation to control exposure below recommended levels.

#### **EFFECTS OF OVEREXPOSURE:**

Eyes: Dust may cause mechanical irritation.

Skin: No known effect.

Inhalation: Dust may produce mechanical irritation to the mucous membranes of the  
nose, throat and upper respiratory tract.

Chronic: No anticipated chronic effects.

Existing health conditions affected by exposure: No known effects.

**EMERGENCY AND FIRST AID PROCEDURES:**

Eyes: Flush with water.

Skin: Rinse with water.

Inhalation: Remove from exposure.

Ingestion: N/A.

**FIRE PROTECTION:**

Flash Point (Method): Greater than 400 degrees (COC, ASTM D -92)

Fire Extinguishing Media: Dry chemical, foam, carbon dioxide.

Special Fire Fighting Procedures: For large fires in confined area use N10SH/MSHA

Approved self-contained breathing apparatus. Use water fog or spray to exposed

Equipment and containers.

**REACTIVITY DATA:**

Stability: Stable

Incompatibility: None known

Hazardous Decomposition Products: Will not occur.

Hazardous Polymerization: Will not occur.

**PHYSICAL DATA:**

Physical State: Solid

Odor: Negligible

Viscosity: N/A

Solubility in Water: Negligible

Boiling Point: N/A

**SPILL, LEAK & DISPOSAL INFORMATION:**

Spill or Leak Procedures: Solid material, normal clean-up procedure.

Waste Disposal: Insure conformity with all applicable disposal regulations. Product does not meet the definition of hazardous waste.

**STORAGE:**

No special requirements for storage

**MANUFACTURER/EXPORTER:**

**Sakshi International**

Backside G.N.E. College,  
Sidhwan Canal Road, Isher Nagar,  
Ludhiana-141006  
Punjab INDIA

Phone: + 91-161-2495121, 2497137, 2844136, 2845136

Fax: + 91-161-2502121, 2844236

[www.sakshiimpex.com](http://www.sakshiimpex.com)

[info@sakshigroup.org](mailto:info@sakshigroup.org)