




XX - Position number
YY - Quantity

Exploded view, Jøtul F 100 ECO.2

Jøtul AS Fredrikstad, Norway	Draw.no: 900354-P00	Date: 15.12.2020
---------------------------------	------------------------	---------------------

Jøtul F 100 ECO.2

F 100 ECO.2 LL BP cat. no. 30059879, F 100 ECO.2 LL SE BP cat. no. 30059881

F 100 ECO.2 LL SE BBE cat. no.30059883, F 100 ECO.2 LL SE IVE cat. no. 30059884 (LL=Long Legs 215mm, SE=Special Edidtion= Door without arches)

F 100 ECO.2 SL BP cat. no. 30059880, F 100 ECO.2 SL SE BP cat. no. 30059882 (SL=Short Legs 155mm, SE=Special Edidtion= Door without arches)

F 100 ECO.2 SL SE BBE cat. no.30060932, F 100 ECO.2 SL SE IVE cat. no. 30060933 (SL=Short Legs 155mm, SE=Special Edidtion= Door without arches)

BP= Sort lakk/Black Paint, BBE= Blåsort Emalje/Blue Black Enamel, IVE= Edelhvit Emalje/ Ivory enamel UP= Ulakkert/Unpainted

Pos. no.	Spareparts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
1	12018369		Sideplate venstre BP	Side plate left BP	Cast iron min. 4mm thickness
1	12018367		Sideplate venstre BBE	Side plate left BBE	Cast iron min. 4mm thickness
1	12030896		Sideplate venstre IVE	Side plate left IVE	Cast iron min. 4mm thickness
2			Vermikulitt brennplate venstre	Vermiculite burn plate left	Vermiculite 600Kg/m³
3	12054617		Fyrbunn bakre UP	Inner bottom, rear UP	Cast iron min. 4mm thickness
4	12054616		Fyrrist BP	Fire grate BP	Cast iron min. 4mm thickness
5	12018340		Ventil opptenning UP	Valve ignition UP	Cast iron min. 4mm thickness
6	12015042		Ben 215mm BP (for LL versjoner)	Leg 215mm BP (For LL versions)	Cast iron min. 4mm thickness
6	12015034		Ben 215mm BBE (for LL versjoner)	Leg 215mm BBE (For LL versions)	Cast iron min. 4mm thickness
6	12015035		Ben 215mm IVE (for LL versjoner)	Leg 215mm IVE (For LL versions)	Cast iron min. 4mm thickness
6	51012223		Ben 215mm (4 stk) BP (for LL versjoner)	Leg 215mm (4 pcs) BP (For LL versions)	Cast iron min. 4mm thickness
6	51012224		Ben 215mm (4 stk) BBE (for LL versjoner)	Leg 215mm (4 pcs) BBE (For LL versions)	Cast iron min. 4mm thickness
6	51012227		Ben 215mm (4 stk) IVE (for LL versjoner)	Leg 215mm (4 pcs) IVE (For LL versions)	Cast iron min. 4mm thickness
7	10024640		Skjermpate under	Heat shield under	Steel
8	10024642		Askeskuff	Ash pan	Steel
9	12054623		Bunnplate BP	Bottom plate BP	Cast iron min. 4mm thickness
9	12054966		Bunnplate BBE	Bottom plate BBE	Cast iron min. 4mm thickness
9	12054967		Bunnplate IVE	Bottom plate IVE	Cast iron min. 4mm thickness
10	10024638		Ventilstang	Handle	Ø6mm steel
11	12021379		Askeleppe BP	Ash lip BP	Cast iron min. 4mm thickness
11	12021380		Askeleppe BBE	Ash lip BBE	Cast iron min. 4mm thickness
11	12021428		Askeleppe IVE	Ash lip IVE	Cast iron min. 4mm thickness
12	12018374		Frontplate BP	Front plate BP	Cast iron min. 4mm thickness
13	12020930		Glassklips	Glass clip	Steel & glass fibre gasket
14	10024515		Stengejern	Latch bolt	Steel
15	10023578		Skive M10 svart, spesial	Washer M10 Black, Special	Ø10,5xØ25x1,5 Steel
16	10023475		Mutter sekskant M6 DIN 934	Nut Hexagon M6 DIN 934	St8.8 / ANSI B18.2
17	10024011		Fjær for klinke	Spring For Latch	Spring Steel
18	12017311		Vrider (Klinke) svart lakkert	Latch, black painted	Cast iron min. 4mm thickness
18	12020110		Vrider (Klinke) forniklet	Latch, nickel-plated	Cast iron min. 4mm thickness
19	10023464		Skive	Washer	Ø6,4xØ12,5x1,6, St8,8, DIN 125, Steel
20	10023919		Skive spesial	Washer special	Ø23xØ8,2x2 insulating mat.
21	10024025		Treknott	Wooden knob	Hardved\hard wood
22	10024023		Hylse	Sleeve	Ø8xØ6xL27,5mm, Steel
23	10023611		Skrue, maskin panhode pozidrive	Screw, machine pan head pozidrive	M6x40, DIN 7985, Steel
24	10023684		Skrue M6X25 lang tapp	Screw M6x25 Long Dog Point Set	Steel
25	12021599	13,14,15,16,17,18,19,20,21,22,23,24,26,50,51,52,66	Dør komplett - u/glass SE (Dør uten spiler BP)	Door , complete excl/glass SE (Door without arches BP)	BP
25	12054959	13,14,15,16,17,18,19,20,21,22,23,24,26,50,51,52,66	Dør komplett - u/glass SE (Dør uten spiler BBE)	Door , complete excl/glass SE (Door without arches BBE)	BBE
25	12054962	13,14,15,16,17,18,19,20,21,22,23,24,26,50,51,52,66	Dør komplett - u/glass SE (Dør uten spiler IVE)	Door , complete excl/glass SE (Door without arches IVE)	IVE
26			Dør uten spiler SE BP	Door without arches SE BP	

Pos. no.	Spareparts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
26			Dør uten spiler SE BBE	Door without arches SE BBE	BBE
26			Dør uten spiler SE IVE	Door without arches SE IVE	IVE
27	12021376	13,14,15,16,17,18,19,20,21,22,23,24,28,50,51,52,66	Dør komplett - u/glass (Dør med spiler BP)	Door , complete excl/glass (Door with arches BP)	BP
28			Dør med spiler BP	Door without arches BP	
29	10024654		Glass	Glass	379x270x4mm, keramisk\ceramic
30	10024103		Hengseldubb, sortkromatisert	Hinge pin, black chromated	Ø6x33mm, Steel
30	10023975		Hengseldubb, fornicket	Hinge pin, nickel plated	Ø6x33mm
31	10054451	2,32	Brennplater sett V+H	Burn plates kit L+R	Vermiculite 600Kg/m³
32			Vermikulitt brennplate høyre	Vermiculite burn plate right	Vermiculite 600Kg/m³
33	12018364		Sideplate høyre BP	Side plate right BP	Cast iron min. 4mm thickness
33	12018362		Sideplate høyre BBE	Side plate right BBE	Cast iron min. 4mm thickness
33	12030893		Sideplate høyre IVE	Side plate right IVE	Cast iron min. 4mm thickness
34	10024413		Hylse	Sleeve	Ø10xØ6,2xL10mm, Steel
35	12060635		Luftbrem BP	Air deflector BP	Cast iron min. 4mm thickness
36	12018338		Ventilplate UP	Valve plate UP	Cast iron min. 4mm thickness
37	12017438		Ventilsleide BP	Valve BP	Cast iron min. 4mm thickness
38	10054452		Luftbegrenser	Air restrictor	Steel
39	12021582	39,44,55,61(2pcs)	Topplate komplett BP	Top plate complete BP	Cast iron min. 4mm thickness
39	12021583	39,44,55,61(2pcs)	Topplate komplett BBE	Top plate complete BBE	Cast iron min. 4mm thickness
39	12033806	39,44,55,61(2pcs)	Topplate komplett IVE	Top plate complete IVE	Cast iron min. 4mm thickness
40	12018816		Røykstuss innvendig Ø125 BP	Smoke outlet, dripless Ø125 BP	Cast iron min. 4mm thickness
40	12018813		Røykstuss innvendig Ø125 BBE	Smoke outlet, dripless Ø125 BBE	Cast iron min. 4mm thickness
40	12049995		Røykstuss innvendig Ø125 IVE	Smoke outlet, dripless Ø125 IVE	Cast iron min. 4mm thickness
41	12054621		Ledeplate UP	Exhaust deflector UP	Cast iron min. 4mm thickness
42	10059973		Hvelv vermikulitt	Baffle Vermiculite	Vermiculite 600Kg/m³
43	12060633		Bakplate UP	Rear plate UP	Cast iron min. 4mm thickness
44	12018811		Røykhullsdeksel BP	Smoke outlet cover BP	Cast iron min. 4mm thickness
44	12018807		Røykhullsdeksel BBE	Smoke outlet cover BBE	Cast iron min. 4mm thickness
44	12018808		Røykhullsdeksel IVE	Smoke outlet cover IVE	Cast iron min. 4mm thickness
45	12018394		Deksel sekundærluft UP	Cover for air manifold UP	Cast iron min. 4mm thickness
46	10024639		Skjermplate bak, svart	Heat shield rear, black	Steel
46	10050009		Skjermplate bak, ubeh alu zn	Heat shield rear, untreated alu zn	0,9mm Alu zn belagt stål\coated steel
47	12015095		Ben 155mm BP (for SL versjoner)	Leg 155mm BP (For SL versions)	Cast iron min. 4mm thickness
47	12015093		Ben 155mm BBE (for SL versjoner)	Leg 155mm BBE (For SL versions)	Cast iron min. 4mm thickness
47	12028848		Ben 155mm IVE (for SL versjoner)	Leg 155mm IVE (For SL versions)	Cast iron min. 4mm thickness
47	51012177		Ben 155mm (4 stk) BP (for SL versjoner)	Leg 155mm (4 pcs) BP (For SL versions)	Cast iron min. 4mm thickness
47	51012178		Ben 155mm (4 stk) BBE (for SL versjoner)	Leg 155mm (4 pcs) BBE (For SL versions)	Cast iron min. 4mm thickness
47	51012179		Ben 155mm (4 stk) IVE (for SL versjoner)	Leg 155mm (4 pcs) IVE (For SL versions)	Cast iron min. 4mm thickness
48	10026011		Løst håndtak flatt	Loose handle flat	2mm steel
49	10060981		Kulefanger (for feiing)	Protection Bar For Sweep Ball	Steel
50		50027204 (5m)	Pakning under glass	Gasket under glass	V-125x15 mm graph W/A (2pcs)
51		50027205 (5m)	Pakning til glass	Gasket for glass	LD-250-2 graph Ø6,4x1300mm
52		50027203 (5m)	Pakning mellom dør og front	Gasket Between door and front	LD 375-2 Ø9,5x1620mm
53		50027205 (5m)	Pakning underside av ventilplate	Gasket for valve plate	LD-250-2 graph Ø6,4x835mm
54		50027201 (5m)	Pakning mellom røykstuss og røykrør	Gasket between smoke outlet and flue	LD-187 graph Ø4,8x500mm
55		50027203 (5m)	Pakning for topp-plate	Gasket for top plate	LD 375-2 Ø9,5x1620mm
56		50027205 (5m)	Pakning mellom bakplate og deksel sekundærluft	Gasket between rear plate and cover for air manifold	LD-250-2 graph Ø6,4x750mm (2pcs)
57		50027204 (5m)	Pakning (til bakplate)	Gasket (for rear plate)	V-125x30 mm graph W/A (4pcs)
60	10023576		Skrue Gjengestift med Hul ende M6x25 DIN 916	Screw Socket Set with Cup point M6x25 S DIN 916	Steel, black
61	10023545		Skrue sekskant med flens M6x12 DIN 6921	Screw Hex Cap Flange M6x12 DIN 6921	St8.8 / ANSI B18.2

Pos. no.	Spareparts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
62	10023541		Skrue sekskant med flens M6x16 DIN 6921	Screw Hex Cap Flange M6x16 DIN 6921	St8.8 / ANSI B18.2
63	10023540		Skrue sekskant med flens M6x20 DIN 6921	Screw Hex Cap Flange M6x20 DIN 6921	St8.8 / ANSI B18.2
64	10023536		Skrue sekskant med flens M6x25 DIN 6921	Screw Hex Cap Flange M6x25 DIN 6921	St8.8 / ANSI B18.2
65	10023574		Skrue sekskant med flens M6x40 DIN 6921	Screw Hex Cap Flange M6x40 DIN 6921	St8.8 / ANSI B18.2
66	10023561		Skrue sylinderh. innv. sekskant lavh. M6x8 DIN 7984	Screw cylinder head int.hex. low head M6x16 DIN 7984	St8.8 / ANSI B18.2 ,black
67	10048871		Skrue sekskant M6x16 selvgjengende DIN 7500D	Screw hex cap M6x16 selfthread DIN 7500D	Steel, ELZn
68	10023666		Mutter sekskant med flens M6 DIN 6923	Nut Hexagon Cap Flange M6 DIN 6923	St8.8 / ANSI B18.2
69	10023780		Skive M6 Ø6,4xØ18x1.6 DIN 9021	Washer M6 Ø6.4xØ18x1.6 DIN 9021	St8.8 / ANSI B18.2
70	10023559		Skive M8 Ø8,4xØ20x1.5 DIN 522	Washer M8 Ø8.4xØ20x1.5 DIN 522	St8.8 / ANSI B18.2
71	10024339		Skive Ø6.2x12x1.8 Messing	Washer Ø6.2x12x1.8 Brass	Brass
72	10023998		Hylse	Sleeve	Ø10xØ6,2xL15mm, Steel
		Optional equipment			
		Smoke Outlet For UK, Ø125mm dripless			
73	51012033	73,61(2pcs),67(2pcs)	Røykstuss innvendig Ø125 BP (for UK)	Smoke outlet, dripless Ø125 BP (for UK)	Cast iron min. 4mm thickness
73	51012034	73,61(2pcs),67(2pcs)	Røykstuss innvendig Ø125 BBE (for UK)	Smoke outlet, dripless Ø125 BBE (for UK)	Cast iron min. 4mm thickness
73	51050088	73,61(2pcs),67(2pcs)	Røykstuss innvendig Ø125 IVE (for UK)	Smoke outlet, dripless Ø125 IVE (for UK)	Cast iron min. 4mm thickness
		Smoke Outlet, Ø150mm dripless			
74	12021463		Røykstuss innvendig Ø150 BP	Smoke outlet, dripless Ø150 BP	Cast iron min. 4mm thickness
		Smoke Outlet, Ø125mm non dripless			
75	12018329	Use together with position 83 in Germany	Røykstussutvendig Ø125 BP	Smoke Outlet, Ø125mm non dripless BP	Cast iron min. 4mm thickness
75	12018328	Use together with position 83 in Germany	Røykstussutvendig Ø125 BBE	Smoke Outlet, Ø125mm non dripless BBE	Cast iron min. 4mm thickness
		Heatshield Rear , extra complete			
76	50012956		Skjermpate bak, ekstra komplett BP	Heatshield Rear , extra complete BP	Steel
		Floor Plates Cast Iron for Norway			
77	51012191	78, 79	Gulvplater støpejern Norge BBE	Floor Plates Cast Iron Norway BBE	Cast iron min. 4mm thickness width 630, depth 766, height 17
78			Gulvplate under støpejern BBE	Floor Plate Under Cast Iron BBE	Cast iron min. 4mm thickness width 630, depth 467, height 17
79			Gulvplate foran støpejern BBE	Floor Plate Front Cast Iron BBE	Cast iron min. 4mm thickness width 630, depth 317, height 17
80	12021378	16,19,20,21,22,23,60,54	Treknott og smådeler	Wooden knob and small parts	
81	12021209		Fjær for selvluukkende dør	Spring for self closing door	
82	12021450	14,15,16,17,18,19,20,21,22,23,24	Vrider kompl (frontdør) Sort	Latch compl (front door) Black	
82	12021451	14,15,16,17,18,19,20,21,22,23,24	Vrider kompl (frontdør) Forniklet	Latch compl (front door) Nickel crom	
		For Germany			
83	51013589	Use together with position 75 in Germany	Adapter Ø125-Ø130mm BP	Adaptor Ø125-Ø130mm BP	Steel, 0,8mm thickness
84	51061366	75,81,83	Adaptersett for Tyskland	Adaptor Kit for Germany	
					Draw.no: 900355-P01