

For deg som håndspikrer kledning. Punkterer ikke vindtettingen. Rillet spiker gir best hold. Dimensjoner tilpasset norsk trevirke.



[NO-DoP-h17/0018](#)

EGENSKAPER



Fordeler:

- Flatt hode
- 60 graders diamant spids
- Rillet




ANVENDELSE

Bruksområde:

- For vanlig kledning som skal males eller beises
- 48 mm er tilpasset underligger
- 65 mm er tilpasset overligger og liggende kledning

TEKNISK DATA

Product dimensions



Art. nr.	Item code	NOBB nr.	Fastener dimensions [mm]					
			d	l	d _h	l _g	t _{fix}	bit
CLNA42.8x65	75651	55841985	2.8	63.5	6.2	50	41.1	-
CLNA42.8x48	75650	55841974	2.8	47	6.9	26	24.6	-

Product characteristic properties

Art. nr.	Product characteristic properties					
	Characteristic Yield Moment – M _{y,k} [M _{y,k}] [Nm]	Characteristic withdrawal parameter - f _{ax,k,90°} [f _{ax,k,90°}] [N/mm ²]	Characteristic head pull-through parameter - f _{head,k} [f _{head,k}] [N/mm ²]	Characteristic tensile capacity - f _{tens,k} [f _{tens,k}] [kN]	Characteristic torsional strength - f _{tor,k} [f _{tor,k}] [Nm]	Torsional ratio
CLNA42.8x65	3.2	8.9	29.4	3.4	-	-
CLNA42.8x48	3.2	8.9	29.4	3.4	-	-

