Telefon: 55 94 74 94 i Telefax: 55 94 74 95 bestilling@askmur.no i www.askmur.no



Product Safety Data Sheet White Cross made of HDPE

Dated 28-11-2013 Revision : 01

Section 1- Chemical product and Company identification

Product Name	:	White Cross Made of High density Polyethylene-ethene homopolymer (HDPE)
Chemical family	:	Polyethylene
C.A.S. No.	:	9002 - 88 - 4
Importers Name	:	Askøy Murerverktøy AS
Address	:	Storebotn 65, 5309 KLEPPESTØ, Norway
Phone	:	+47 55 94 74 94
E-mail	:	ragnar@askmur.no

Section 2- Composition / information on ingredients

Chemical Name	: High Density Polyethylene Homopolymer (HDPE)
C.A.S. No.	: 9002 - 88 - 4
Content	: (C H)n

Section 3- Hazards identification

Eye contact

Solid particles may cause transient irritation from mechanical abrasion.

Skin contact

Molten material may cause thermal burns.

Inhalation

As such there is no possibility.

Ingestion

There is no possibility for ingestion.

Dust may form an explosive atmosphere when dispersed in air.



Dated 28-11-2013 Revision : 01

Section 4- First Aid Measures

Eye contact

Immediately flush eyes with water for atleast 15 minutes. Hold eyelids open to ensure adequate flushing. Do not rub the eyes. Get medical attention if irritation developes.

Skin contact

Wash affected skin area with soap and water. Get medical attention if irritation developes.

Inhalation

Remove to fresh air. get medical attention if irritation or other symptoms develope.

Ingestion

If ingested dilute swallowed material by drinking water. Never give anything by mouth to an unconscious person. Get medical attention if irritation or other symptoms develope.

Section 5- Fire Fighting Measures

Flash Point:

Not applicable

Extinguishing Media:

Dry chemicals, foam, water or carbon dioxide.

Special fire fighting procedure:

In case of fire, wear a NIOSH (US) or CEN (EU) approved, positive pressure, self contained breathing apparatus(SCBA) and full protective clothing. Evacuate all non essential personnel from the danger area.

Unusual fire explosion hazards:

In case of fire, wear a NIOSH (US) or CEN (EU) approved, positive pressure, self contained breathing apparatus(SCBA) and full protective clothing. Evacuate all non essential personnel from the danger area.

Hazards combustion products:

When forced to burn the major gaseous products of the combustion of plastic resin are carbon monoxide and carbon dioxide.

Section 6- Accidential Release Measures

Personal Precautions:

Restrict access to keep out unauthorized or unprotected personnel. Wear appropriate personal protective equipment during all cleanup activities. Avoid inhalation or direct contact.

Environmental Precautions:

Keep spilled material away from heat, sparks and open flames. Ensure adequate ventilation.



Dated 28-11-2013 Revision : 01

Methods for cleanup:

Collect spilled material using a method that minimises dust generation (e.g. wet methods, HEPA vacuum). Place waste in an appropriate container for disposal. Use care during cleanup to avoid exposure to the material and injury from broken containers.

Section 7- Handling and Storage

Handling:

Use with adequate ventilation. Avoid dust generation. Avoid contact with eyes and skin. Accumulation of dust should be removed from settling areas.

Storage:

Store in a cool ,dry, well ventilated area keep away from sources of heat, flame and sparks. Ventilate enclosed areas such as trailers and railcars, before entering. Have emergency equipments for fires and spills readily available.

Section 8- Exposure Control / Personal Protection

Eye Protection:

Wear safety glasses with side shields, goggles or face shield.

Skin Protection:

Wear appropriate gloves when handling hot material.

Respiratory Protection:

None required under normal conditions of use.

Respiratory Protection:

None required under normal conditions of use.

Engineering Controls:

Use local exhaust ventilation during dust production operations.

Required work/ Hygiene Procedure:

Wash hands thoroughly after handling. Do not eat, drink or smoke in work area. If unusual exposures are expected an industrial hygiene review of work of work practice, engineering controls and personal protective equipment is recommended.

Exposure Guidelines:_

OSHA PEL-TWA	15 mg/m ³ (Total Dust) , 5 mg/m ³ (Respirable Dust)
ACGIH TLV-TWA	10 mg/m ³ (Total Dust), 5 mg/m ³ (Respirable Dust)



Dated 28-11-2013 Revision : 01

Section 9- Physical and Chemical Properties

Physical Form:	Solid
Colour :	Translucent White
Odour :	Odourless
Molecular Weight :	Not determined
Boiling Point :	Not determined
Melting Point :	268° F (131° C)
Freezing Point :	Solid Material
Solubility in Water :	Insoluble
Specific Gravity :	0.89 - 0.98 (Water = 1)
Vapor Density :	Not applicable
Evaporation Rate :	Not applicable
Vapor Pressure :	Not determined
% Volatile :	Not applicable
рН :	Not determined

Section 10- Stability and Reactivity

Stability :	Stable under recommended storage conditions.
Conditions to avoid :	Keep away from oxidising agents.
Hazardous Decomposition :	Not expected to occur.
Hazardous Polymerization :	Not expected to occur.

Section 11- Toxicological Information

Eye Contact :	Solid particles may cause transient irritation from mechanical abras	sion.
Skin Contact :	Not expected to cause skin irritation. Molten material may cause the	nermal burns.
Inhalation :	Not a likely route of exposure. Process fumes may cause irritation.	
Ingestion :	May cause a choking hazard if swallowed.	
Carcinogenicity :	The components of this product are not classified as carcinogenic by OSHA,	
	NTP or IARC.	Page 4 of 5



Dated 28-11-2013 Revision : 01

Medical conditions

Aggaravated by over exposure :

Exposure may aggravate disorders of the eyes, skin, gastriontestinal tract, and respiratory system.

Section 12- Echological Information

No information is available but no ecological hazard is expected.

Section 13- Disposal Considerations	
Disposal Method :	This product must be disposed of in accordance with federal, state, local environmental regulations.
Recycling / reclamation :	Recycling or Reclamation of Polyethylene components should be encouraged where possible.

Section 14- Transport Information

This product is not regulated as a hazardous material/dangerous good for all forms of transportation

Section 15- Other Information

Classification :

Not hazardous according to GHS criteria. Not hazards according to EU criteria. Not hazards according to WHMIS criteria.

Disclaimer:

.tcudorp dessecorp dehsin eht rof detangised ylelos si SDSM siht nihtiw detsil noitamrofni ehT The information listed is to the best of our knowledge, accurate and reliable. However their is no warranty or guarantee that can be made to its accuracy, reliability or completeness Manufacturer will not accept liability for any loss or damage that may occur from the use of this information.