



Vinyl Rolls
Collection

Floor for the home
2023 Collection

Gerflor®



Table of contents

- 04. Gerflor Group
- 10. Gerflor Decoration Trends 2023
- 16. Gerflor fibre technology
- 16. Product benefits
- 19. Vinyl rolls solution
Vinyl backing range

20. GFT backing rolls Looselay

- 20. HQR
- 38. Nerok 50 Tex
- 48. Texline
- 74. Loftex
- 82. Primetex

98. Vinyl backing rolls Fully adhered

- 101. Vinyl rolls solution
Vinyl backing range
- 102. **NEW** Nerok Acoustic
- 110. Nerok Compact
- 120. Booster
- 132. Start

138. Index - Maintenance - Communication tools

- 138. Index
- 144. Cleaning instructions
- 145. Communication tools

Find out more on
[gerflor.com](https://www.gerflor.com)

Find us on
social media:



Gerflor Group continually moving forward

To create, manufacture & market innovative, design-led & eco-responsible solutions for flooring, walls & their finishes.

To anticipate the specific needs of the users, specifiers, installers & distributors around the world.

To provide competitiveness & success for all our customers.

International Presence



& Proximity To Our Customers Through:

✓ 30 subsidiaries & a broad network of distributor partners.

✓ 19 production plants & logistic hubs.



✓ STAFF: 4 200 employees, 40 nationalities.

Sales growth
Gerflor group turnover



Industrial Expertise

in several fields



Design

trendy & creativity

- ✓ Our in-house Creation Studio brings product design originality & freshness.
- ✓ Our innovative ideas perfectly fit both market needs & creative expectations of interior designers, housing specifiers & architects.
- ✓ Our moto, be different
70% of sales are achieved with product ranges less than three years old.

Decorator

- ✓ Every year, Gerflor renews its collections and reates new designs
- ✓ Designs solutions that can be combined and mixed to create custom spaces



Innovative Solution

GERFLOR SPIRIT

- ✓ 3 Research & Development centers dedicated to product innovation.
- ✓ 144 engineers for ultimate flooring solutions that anticipate the needs of our customers.
- ✓ Partnerships with laboratories and universities around the world enable Gerflor to benefit from the last materials & emerging technologies.
Innovation distinguishes between a leader and a follower.

Made in France with love

Designed and manufactured at our dedicated plants in Provence, our flooring is high quality and comes with the reassurance of genuine provenance. Each layer is carefully designed and manufactured to exacting standards using high quality materials to ensure that the finished product is both beautiful and extremely durable.


Gerflor Group continually moving forward

Expert quality & choice



- ✓ Extensive product range
- ✓ Top-quality products designed for high traffic
- ✓ Highly resistant
- ✓ Solutions for all customer needs:
Installation type, size, all-uses, related accessories

Clever quick & easy



- ✓ Make life easier
- ✓ Products installed without glue and without subfloor preparation
- ✓ Optimal user-friendliness
- ✓ Can be installed with a utility knife



Inventor new solutions for the home

2000



Texline
The original patented GFT textile backing: Unroll it's laid !

2005




HQR
The design way
Exclusive collection - High seduction

2019



Loftex
Ultimate GFT product generation

2020



New embossing
A new Mineral embossing will progressively replace our current all-over embossing.

2021






Nerok 50 Tex
Resistant to indentation, adapted to a renovation installation

2022



Nerok Acoustic & Compact
No indentation
High traffic resistance

Market informations & orientations in western Europe



A solution eco-responsible

Committed to sustainable development

Going Further



Raw materials

Healthy raw materials

- No heavy metals, no solvents, no formaldehyde
- All materials are 100% compliant with European standards (REACH)

Sustainable products

recycled content integration

- Vinyl rolls GFT:

Patented GFT technology: backing with fibres made from recycled plastic bottles



Indoor air quality

Low Voc Emissions

- All our products conform to **Floorscore, AgBB, A+ (France) and M1 (Finlande)** standards,
- TVOC emissions after 28 days < 100 µg/m³,
- Gerflor looselay solutions (GFT rolls, tiles and snap-together planks): no glue required.

► VOC Free system



Environmental footprint

- All our products are **eco-designed** based on a life-cycle analysis model in order to **reduce their environmental impact**.

- Our products are regularly assessed in accordance with **ISO 16000 standards**.



Recycling


Second Life is a Gerflor's innovative program for collecting installation waste and non-glued end-of-life products.

In partnership with our installers, this program is now fully effective in France and Germany and in the process of being implemented in Italy, Benelux and Scandinavia

Did you know?

Recycling process

Fibres used in gerflor products



5 **GFT** GERFLOR FIBRE TECHNOLOGY RECYCLED FIBRES


GFT benefits:

- Cost-effective quick and easy to lay
- No subfloor preparation, no glue
- Acoustic insulation
- Resistant to indentation

WATER CONSUMPTION SINCE 1998

Did you know? All inks used in the group's factories are solvent-free and water-based. The printing cylinders are cleaned with biodegradable agents and the wastewater inks are recycled by evaporation.

LOOSELAY PRODUCTS / NO GLUE VOC FREE SYSTEM







Exclusive Concept
GFT Rolls



Gerflor Decoration trends







Japandi

Simplicity, Purity, Handmade weaving
Meticulous details, Lightness,
Natural Materials, Bold



Terra Luna


Roundness, Oversized, Raw Materials,
Space, Primitive Shapes, Wild



Gerflor Decoration trends

Classic Clash

Marble's Triumph, Stone Mix, Macro Terrazzo, Timeless Beauty, Retro, Richness



423 C

547 C

7526 C




Madras Silver



Rough Light Grey



Rough Light Grey




Nevada Cream

Transparency

Tie and Dye, Light, Plexiglass, Fluid, Liquid, Mother Pearl



Etna Clear




680 C

5473 C

338 C

1215 C



Gastown Mineral






GFT backing Looselay

- 20. HQR
- 38. Nerok 50 Tex
- 48. Texline
- 74. Loftex
- 82. Primetex

Floor-covering with exclusive properties thanks to patented Gerflor Fibre Technology



Features




Benefits

- Traffic resistance
Protection against scuff marks and scratches
- Solvent free ink
Realistic printed design
- Dimensional stability during temperature changes
- Installs with no or with minimum subfloor preparation
- Resistant to indentation
Acoustic comfort and sound reduction

Ready to install

- No adhesive
- No subfloor preparation
- Economical, quick and easy!



Existing subfloor Concrete



Existing subfloor Tiles

GFT fibres smooths out unevenness of the existing floor.

Incredibly comfortable


Acoustics > Ideal for apartments and for covering hard floors that do not absorb noise
Warmer and flexible > comfortable to walk on

All uses

Watertight
Residential products: 2, 3 and 4 mm thick
Guaranteed 8-15 years

Highly resistant

Scratch-resistant varnish that protects and resists stains
Resistant fibres that protect against dents



Spring-like effect of fibres

Green


TVOC < 100 µg/m³
Textile backing incorporating fibres from recycled plastic bottles
Laying without glue
100% recyclable



Decoration vinyl rolls GFT backing rolls



The widest range
of residential and semi-contract products



**Unroll...
It's done!**
Ready to lay
Highly resistant
Trendy

GFT textile backing vinyl rolls solutions Gerflor 2023


Make the right choice!

	HQR	NEROK 50 TEX	TEXLINE	LOFTEX	PRIMETEX
Laying system	Looselay				
Subfloor preparation	Without subfloor preparation			With subfloor preparation	
Traffic resistance	++++	++++	+++	+++	++
Comfort	++++	+++	+++	+++	++
Price	€€€	€€	€€	€	€
Tools needed	Utility knife + carpet cutter				
Thickness (mm)	3.1	2.95	2.9	2.5	2.0
Wear layer thickness (mm)	0.50	0.55	0.35	0.30	0.20 (Diamalite) 0.25 (Pureclean)
European classification	32 / 41	33 / 42	23 / 31	23 / 31	22 (Diamalite) 23 / 31 (Pureclean)
Fire rating	C _f S1	B _f S1	C _f S1	C _f S1	C _f S1
Slip resistance	R10	R10	R10	R10	R9 (Diamalite) R10 (Pureclean)
Sound insulation (dB)	16	19	16	15	15
Room impact noise	Class A	Class A	Class A	Class A	Class A
Heating underfloor	OK	OK	OK	OK	OK
Domestic use guarantee*	15 years	15 years	12 years	12 years	8 years (Diamalite) 12 years (Pureclean)
	Page 20	Page 38	Page 48	Page 74	Page 83

* For more details on guarantee, see www.gerflor.com



Scan and discover
INTERIOR
DESIGNER



HQR

EXCLUSIVE COLLECTION

THE DESIGN WAY

HIGH SEDUCTION HIGH TRAFFIC



Easy to lay

Product ready to lay, no preparation of the floor and no adhesive required: GFT takes up the unevenness of the existing floor.



Saves money and time

Saves extra costs.



Intensive/ High traffic

3.10 mm thick and 0.50 mm wearlayer hardwearing, suitable for domestic and semi commercial use.



Ultra comfortable

Acoustic and thermal insulation Comfortable to walk on: its pliable fibres make it feel springy.



Easy-clean

Hygienic and antiallergenic. Simply rinse with soapy water.



Totally watertight

Prevents moisture rising and mould. Suitable for wet areas.



Warranty

15 years for residential use and 5 years for commercial use.



HQR

Nordic and Scandinavian look



2169 - Boutic Light Grey



1



1989 - elegant clear

- 1-Elegant Clear**
2 m: Code: 1373 1989 - EAN: 3475710369544
4 m: Code: 1393 1989 - EAN: 3475710369674
- 2-Boutic Clear**
2 m: Code: 1373 2170 - EAN: 3475710464089
4 m: Code: 1393 2170 - EAN: 3475710463396
- 3-Lodge Milk**
2 m: Code: 1373 1439 - EAN: 3475710320996
3 m: Code: 1383 1439 - EAN: 3475710337192
4 m: Code: 1393 1439 - EAN: 3475710318221
- 4-Timber White**
2 m: Code: 1373 1820 - EAN: 3475710321627
4 m: Code: 1393 1820 - EAN: 3475710321528
- 5-Macchiato Pearl**
2 m: Code: 1373 2002 - EAN: 3475710371653
4 m: Code: 1393 2002 - EAN: 3475710371622
- 6-Boutic Light Grey**
2 m: Code: 1373 2169 - EAN: 3475710464072
4 m: Code: 1393 2169 - EAN: 3475710463389
- 7-Elegant White**
2 m: Code: 1373 1986 - EAN: 3475710369513
4 m: Code: 1393 1986 - EAN: 3475710369643




2




3




4



5




6



7


Nordic and Scandinavian look



1



2




3



4



2168 - Boutic Medium



5



6

1-Boutic Medium

2 m: Code: 1373 2168 - EAN: 3475710464065
4 m: Code: 1393 2168 - EAN: 3475710463372

2-Timber Honey

2 m: Code: 1373 1819 - EAN: 3475710321610
3 m: Code: 1383 1819 - EAN: 3475710337284
4 m: Code: 1393 1819 - EAN: 3475710321511

3-Walden Brown

2 m: Code: 1373 1984 - EAN: 3475710369483
4 m: Code: 1393 1984 - EAN: 3475710369612

4-Castle Brown

2 m: Code: 1373 1846 - EAN: 3475710466601
4 m: Code: 1393 1846 - EAN: 3475710329746

5-Macchiato Brown

2 m: Code: 1373 2004 - EAN: 3475710371677
4 m: Code: 1393 2004 - EAN: 3475710371646

6-Noma Pecan

2 m: Code: 1373 1442 - EAN: 3475710321047
3 m: Code: 1383 1442 - EAN: 3475710337796
4 m: Code: 1393 1442 - EAN: 3475710318122

7-Noma Kola

2 m: Code: 1373 1451 - EAN: 3475710321023
3 m: Code: 1383 1451 - EAN: 3475710337147
4 m: Code: 1393 1451 - EAN: 3475710318139

8-Boutic Naturel

2 m: Code: 1373 2171 - EAN: 3475710464096
4 m: Code: 1393 2171 - EAN: 3475710463402

9-Castle Blond

2 m: Code: 1373 1802 - EAN: 3475710369940
4 m: Code: 1393 1802 - EAN: 3475710329739

10-Macchiato Naturel

2 m: Code: 1373 2003 - EAN: 3475710371660
4 m: Code: 1393 2003 - EAN: 3475710371639

11-Noma Nature


2 m: Code: 1373 1778 - EAN: 3475710321030
3 m: Code: 1383 1778 - EAN: 3475710337154
4 m: Code: 1393 1778 - EAN: 3475710318146

12-Walden Blond


2 m: Code: 1373 1985 - EAN: 3475710369490
4 m: Code: 1393 1985 - EAN: 3475710369629

13-Timber Clear


2 m: Code: 1373 0720 - EAN: 3475710329784
3 m: Code: 1383 0720 - EAN: 3475710331152
4 m: Code: 1393 0720 - EAN: 3475710329760




7




8



9




10



11



12




13



0720 - Timber Clear

HQR

Nordic and Scandinavian look





1-Seaside Blue
 2 m: Code: 1373 2216 - EAN: 3475710463556
 3 m: Code: 1383 2216 - EAN: 3475710472107
 4 m: Code: 1393 2216 - EAN: 3475710461316

2-Seaside Clear
 2 m: Code: 1373 2217 - EAN: 3475710463563
 3 m: Code: 1383 2217 - EAN: 3475710472114
 4 m: Code: 1393 2217 - EAN: 3475710461323



2217 - Seaside Clear



1-Timber Dark Grey
 2 m: Code: 1373 1818 - EAN: 3475710321603
 4 m: Code: 1393 1818 - EAN: 3475710321504

2-Noma Cafe
 2 m: Code: 1373 0679 - EAN: 3475710321009
 4 m: Code: 1393 0679 - EAN: 3475710318115

3-Elegant Grey
 2 m: Code: 1373 2005 - EAN: 3475710369964
 4 m: Code: 1393 2005 - EAN: 3475710369957



0679 - Noma Cafe



2220 - Rough Jeans

1-Rough Jeans

2 m: Code:1373 2220 - EAN: 3475710463594
4 m: Code:1393 2220 - EAN: 3475710461354

2-Rough Light Grey


2 m: Code: 1373 2225 - EAN: 3475710463464
4 m: Code: 1393 2225 - EAN: 3475710461422

3-Rough Taupe


2 m: Code: 1373 2218 - EAN: 3475710463570
4 m: Code: 1393 2218 - EAN: 3475710461330



1



2



3

4-Harlem Fer

2 m: Code: 1373 1876 - EAN: 3475710466595
3 m: Code: 1383 1876 - EAN: 3475710472138
4 m: Code: 1393 1876 - EAN: 3475710464867

5-Harlem Nature

2 m: Code: 1373 1793 - EAN: 3475710320941
3 m: Code: 1383 1793 - EAN: 3475710472121
4 m: Code: 1393 1793 - EAN: 3475710318597

6-Rough Chocolate

2 m: Code: 1373 2219 - EAN: 3475710463587
4 m: Code: 1393 2219 - EAN: 3475710461347



1876 - Harlem Fer



4



5








6



HQR


Delicate desings, sources of serenity





- 1-Harlem Clear**
2 m: Code: 1373 1808 - EAN: 3475710320910
3 m: Code: 1383 1808 - EAN: 3475710337185
4 m: Code: 1393 1808 - EAN: 3475710320088
- 2-Harlem Light Grey**
2 m: Code: 1373 1788 - EAN: 3475710320934
4 m: Code: 1393 1788 - EAN: 3475710318542
- 3-Harlem Blue**
2 m: Code: 1373 1789 - EAN: 3475710320897
4 m: Code: 1393 1789 - EAN: 3475710318559
- 4-Brooklyn Brown**
2 m: Code: 1373 1786 - EAN: 3475710320798
4 m: Code: 1393 1786 - EAN: 3475710318528
- 5-Harlem Dark**
2 m: Code: 1373 1787 - EAN: 3475710320927
4 m: Code: 1393 1787 - EAN: 3475710318535
- 6-Brooklyn Dark**
2 m: Code: 1373 1784 - EAN: 3475710320804
4 m: Code: 1393 1784 - EAN: 3475710318504

HQR

Original and inspiring vintage floors



- 1-Etna Clear**
2 m: Code: 1373 2099 - EAN: 3475710464058
4 m: Code: 1393 2099 - EAN: 3475710463426
- 2-Etna Dark Grey**
2 m: Code: 1373 2098 - EAN: 3475710464041
4 m: Code: 1393 2098 - EAN: 3475710463419
- 3-Wabi Blue Grey**
2 m: Code: 1373 2214 - EAN: 3475710463532
4 m: Code: 1393 2214 - EAN: 3475710461293
- 4-Wabi Caramel**
2 m: Code: 1373 2215 - EAN: 3475710463549
4 m: Code: 1393 2215 - EAN: 3475710461309
- 5-Wabi Light Grey**
2 m: Code: 1373 2213 - EAN: 3475710463525
3 m: Code: 1383 2213 - EAN: 3475710472091
4 m: Code: 1393 2213 - EAN: 3475710461286




HQR

Play on shades and material effects
and create your home according to your desires



2208 - Sisal Black


- 1-Sisal Black**
2 m: Code: 1373 2208 - EAN: 3475710463471
4 m: Code: 1393 2208 - EAN: 3475710461231
- 2-Sisal Cream**
2 m: Code: 1373 2211 - EAN: 3475710463501
4 m: Code: 1393 2211 - EAN: 3475710461262
- 3-Sisal Grey**
2 m: Code: 1373 2209 - EAN: 3475710463488
4 m: Code: 1393 2209 - EAN: 3475710461248
- 4-Sisal Natural**
2 m: Code: 1373 2212 - EAN: 3475710463518
4 m: Code: 1393 2212 - EAN: 3475710461279
- 5-Sisal Soft Grey**
2 m: Code: 1373 2210 - EAN: 3475710463495
4 m: Code: 1393 2210 - EAN: 3475710461255




1



2




4



3



5



2212 - Sisal Natural


Technical Characteristics

Description			
Total thickness	EN ISO 24346	mm	3.10
Wearlayer thickness	EN ISO 24340	mm	0.50
Weight / Mass per unit area	EN ISO 23997	g/sqm	2300
Width of sheet	EN ISO 24381	m	2 / 3 / 4
Length of sheet	EN ISO 24341	ml	± 25
Classification			
Norm / Product specification	-	-	EN ISO 26986
European classification	EN ISO 10874	class	32/41
Sound insulation	EN ISO 717/2	dB	16
Room impact noise	NF S 31074	class	A
Fire rating - Classification	EN 13501-1	class	C _f -s1
Slip resistance wet: ramp test with oil	DIN 51 130	class	R10
Performances			
Wear group	EN 660-2	group	T
Dimensional stability after exposure to heat	EN ISO 23999	%	0.05
Residual indentation (average value measured)	EN ISO 24343-1	mm	0.20
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25
Colour fastness	EN 20 105-B02	degree	≥ 6
Surface treatment	-	-	Pureclean
Guarantee residential use		year	15
Guarantee commercial use		year	5
Environment			
TVOC rate 28 days	EN ISO 16000-6	µg/m ³	< 100
French norm	-	-	A+
CE Marking			
	EN 14041		

Areas of use: domestic use & semi-commercial



HQR



Laying

Gerflor floor coverings are high quality products developed to last. No warranty can be claimed unless the product has been laid according to the following specifications:

The subfloor must be smooth, hard, dry and clean. Unroll the floor covering 24 hours before it is due to be installed. The floor covering should not be laid in rooms where the temperature is below 15°C. Although HQR is resistant to subfloor moisture we recommend that the floor construction should contain a Damp Proof Membrane. Can be installed on underfloor heating (up to 28°C). Cold-weld the joints for perfect water-tightness.

Thanks to its special patented composition, HQR can be laid directly on most existing subfloors using loose laying.

Subfloor preparation:

On wooden floorboards and on ceramic tiles: HQR can be laid directly without any subfloor preparation. No levelling compound (finishing) needs to be applied even if there are open joints:

- up to 5 mm wide and a maximum depth of 1 mm in existing tiling,
- up to 3 mm wide in wood flooring.

On textile carpeting (felt or needle punch): HQR can be installed directly over the existing carpeting as it has excellent resistance to indentation.

On concrete: HQR can be installed loose-laid or semi-permanently without any special surface preparation. Use double-sided tape along the edges of the room.

A rough concrete surface should be treated with a smoothing compound beforehand.

Installation:

Loose laying: Laying without glue recommended below and up to 35 sqm. Use double sided tape or hook & loop strips around the edges and along the joints for a perfect and invisible fit.

Permanent laying: Laying with glue mandatory above 35 sqm. Use a single stick acrylic glue (approximately 250 g/sqm) and a finely notched trowel and cold weld the joints.

Cleaning & Care

Initial cleaning: Before commencing a regular maintenance programme, initial cleaning of the floor will be necessary to remove dirt accumulated during laying and other building works. Remove debris, sweep floor and vacuum to remove loose dirt. Wash floor with damp mop and using cold water and neutral detergent. Replace the water and solution if necessary. Remove stubborn marks with a non-abrasive pad.

Maintenance: Remove loose dirt with a broom or vacuum cleaner. Wash floor with damp mop and used cold water.

Cleaning: Frequency of periodic maintenance will depend on the amount of traffic and on the type of laying. Wash floor with damp mop using cold water and neutral detergent.

Discoloration: Discolouration can occur in any resilient floor covering if it comes into contact with pigment-containing substances such as bituminous materials, mastic, asphalt, oil, shoes with black rubber soles, or rubber rollers may cause discoloration.

See index page 139

HEALTH

TVOC < 100 µg/m³ after 28 days

- Formaldehyde-free
- Lead-free, no heavy metals
- Solvent-free
- No harmful plasticizer
- Low VOC emission
- No glue
- Textile backing incorporating fibres from recycled plastic bottles

ENVIRONMENT

- 100% recyclable
- ISO 14001
- Soapy water cleaning



Scan and discover
The complete range



nerok tex

Realism and traffic-resistance
for a perfect stability



Ideal properties
for professional use



**Installation
without glue**



**Good resistance
to indentation**



Renovation installation



**Ideal for all
types of sites**



Easy-clean



Totally watertight




Warranty

15 years for residential use and
5 years for commercial use.



Scan and
discover
**INTERIOR
DESIGNER**





2273 - Elegant Smokey



- 1-Elegant Chestnut**
4 m: Code: 2798 2274 - EAN: 3475710527197
- 2-Elegant Kraft**
4 m: Code: 2798 2271 - EAN: 3475710527166
- 3-Elegant Mouse Grey**
4 m: Code: 2798 2272 - EAN: 3475710527173
- 4-Elegant Papyrus**
4 m: Code: 2798 2270 - EAN: 3475710527159
- 5-Elegant Smokey**
4 m: Code: 2798 2273 - EAN: 3475710527180
- 6-Elegant Tartufo**
4 m: Code: 2798 2269 - EAN: 3475710527142

nerok tex

Wood



- 1-Sherwood Cappuccino**
4 m: Code: 2798 2277 - EAN: 3475710527227
- 2-Sherwood Maple**
4 m: Code: 2798 2298 - EAN: 3475710529894
- 3-Sherwood Cream**
4 m: Code: 2798 2279 - EAN: 3475710527241
- 4-Sherwood Fog**
4 m: Code: 2798 2275 - EAN: 3475710527203
- 5-Sherwood Nut**
4 m: Code: 2798 2276 - EAN: 3475710527210
- 6-Sherwood Leather**
4 m: Code: 2798 2278 - EAN: 3475710527234




2279 - Sherwood Cream

nerok tex


All Over




1




2




3



4




5




6

- 1-Harlem Flanelle**
4 m: Code: 2798 2299 - EAN: 3475710529900
- 2-Harlem Pearl**
4 m: Code: 2798 2288 - EAN: 3475710527333
- 3-Harlem Goblin**
4 m: Code: 2798 2281 - EAN: 3475710527265
- 4-Harlem Stone**
4 m: Code: 2798 2280 - EAN: 3475710527258
- 5-Harlem Slate**
4 m: Code: 2798 2282 - EAN: 3475710527272


- 6-Harlem Mercury**
4 m: Code: 2798 2283 - EAN: 3475710527289
- 7-Harlem Powder**
4 m: Code: 2798 2287 - EAN: 3475710527326
- 8-Harlem Tin**
4 m: Code: 2798 2286 - EAN: 3475710527319
- 9-Harlem Mink**
4 m: Code: 2798 2285 - EAN: 3475710527302
- 10-Harlem Colombe**
4 m: Code: 2798 2284 - EAN: 3475710527296



7



8



9



10



2287 - Harlem Powder

Technical Characteristics

Description			
Total thickness	EN ISO 24346	mm	2.70
Wearlayer thickness	EN ISO 24340	mm	0.50
Weight / Mass per unit area	EN ISO 23997	g/sqm	2000
Width of sheet	EN ISO 24381	m	4
Length of sheet	EN ISO 24341	ml	± 30
Classification			
Norm / Product specification	-	-	EN 651
European classification	EN ISO 10874	class	33 - 42
Sound insulation	EN ISO 717/2	dB	14
Room impact noise	NF S 31074	class	A
Fire rating - Classification	EN 13501-1	class	C _{fl} -s1
Static electrical propensity	EN 1815	kV	< 2
Slip resistance wet: ramp test with oil	DIN 51 130	class	R9
Performances			
Wear group	EN 660-2	group	T
Dimensional stability (requirement)	EN ISO 23999	%	≤ 0.40
Dimensional stability (average measured value)	-	%	0.05
Residual indentation	EN ISO 24343-1	mm	≤ 0.20
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25
Colour fastness	EN 20 105-B02	degree	≥ 6
Surface treatment	-	-	Pureclean
Chemical products resistance	EN ISO 26987	class	OK
Guarantee residential use	-	year	15
Guarantee commercial use	-	year	5
Environment			
TVOC rate 28 days	EN ISO 16000-6	µg/m ³	< 100
French norm	-	-	A+

CE Marking			
	EN 14041		

Areas of use: domestic use & semi-commercial



HEALTH

TVOC < 100 µg/m³ after 28 days

- Formaldehyde-free
- Lead-free, no heavy metals
- Solvent-free
- No harmful plasticizer
- Low VOC emission
- No glue
- Textile backing incorporating fibres from recycled plastic bottles


ENVIRONMENT

- 100% recyclable
- ISO 14001
- Soapy water cleaning



Scan and discover
The complete range

nerok tex



Laying

Gerflor floor coverings are high quality products developed to last. No warranty can be claimed unless the product has been laid according to the following specifications:

The subfloor must be smooth, hard, dry and clean. Unroll the floor covering 24 hours before it is due to be installed. The floor covering should not be laid in rooms where the temperature is below 15°C. Although NEROK TEX is resistant to subfloor moisture we recommend that the floor construction should contain a Damp Proof Membrane. Can be installed on underfloor heating (up to 28°C). Cold-weld the joints for perfect water-tightness.

Thanks to its special patented composition, NEROK TEX can be laid directly on most existing subfloors using loose laying.

Subfloor preparation:
On wooden floorboards and on ceramic tiles: NEROK TEX can be laid directly without any subfloor preparation. No levelling compound (finishing) needs to be applied even if there are open joints:
- up to 5 mm wide and a maximum depth of 1 mm in existing tiling,
- up to 3 mm wide in wood flooring.

On textile carpeting (felt or needle punch): NEROK TEX can be

installed directly over the existing carpeting as it has excellent resistance to indentation.
On concrete: NEROK TEX can be installed loose-laid or semi-permanently without any special surface preparation. Use double-sided tape along the edges of the room. A rough concrete surface should be treated with a smoothing compound beforehand.

Installation:
Loose laying: Laying without glue recommended below and up to 35 sqm. Use double sided tape or hook & loop strips around the edges and along the joints for a perfect and invisible fit.

Permanent laying: Laying with glue mandatory above 35 sqm. Use a single stick acrylic glue (approximately 250 g/sqm) and a finely notched trowel and cold weld the joints.

Cleaning & Care

Initial cleaning: Before commencing a regular maintenance programme, initial cleaning of the floor will be necessary to remove dirt accumulated during laying and other building works. Remove debris, sweep floor and vacuum to remove loose dirt. Wash floor with damp mop and using cold water and neutral detergent. Replace the water and solution if necessary. Remove stubborn marks with a non-abrasive pad.

Maintenance: Remove loose dirt with a broom or vacuum cleaner. Wash floor with damp mop and used cold water.

Cleaning: Frequency of periodic maintenance will depend on the amount of traffic and on the type of laying. Wash floor with damp mop using cold water and neutral detergent.

Discoloration: Discolouration can occur in any resilient floor covering if it comes into contact with pigment-containing substances such as bituminous materials, mastic, asphalt, oil, shoes with black rubber soles, or rubber rollers may cause discoloration.

See index page 139



Scan and discover
INTERIOR
DESIGNER



texline

Without preparation...
Unroll... it's done !



Quick and easy to lay
No subfloor preparation / No glue



Economical
Saves extra costs



Comfortable underfoot
Sound insulated, warmth underfoot



Waterproof
Ideal for wet rooms (bathroom, kitchen...)



Resistant
High traffic rooms (living room, corridor...)



Easy to clean & hygienic
Living room, kids' bedroom



Warranty
12 years for residential use

MADE IN
FRANCE

texline

A bright and elegant selection for modern living spaces





- 1-Otelo Light Grey**
2 m: Code: 1349 2303 - EAN: 3475710547867
3 m: Code: 1619 2303 - EAN: 3475710548031
4 m: Code: 1519 2303 - EAN: 3475710547706
- 2-Otelo Natural**
2 m: Code: 1349 2304 - EAN: 3475710547874
3 m: Code: 1619 2304 - EAN: 3475710548048
4 m: Code: 1519 2304 - EAN: 3475710547713
- 3-Otelo White**
2 m: Code: 1349 2302 - EAN: 3475710547850
3 m: Code: 1619 2302 - EAN: 3475710548024
4 m: Code: 1519 2302 - EAN: 3475710547690
- 4-Otelo Beige**
2 m: Code: 1349 2306 - EAN: 3475710547898
3 m: Code: 1619 2306 - EAN: 3475710548062
4 m: Code: 1519 2306 - EAN: 3475710547737
- 5-Otelo Golden**
2 m: Code: 1349 2305 - EAN: 3475710547881
3 m: Code: 1619 2305 - EAN: 3475710548055
4 m: Code: 1519 2305 - EAN: 3475710547720
- 6-Sherwood Blond**
2 m: Code: 1349 2013 - EAN: 3475710375644
3 m: Code: 1619 2013 - EAN: 3475710392528
4 m: Code: 1519 2013 - EAN: 3475710375545
- 7-Noma Blond**
2 m: Code: 1349 1731 - EAN: 3475710306372
3 m: Code: 1619 1731 - EAN: 3475710311826
4 m: Code: 1519 1731 - EAN: 3475710306365
- 8-Sherwood Brown**
2 m: Code: 1349 2015 - EAN: 3475710375668
3 m: Code: 1619 2015 - EAN: 3475710375569
- 9-Noma Miel**
2 m: Code: 1349 0476 - EAN: 3475710217838
3 m: Code: 1619 0476 - EAN: 3475710221118
4 m: Code: 1519 0476 - EAN: 3475710215766



texline

A bright and elegant selection for modern living spaces



1-Azay Beige

2 m: Code: 1349 2309 - EAN: 3475710547928
3 m: Code: 1619 2309 - EAN: 3475710548093
4 m: Code: 1519 2309 - EAN: 3475710547768

2-Azay Gold

2 m: Code: 1349 2307 - EAN: 3475710547904
3 m: Code: 1619 2307 - EAN: 3475710548079
4 m: Code: 1519 2307 - EAN: 3475710547744

3-Azay Light Grey

2 m: Code: 1349 2308 - EAN: 3475710547911
3 m: Code: 1619 2308 - EAN: 3475710548086
4 m: Code: 1519 2308 - EAN: 3475710547751

4-Noma Clear

2 m: Code: 1349 1727 - EAN: 3475710316203
3 m: Code: 1619 1727 - EAN: 3475710311833
4 m: Code: 1519 1727 - EAN: 3475710306181

5-Farm Kola

2 m: Code: 1349 1401 - EAN: 3475710232374
4 m: Code: 1519 1401 - EAN: 3475710232343

6-Farm Pecan

2 m: Code: 1349 1393 - EAN: 3475710232053
3 m: Code: 1619 1393 - EAN: 3475710237225
4 m: Code: 1519 1393 - EAN: 3475710232046

7-Empire Blond

2 m: Code: 1349 2082 - EAN: 3475710396885
3 m: Code: 1619 2082 - EAN: 3475710411700
4 m: Code: 1519 2082 - EAN: 3475710392597

8-Timber Light

2 m: Code: 1349 1749 - EAN: 3475710316227
3 m: Code: 1619 1749 - EAN: 3475710313080
4 m: Code: 1519 1749 - EAN: 3475710312977

9-Timber Classic

2 m: Code: 1349 1736 - EAN: 3475710311147
3 m: Code: 1619 1736 - EAN: 3475710311116
4 m: Code: 1519 1736 - EAN: 3475710311086

10-Timber Naturel

2 m: Code: 1349 1740 - EAN: 3475710316234
3 m: Code: 1619 1740 - EAN: 3475710313110
4 m: Code: 1519 1740 - EAN: 3475710313004

11-Bruges Brown

2 m: Code: 1349 1970 - EAN: 3475710358845
3 m: Code: 1619 1970 - EAN: 3475710359446
4 m: Code: 1519 1970 - EAN: 3475710358715

12-Castle Blond




2 m: Code: 1349 1802 - EAN: 3475710318436
4 m: Code: 1519 1802 - EAN: 3475710318412

13-Hudson Blond

2 m: Code: 1349 1887 - EAN: 3475710337925
3 m: Code: 1619 1887 - EAN: 3475710359699
4 m: Code: 1519 1887 - EAN: 3475710336027

14-Chêne Medium

2 m: Code: 1349 0405 - EAN: 3475710217807
4 m: Code: 1519 0405 - EAN: 3475710217180






1




2




3




2139 - Savannah Naturel




4




5




6



7



8



9







- 1-Savannah Blond**
2 m: Code: 1349 2138 - EAN: 3475710426551
3 m: Code: 1619 2138 - EAN: 3475710426957
4 m: Code: 1519 2138 - EAN: 3475710425950
- 2-Savannah Naturel**
2 m: Code: 1349 2139 - EAN: 3475710426568
3 m: Code: 1619 2139 - EAN: 3475710426964
4 m: Code: 1519 2139 - EAN: 3475710425967
- 3-Sherwood Clear**
2 m: Code: 1349 2012 - EAN: 3475710375637
3 m: Code: 1619 2012 - EAN: 3475710414961
4 m: Code: 1519 2012 - EAN: 3475710375538
- 4-Sherwood White**
2 m: Code: 1349 2137 - EAN: 3475710426544
3 m: Code: 1619 2137 - EAN: 3475710426940
4 m: Code: 1519 2137 - EAN: 3475710425943
- 5-Wild White**
2 m: Code: 1349 2142 - EAN: 3475710426599
3 m: Code: 1619 2142 - EAN: 3475710426995
4 m: Code: 1519 2142 - EAN: 3475710425998
- 6-Playa White**
2 m: Code: 1333 1193 - EAN: 3475710218927
4 m: Code: 1503 1193 - EAN: 3475710218767
- 7-Hudson White**
2 m: Code: 1349 1879 - EAN: 3475710337864
3 m: Code: 1619 1879 - EAN: 3475710359668
4 m: Code: 1519 1879 - EAN: 3475710335921
- 8-Factory White**
2 m: Code: 1349 1518 - EAN: 3475710245282
4 m: Code: 1519 1518 - EAN: 3475710245251
- 9-Noma Blanc**
2 m: Code: 1349 0515 - EAN: 3475710221231
3 m: Code: 1619 0515 - EAN: 3475710262821
4 m: Code: 1519 0515 - EAN: 3475710216381

texline

A bright and elegant selection for modern living spaces



1626 - Boston Grey



1-Factory Perle
 2 m: Code: 1349 1535 - EAN: 3475710246395
 4 m: Code: 1519 1535 - EAN: 3475710246371

2-Boston Grey
 2 m: Code: 1349 1626 - EAN: 3475710267840
 3 m: Code: 1619 1626 - EAN: 3475710267772
 4 m: Code: 1519 1626 - EAN: 3475710267420

3-Sherwood Dark
 2 m: Code: 1349 2014 - EAN: 3475710375651
 4 m: Code: 1519 2014 - EAN: 3475710375552

4-Hudson Dark
 2 m: Code: 1349 1881 - EAN: 3475710337857
 3 m: Code: 1619 1881 - EAN: 3475710359651
 4 m: Code: 1519 1881 - EAN: 3475710335914

5-Empire Dark Grey
 2 m: Code: 1349 2069 - EAN: 3475710396892
 3 m: Code: 1619 2069 - EAN: 3475710411717
 4 m: Code: 1519 2069 - EAN: 3475710392603



6-Noma Chocolate
 2 m: Code: 1349 0475 - EAN: 3475710220982
 3 m: Code: 1619 0475 - EAN: 3475710222382
 4 m: Code: 1519 0475 - EAN: 3475710215773




1881 - Hudson Dark

texline

A bright and elegant selection for modern living spaces



- 1-Wild Pearl**
2 m: Code: 1349 2143 - EAN: 3475710426605
3 m: Code: 1619 2143 - EAN: 3475710427008
4 m: Code: 1519 2143 - EAN: 3475710426001
- 2-Hudson Pearl**
2 m: Code: 1349 1880 - EAN: 3475710337871
3 m: Code: 1619 1880 - EAN: 3475710362361
4 m: Code: 1519 1880 - EAN: 3475710335938
- 3-Timber Grey**
2 m: Code: 1349 1751 - EAN: 3475710316210
3 m: Code: 1619 1751 - EAN: 3475710313103
4 m: Code: 1519 1751 - EAN: 3475710312991
- 4-Sherwood Grey**
2 m: Code: 1349 2017 - EAN: 3475710376580
4 m: Code: 1519 2017 - EAN: 3475710375613
- 5-Savannah Grey**
2 m: Code: 1349 2140 - EAN: 3475710426575
3 m: Code: 1619 2140 - EAN: 3475710426971
4 m: Code: 1519 2140 - EAN: 3475710425974



- 1-Patchwood Blond**
2 m: Code: 1349 2232 - EAN: 3475710464652
4 m: Code: 1519 2232 - EAN: 3475710463310


texline

A bright and elegant selection for modern living spaces




1-Westwood Grey
 2 m: Code: 1349 1957 - EAN: 3475710358807
 4 m: Code: 1519 1957 - EAN: 3475710357206

2-Westwood Brown
 2 m: Code: 1349 1951 - EAN: 3475710355714
 4 m: Code: 1519 1951 - EAN: 3475710355608




1951 - Westwood Brown




1-Harbor Nature
 2 m: Code: 1349 1900 - EAN: 3475710337901
 3 m: Code: 1619 1900 - EAN: 3475710359705
 4 m: Code: 1519 1900 - EAN: 3475710337512

2-Harbor Blue
 2 m: Code: 1349 1893 - EAN: 3475710337888
 3 m: Code: 1619 1893 - EAN: 3475710370397
 4 m: Code: 1519 1893 - EAN: 3475710337499




3-Harbor Pearl
 2 m: Code: 1349 1901 - EAN: 3475710337918
 3 m: Code: 1619 1901 - EAN: 3475710359712
 4 m: Code: 1519 1901 - EAN: 3475710337529

4-Opera Naturel
 2 m: Code: 1349 2155 - EAN: 3475710427725
 3 m: Code: 1619 2155 - EAN: 3475710427701
 4 m: Code: 1519 2155 - EAN: 3475710427671



5-Opera Clear
 2 m: Code: 1349 2156 - EAN: 3475710427732
 3 m: Code: 1619 2156 - EAN: 3475710427718
 4 m: Code: 1519 2156 - EAN: 3475710427695



1893 - Harbor Blue



2311 - Gastown Mineral

1-Gastown Mineral

2 m: Code: 1349 2311 - EAN: 3475710547942
 3 m: Code: 1619 2311 - EAN: 3475710548116
 4 m: Code: 1519 2311 - EAN: 3475710547782

2-Gastown Ocre

2 m: Code: 1349 2310 - EAN: 3475710547935
 3 m: Code: 1619 2310 - EAN: 3475710548109
 4 m: Code: 1519 2310 - EAN: 3475710547775

3-Alma Blue

2 m: Code: 1349 2301 - EAN: 3475710547843
 3 m: Code: 1619 2301 - EAN: 3475710548017
 4 m: Code: 1519 2301 - EAN: 3475710547676

4-Alma Grey


2 m: Code: 1349 2300 - EAN: 3475710547836
 3 m: Code: 1619 2300 - EAN: 3475710547997
 4 m: Code: 1519 2300 - EAN: 3475710547669

5-Etna Grey

2 m: Code: 1349 2100 - EAN: 3475710396427
 4 m: Code: 1519 2100 - EAN: 3475710396397

6-Etna Dark Grey

2 m: Code: 1349 2098 - EAN: 3475710396403
 4 m: Code: 1519 2098 - EAN: 3475710396373



2098 - Etna Dark Grey



Modern and versatile floors for an aesthetic harmony



1-Provence Creme
 2 m: Code: 1349 1955 - EAN: 3475710359279
 3 m: Code: 1619 1955 - EAN: 3475710359781
 4 m: Code: 1519 1955 - EAN: 3475710357183


2-Provence Black & White
 2 m: Code: 1349 1981 - EAN: 3475710374517
 4 m: Code: 1519 1981 - EAN: 3475710369278




1955 - Provence Creme



2078 - Cordoba Grey



3



4

3-Cordoba Blue
 2 m: Code: 1349 2080 - EAN: 3475710396861
 3 m: Code: 1619 2080 - EAN: 3475710428418
 4 m: Code: 1519 2080 - EAN: 3475710392573

4-Cordoba Grey
 2 m: Code: 1349 2078 - EAN: 3475710396847
 3 m: Code: 1619 2078 - EAN: 3475710411731
 4 m: Code: 1519 2078 - EAN: 3475710392559


texline

Modern and versatile floors for an aesthetic harmony


- 1-Basal Black**
2 m: Code: 1349 2313 - EAN: 3475710547966
4 m: Code: 1519 2313 - EAN: 3475710547805
- 2-Basal White**
2 m: Code: 1349 2312 - EAN: 3475710547959
3 m: Code: 1619 2312 - EAN: 3475710548123
4 m: Code: 1519 2312 - EAN: 3475710547799
- 3-Tivoli Grey**
2 m: Code: 1349 1969 - EAN: 3475710358821
4 m: Code: 1519 1969 - EAN: 3475710358074
- 4-Tivoli Light Grey**
2 m: Code: 1349 1965 - EAN: 3475710358838
4 m: Code: 1519 1965 - EAN: 3475710357695
- 5-Tivoli Clear**
2 m: Code: 1349 1968 - EAN: 3475710358814
4 m: Code: 1519 1968 - EAN: 3475710358067



2313 - Basal Black



1949 - Fjord Light Grey




- 1-Fjord Light Grey**
2 m: Code: 1349 1949 - EAN: 3475710355691
3 m: Code: 1619 1949 - EAN: 3475710359736
4 m: Code: 1519 1949 - EAN: 3475710355578
- 2-Fjord Black**
2 m: Code: 1349 2011 - EAN: 3475710375620
3 m: Code: 1619 2011 - EAN: 3475710392511
4 m: Code: 1519 2011 - EAN: 3475710375521
- 3-Granite Green**
2 m: Code: 1333 0618 - EAN: 3475710217548
3 m: Code: 1603 0618 - EAN: 3475710236600
4 m: Code: 1503 0618 - EAN: 3475710217258
- 4-Granite Dark Grey**
2 m: Code: 1333 0617 - EAN: 3475710236624
3 m: Code: 1603 0617 - EAN: 3475710236594
4 m: Code: 1503 0617 - EAN: 3475710218736



2314 - Comete Light Grey

1-Comete Light Grey
 2 m: Code: 1349 2314 - EAN: 3475710547973
 4 m: Code: 1519 2314 - EAN: 3475710547812

2-Comete Medium Grey
 2 m: Code: 1349 2315 - EAN: 3475710547980
 4 m: Code: 1519 2315 - EAN: 3475710547829



1




2




2144 - Confetti Beige

1-Confetti Beige
 2 m: Code: 1349 2144 - EAN: 3475710426612
 3 m: Code: 1619 2144 - EAN: 3475710427015
 4 m: Code: 1519 2144 - EAN: 3475710426018

2-Confetti Dark
 2 m: Code: 1349 2146 - EAN: 3475710426636
 3 m: Code: 1619 2146 - EAN: 3475710427039
 4 m: Code: 1519 2146 - EAN: 3475710426032



1



2



1734 - Madras Storm



1-Madras Grey
 2 m: Code: 1349 1051 - EAN: 3475710217302
 3 m: Code: 1619 1051 - EAN: 3475710221163
 4 m: Code: 1519 1051 - EAN: 3475710217296

2-Madras White
 2 m: Code: 1349 1479 - EAN: 3475710239601
 3 m: Code: 1619 1479 - EAN: 3475710239540
 4 m: Code: 1519 1479 - EAN: 3475710239380

3-Madras Storm
 2 m: Code: 1349 1734 - EAN: 3475710311123
 3 m: Code: 1619 1734 - EAN: 3475710311093
 4 m: Code: 1519 1734 - EAN: 3475710311062

4-Madras Anthracite
 2 m: Code: 1349 1735 - EAN: 3475710311130
 3 m: Code: 1619 1735 - EAN: 3475710311109
 4 m: Code: 1519 1735 - EAN: 3475710311079

5-Madras Uranus
 2 m: Code: 1349 2119 - EAN: 3475710432941
 4 m: Code: 1519 2119 - EAN: 3475710415944





6-Madras Silver
 2 m: Code: 1349 1593 - EAN: 3475710463952
 4 m: Code: 1519 1593 - EAN: 3475710463358

7-Shade White
 2 m: Code: 1349 2150 - EAN: 3475710426674
 3 m: Code: 1619 2150 - EAN: 3475710427077
 4 m: Code: 1519 2150 - EAN: 3475710426070

8-Shade Light Grey
 2 m: Code: 1349 2151 - EAN: 3475710426698
 3 m: Code: 1619 2151 - EAN: 3475710427084
 4 m: Code: 1519 2151 - EAN: 3475710426087

9-Shade Grey
 2 m: Code: 1349 2152 - EAN: 3475710426704
 3 m: Code: 1619 2152 - EAN: 3475710427091
 4 m: Code: 1519 2152 - EAN: 3475710426094

10-Shade Anthracite
 2 m: Code: 1349 2153 - EAN: 3475710426711
 3 m: Code: 1619 2153 - EAN: 3475710427107
 4 m: Code: 1519 2153 - EAN: 3475710426100



Technical Characteristics

Description			
Total thickness	EN ISO 24346	mm	2.90
Wearlayer thickness	EN ISO 24340	mm	0.35
Weight / Mass per unit area	EN ISO 23997	g/sqm	2000
Width of sheet	EN ISO 24381	m	2 / 3 / 4
Length of sheet	EN ISO 24341	ml	± 25
Classification			
Norm / Product specification	-	-	EN ISO 26986
European classification	EN ISO 10874	class	23/31
Sound insulation	EN ISO 717/2	dB	16
Room impact noise	NF S 31074	class	A
Fire rating - Classification - Wood support loose laying	EN 13501-1	class	C _{fl} -s1
Fire rating - Classification - Wood support permanent laying	EN 13501-1	class	C _{fl} -s1
Slip resistance wet: ramp test with oil	DIN 51 130	class	R10
Performances			
Wear group	EN 660-2	group	T
Dimensional stability after exposure to heat	EN ISO 23999	%	0.05
Residual indentation (requirement)	EN ISO 24343-1	mm	< 0.35
Residual indentation (average value measured)	EN ISO 24343-1	mm	0.20
Residual indentation (requirement)	EN ISO 24343-2	mm	< 0.35
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25
Colour fastness	EN 20 105-B02	degree	≥ 6
Surface treatment	-	-	Pureclean
Guarantee residential use	-	year	12
Environment			
TVOC rate 28 days	EN ISO 16000-6	µg/m ³	< 100
French norm	-	-	A+
Floorscore (US norm)	-	-	OK
Agbb (German norm)	-	-	OK
CE Marking			
CE	EN 14041		

Areas of use: domestic use



HEALTH

TVOC < 100 µg/m³ after 28 days

- Formaldehyde-free
- Lead-free, no heavy metals
- Solvent-free
- No harmful plasticizer
- Low VOC emission
- No glue
- Textile backing incorporating fibres from recycled plastic bottles


ENVIRONMENT

- 100% recyclable
- ISO 14001
- Soapy water cleaning



Scan and discover
The complete range

texline



Laying

Gerflor floor coverings are high quality products developed to last. No warranty can be claimed unless the product has been laid according to the following specifications:

The subfloor must be smooth, hard, dry and clean. Unroll the floor covering 24 hours before it is due to be installed. The floor covering should not be laid in rooms where the temperature is below 15°C. Although Texline is resistant to subfloor moisture we recommend that the floor construction should contain a Damp Proof Membrane. Can be installed on underfloor heating (up to 28°C). Cold-weld the joints for perfect water-tightness.

Thanks to its special patented composition, Texline can be laid directly on most existing subfloors using loose laying.

Subfloor preparation:

On wooden floorboards and on ceramic tiles: Texline can be laid directly without any subfloor preparation. No levelling compound (finishing) needs to be applied even if there are open joints:

- up to 5 mm wide and a maximum depth of 1 mm in existing tiling,
- up to 3 mm wide in wood flooring.

On textile carpeting (felt or needle punch): Texline can be installed directly over the existing carpeting as it has excellent resistance to indentation.

On concrete: Texline can be installed loose-laid or semi-permanently without any special surface preparation. Use double-sided tape along the edges of the room.

A rough concrete surface should be treated with a smoothing compound beforehand.

Installation:

Loose laying: Laying without glue recommended below and up to 35 sqm. Use double sided tape or hook & loop strips around the edges and along the joints for a perfect and invisible fit.

Permanent laying: Laying with glue mandatory above 35 sqm. Use a single stick acrylic glue (approximately 250 g/sqm) and a finely notched trowel and cold weld the joints.

Cleaning & Care

Initial cleaning: Before commencing a regular maintenance programme, initial cleaning of the floor will be necessary to remove dirt accumulated during laying and other building works. Remove debris, sweep floor and vacuum to remove loose dirt. Wash floor with damp mop and using cold water and neutral detergent. Replace the water and solution if necessary. Remove stubborn marks with a non-abrasive pad.

Maintenance: Remove loose dirt with a broom or vacuum cleaner. Wash floor with damp mop and used cold water.


Cleaning: Frequency of periodic maintenance will depend on the amount of traffic and on the type of laying. Wash floor with damp mop using cold water and neutral detergent.

Discoloration: Discolouration can occur in any resilient floor covering if it comes into contact with pigment-containing substances such as bituminous materials, mastic, asphalt, oil, shoes with black rubber soles, or rubber rollers may cause discoloration.

See index page 139



Scan and discover
INTERIOR
DESIGNER



loftex

The best of GFT technology
by GERFLOR



Easy looselay Installation



Easy to lay



Optimal comfort



High resistant



Warranty
12 years for residential use






MADE IN
FRANCE

loftex

Wood & mineral



- 1-Canopy Nutmeg**
2 m: Code: 1023 2291 - EAN: 3475710528767
4 m: Code: 2494 2291 - EAN: 3475710528484
- 2-Canopy Hazelnut**
2 m: Code: 1023 2289 - EAN: 3475710528743
4 m: Code: 2494 2289 - EAN: 3475710528460
- 3- Keywest Serenity**
2 m: Code: 1023 2292 - EAN: 3475710528774
4 m: Code: 2494 2292 - EAN: 3475710528491
- 4-Keywest Misty**
2 m: Code: 1023 2293 - EAN: 3475710528781
4 m: Code: 2494 2293 - EAN: 3475710528507
- 5-Boutic Light Grey**
2 m: Code: 1023 2169 - EAN: 3475710436772
4 m: Code: 2494 2169 - EAN: 3475710431753
- 6-Opera Grey**
2 m: Code: 1023 2172 - EAN: 3475710436819
4 m: Code: 2494 2172 - EAN: 3475710431791
- 7-Canopy Sesame**
2 m: Code: 1023 2290 - EAN: 3475710528750
4 m: Code: 2494 2290 - EAN: 3475710528477
- 8-Boutic Clear**
2 m: Code: 1023 2170 - EAN: 3475710436789
4 m: Code: 2494 2170 - EAN: 3475710431760
- 9-Lux Natural**
2 m: Code: 1023 2166 - EAN: 3475710436901
4 m: Code: 2494 2166 - EAN: 3475710431722
- 10-Boutic Medium**
2 m: Code: 1023 2168 - EAN: 3475710436765
4 m: Code: 2494 2168 - EAN: 3475710431746
- 11-Opera Naturel**
2 m: Code: 1023 2155 - EAN: 3475710436802
4 m: Code: 2494 2155 - EAN: 3475710431784
- 12-Boutic Naturel**
2 m: Code: 1023 2171 - EAN: 3475710436796
4 m: Code: 2494 2171 - EAN: 3475710431777
- 13-Lux Blond**
2 m: Code: 1023 2167 - EAN: 3475710436918
3 m: Code: 2994 2167 - EAN: 3475710528590
4 m: Code: 2494 2167 - EAN: 3475710431739
- 14-Manitoba Hêtre**
2 m: Code: 1023 0402 - EAN: 3475710440021
4 m: Code: 2494 0402 - EAN: 3475710438899



loftex

Wood & mineral



1-Origin Light Grey
 2 m : Code : 1023 2174 - EAN : 3475710436833
 4 m : Code : 2494 2174 - EAN : 3475710431814

2-Origin Cream
 2 m : Code : 1023 2173 - EAN : 3475710436826
 4 m : Code : 2494 2173 - EAN : 3475710431807

3-Tweed Junco
 2 m : Code : 1023 2297 - EAN : 3475710528996
 4 m : Code : 2494 2297 - EAN : 3475710528880











4-Nevada Grey
 2 m : Code : 1023 2185 - EAN : 3475710528965
 4 m : Code : 2494 2185 - EAN : 3475710528859

5-Leone Metal
 2 m : Code : 1023 2132 - EAN : 3475710436840
 4 m : Code : 2494 2132 - EAN : 3475710431821

6-Nevada Light Grey
 2 m : Code : 1023 2164 - EAN : 3475710436888
 4 m : Code : 2494 2164 - EAN : 3475710431708

7-Nevada Cream
 2 m : Code : 1023 2163 - EAN : 3475710436871
 4 m : Code : 2494 2163 - EAN : 347571043169

8-Leone Cream
 2 m : Code : 1023 2135 - EAN : 3475710436857
 4 m : Code : 2494 2135 - EAN : 3475710431838



1

2

3

6

9

4

7

10

5

8

11

Technical Characteristics

Description			
Total thickness	EN ISO 24346	mm	2.50
Wearlayer thickness	EN ISO 24340	mm	0.30
Weight / Mass per unit area	EN ISO 23997	g/sqm	1675
Width of sheet	EN ISO 24381	m	2 / 4
Length of sheet	EN ISO 24341	ml	± 30
Classification			
Norm / Product specification	-	-	EN ISO 26986
European classification	EN ISO 10874	class	23/31
Sound insulation	EN ISO 717/2	dB	15
Room impact noise	NF S 31074	class	A
Fire rating - Classification - Wood support loose laying	EN 13501-1	class	C _{fl} -s1
Fire rating - Classification - Wood support permanent laying	EN 13501-1	class	C _{fl} -s1
Slip resistance wet: ramp test with oil	DIN 51 130	class	R10
Performances			
Wear group	EN 660-2	group	T
Dimensional stability after exposure to heat	EN ISO 23999	%	0.05
Residual indentation (requirement)	EN ISO 24343-2	mm	< 0.35
Residual indentation (average value measured)	EN ISO 24343-2	mm	0.20
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25
Colour fastness	EN 20 105-B02	degree	> 6
Surface treatment	-	-	Pureclean
Guarantee residential use		year	12
Environment			
TVOC rate 28 days	EN ISO 16000-6	µg/m ³	< 100
French norm	-	-	A+
Floorscore	-	-	OK

CE Marking			
	EN 14041		

Areas of use: domestic use



HEALTH

TVOC < 100 µg/m³ after 28 days

- Formaldehyde-free
- Lead-free, no heavy metals
- Solvent-free
- No harmful plasticizer
- Low VOC emission
- No glue
- Textile backing incorporating fibres from recycled plastic bottles


ENVIRONMENT

- 100% recyclable
- ISO 14001
- Soapy water cleaning



Scan and discover
The complete range

loftex



Laying

The subfloor must be smooth, clean, dry, undamaged and flat.
Recommendations: unroll the floorcovering 24 hours before laying.
 Floor covering should not be laid in rooms at a temperature below 15°C.
 Can be installed on underfloor heating (up to 28°C).
 Weld the joints (cold-treatment product) to ensure good water-tightness.

Recommended laying methods:

- Loose laying without glue: up to 35 sqm.
- Laying without glue, with double-sided tape or hook & loop strips around the edges of the room: over 35 sqm.
- Laying without preparation if joint < 3 mm wide and depth < 1 mm.

If permanent laying with glue: use a single stick acrylic glue (approximately 250 g/sqm).
 Use a finely-notched trowel.

Cleaning & Care

Regular cleaning with a vacuum cleaner, dust mop or a wet cloth.

Cleaning: with water and a neutral detergent; rinse with clean water.

Stain removal: White Spirit removes almost all stains.
 Do not use solvents.

Precautions: do not use floor wax.
 Avoid rubber leg caps and casters. Replace with plastic caps and polyamide casters.
 Protect the bases and legs of your waxed furniture with a felt disc.
 Avoid double-sided adhesives based on rubber and carpets with rubber backing.

See index page 139



primetex

- thick, + resistant
the best value for money



**No glue
& non-tear!**



Quick and easy to lay



Economical

Saves extra costs



Watertight

Ideal for wet rooms
(bathroom, kitchen...)



Easy to clean & hygienic




Warranty

8 years for Diamalite surface treatment
and 12 years for Pureclean surface
treatment



Scan and
discover
**INTERIOR
DESIGNER**




primetex

Wood



- 1-Azay Cream**
2 m: Code: 1368 2346 - EAN: 3475710608186
4 m: Code: 1548 2346 - EAN: 3475710607608
- 2-Azay Brown**
2 m: Code: 1368 2347 - EAN: 3475710608193
4 m: Code: 1548 2347 - EAN: 3475710607622
- 3-Aloha Tartufo**
2 m: Code: 1368 2348 - EAN: 3475710608209
4 m: Code: 1548 2348 - EAN: 3475710607639
- 4-Timber Golden**
2 m: Code: 1368 2351 - EAN: 3475710608230
4 m: Code: 1548 2351 - EAN: 3475710607677
- 5-Cognac Scandi Oak**
2 m: Code: 1368 2350 - EAN: 3475710608223
4 m: Code: 1548 2350 - EAN: 3475710607660
- 6-Aloha Mapple**
2 m: Code: 1368 2349 - EAN: 3475710608216
4 m: Code: 1548 2349 - EAN: 3475710607646



2347 - Azay Brown



2007 - Cognac Blond



- 1-Timber Clear**
2 m: Code: 1368 0720 - EAN: 3475710250637
3 m: Code: 1648 0720 - EAN: 3475710250699
4 m: Code: 1548 0720 - EAN: 3475710250521
- 2-Cognac Blond**
2 m: Code: 1368 2007 - EAN: 3475710372575
3 m: Code: 1648 2007 - EAN: 3475710395949
4 m: Code: 1548 2007 - EAN: 3475710374449
- 3-Timber Medium**
2 m: Code: 1368 0721 - EAN: 3475710250644
4 m: Code: 1548 0721 - EAN: 3475710250538
- 4-Newport Pecan**
2 m: Code: 1368 1538 - EAN: 3475710249884
3 m: Code: 1648 1538 - EAN: 3475710250767
4 m: Code: 1548 1538 - EAN: 3475710249822
- 5-Cajou Honey**
2 m: Code: 1368 1236 - EAN: 3475710250583
4 m: Code: 1548 1236 - EAN: 3475710250477
- 6-Factory Pecan**
2 m: Code: 1368 1533 - EAN: 3475710249891
3 m: Code: 1648 1533 - EAN: 3475710324772
4 m: Code: 1548 1533 - EAN: 3475710249839
- 7-Cognac Pearl**
2 m: Code: 1368 2006 - EAN: 3475710372568
3 m: Code: 1648 2006 - EAN: 3475710395932
4 m: Code: 1548 2006 - EAN: 3475710374432

primetex


Wood




1



2



3



4



5



6


- 1-Fabrik White**
2 m: Code: 1368 1921 - EAN: 3475710373244
4 m: Code: 1548 1921 - EAN: 3475710349232
- 2-Lodge Milk**
2 m: Code: 1368 1439 - EAN: 3475710557361
4 m: Code: 1548 1439 - EAN: 3475710557255
- 3-Oak Select Pearl**
2 m: Code: 1368 2319 - EAN: 3475710557330
4 m: Code: 1548 2319 - EAN: 3475710557224
- 4-Newport Ivory**
2 m: Code: 1368 2320 - EAN: 3475710557347
4 m: Code: 1548 2320 - EAN: 3475710557231
- 5-Playa White**
2 m: Code: 1367 1193 - EAN: 3475710217623
3 m: Code: 1647 1193 - EAN: 3475710222610
4 m: Code: 1547 1193 - EAN: 3475710216121
- 6-Newport Vinales**
2 m: Code: 1368 2321 - EAN: 3475710557354
3 m: Code: 1648 2321 - EAN: 3475710557309
4 m: Code: 1548 2321 - EAN: 3475710557248



1439 - Lodge Milk

Bleached, grayed | Wood

- 7-Nordic White**
2 m: Code: 1368 1681 - EAN: 3475710304736
3 m: Code: 1648 1681 - EAN: 3475710324789
4 m: Code: 1548 1681 - EAN: 3475710304712
- 8-Cognac Blanc**
2 m: Code: 1368 2068 - EAN: 3475710392115
4 m: Code: 1548 2068 - EAN: 3475710391026
- 9-Noma Cloud**
2 m: Code: 1368 2200 - EAN: 3475710546822
3 m: Code: 1648 2200 - EAN: 3475710472039
4 m: Code: 1548 2200 - EAN: 3475710441790
- 10-Newport White**
2 m: Code: 1368 1528 - EAN: 3475710249860
3 m: Code: 1648 1528 - EAN: 3475710317651
4 m: Code: 1548 1528 - EAN: 3475710249808
- 11-Fabrik Grey**
2 m: Code: 1368 1800 - EAN: 3475710318375
3 m: Code: 1648 1800 - EAN: 3475710439445
4 m: Code: 1548 1800 - EAN: 3475710318344



7




8



9



10



11

primetex


Wood

Dark | Wood




1973 - Lewis Grey

- 1-Cajou Grey**
2 m: Code: 1368 1151 - EAN: 3475710306433
4 m: Code: 1548 1151 - EAN: 3475710306174
- 2-Factory Anthracite**
2 m: Code: 1368 1532 - EAN: 3475710248221
4 m: Code: 1548 1532 - EAN: 3475710248214
- 3-Cognac Grey**
2 m: Code: 1368 2016 - EAN: 3475710373237
3 m: Code: 1648 2016 - EAN: 3475710395826
4 m: Code: 1548 2016 - EAN: 3475710375576
- 4-Lewis Grey**
2 m: Code: 1368 1973 - EAN: 3475710360077
4 m: Code: 1548 1973 - EAN: 3475710360060




1151 - Cajou Grey



prime^{tex}

Wood



1-Prisme Blond
 2 m: Code: 1368 2061 - EAN: 3475710392078
 4 m: Code: 1548 2061 - EAN: 3475710389276






2061 - Prisme Blond



2009 - Versailles Naturel


Atypical | Wood

- 1-Fisherman Ocean**
 2 m: Code: 1368 1667 - EAN: 3475710300431
 3 m: Code: 1648 1667 - EAN: 3475710374524
 4 m: Code: 1548 1667 - EAN: 3475710300424
- 2-Fisherman Washed**
 2 m: Code: 1368 1728 - EAN: 3475710306334
 3 m: Code: 1648 1728 - EAN: 3475710317644
 4 m: Code: 1548 1728 - EAN: 3475710306143
- 3-Versailles Naturel**
 2 m: Code: 1368 2009 - EAN: 3475710372599
 4 m: Code: 1548 2009 - EAN: 3475710374463




prime^{tex}

Graphic



1-Cordoba Black And White
 2 m: Code: 1368 2226 - EAN: 3475710557316
 3 m: Code: 1648 2226 - EAN: 3475710557262
 4 m: Code: 1548 2226 - EAN: 3475710557200




2-Handmade Blue
 2 m: Code: 1368 2054 - EAN: 3475710392009
 4 m: Code: 1548 2054 - EAN: 3475710389207



2226 - Cordoba Black And White

prime^{tex}

Mineral




0015 - Damier Black & White

1-Verone Light Grey
 2 m: Code: 1367 1284 - EAN: 3475710216589
 4 m: Code: 1547 1284 - EAN: 3475710215131

2-Nice Stone
 2 m: Code: 1368 2130 - EAN: 3475710443923
 4 m: Code: 1548 2130 - EAN: 3475710419355

3-Victoria Light
 2 m: Code: 1367 1547 - EAN: 3475710331916
 4 m: Code: 1547 1547 - EAN: 3475710331893


4-Damier Black & White
 2 m: Code: 1368 0015 - EAN: 3475710557323
 4 m: Code: 1548 0015 - EAN: 3475710557217



4




2054 - Handmade Blue



2

prime^tex

All Over



1-Leone Light

2 m: Code: 1368 2063 - EAN: 3475710392092
4 m: Code: 1548 2063 - EAN: 3475710389290

2-Leone Clear

2 m: Code: 1368 2064 - EAN: 3475710392108
4 m: Code: 1548 2064 - EAN: 3475710389306

3-Leone Powder

2 m: Code: 1368 2345 - EAN: 3475710608179
4 m: Code: 1548 2345 - EAN: 3475710607592

4-Dune Grey

2 m: Code: 1367 1589 - EAN: 3475710264559
3 m: Code: 1647 1589 - EAN: 3475710317637
4 m: Code: 1547 1589 - EAN: 3475710264528

5-Harlem Taupe

2 m: Code: 1234 1845 - EAN: 3475710340352
4 m: Code: 1734 1845 - EAN: 3475710329722

6-Leone Anthracite

2 m: Code: 1368 2133 - EAN: 3475710466632
3 m: Code: 1648 2133 - EAN: 3475710528330
4 m: Code: 1548 2133 - EAN: 3475710464874

7-Dune White

2 m: Code: 1367 1588 - EAN: 3475710264542
4 m: Code: 1547 1588 - EAN: 3475710264511

8-Gravel Beige


2 m: Code: 1304 0711 - EAN: 3475710181313
3 m: Code: 1564 0711 - EAN: 3475710180897
4 m: Code: 1474 0711 - EAN: 3475710180323

9-Gravel Grey

2 m: Code: 1304 0712 - EAN: 3475710181320
3 m: Code: 1564 0712 - EAN: 3475710180903
4 m: Code: 1474 0712 - EAN: 3475710180330



1588 - Dune White



10-Cork Naturel

2 m: Code: 1304 0027 - EAN: 3475710181290
3 m: Code: 1564 0027 - EAN: 3475710180873
4 m: Code: 1474 0027 - EAN: 3475710180309

11-Cricket Green

2 m: Code: 1368 2323 - EAN: 3475710560699
4 m: Code: 1548 2323 - EAN: 3475710560668

Technical Characteristics

	Diamalite		Pureclean	
Description				
Total thickness	EN ISO 24346	mm	2.0	
Wearlayer thickness	EN ISO 24340	mm	0.20	0.25
Weight / Mass per unit area	EN ISO 23997	g/sqm	1370	1390
Width of sheet	EN ISO 24381	m	2 / 3 / 4	
Length of sheet	EN ISO 24341	ml	± 30	
Classification				
Norm / Product specification	-	-	EN ISO 26986	
European classification	EN ISO 10874	class	22	23/31
Sound insulation	EN ISO 717/2	dB	15	
Room impact noise	NF S 31074	class	A	
Fire rating - Classification - Wood support loose laying	EN 13501-1	class	C _{fl} -s1	
Fire rating - Classification - Wood support permanent laying	EN 13501-1	class	C _{fl} -s1	
Slip resistance wet: ramp test with oil	DIN 51 130	class	R9	R10
Performances				
Wear group	EN 660-2	group	T	
Dimensional stability after exposure to heat	EN ISO 23999	%	0.05	
Residual indentation (requirement)	EN ISO 24343-1	mm	< 0.35	
Residual indentation (average value measured)	EN ISO 24343-1	mm	0.25	0.20
Residual indentation (requirement)	EN ISO 24343-2	mm	< 0.35	
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25	
Colour fastness	EN 20 105-B02	degree	≥ 6	
Surface treatment	-	-	Diamalite	Pureclean
Guarantee residential use	-	year	8	12
Environment				
TVOC rate 28 days	EN ISO 16000-6	µg/m ³	< 100	
French norm	-	-	A+	
Floorscore (US norm)	-	-	OK	
Agbb (German norm)	-	-	OK	
CE Marking				
CE	EN 14041			



HEALTH

TVOC < 100 µg/m³ after 28 days


- Formaldehyde-free
- Lead-free, no heavy metals
- Solvent-free
- No harmful plasticizer
- Low VOC emission
- No glue
- Textile backing incorporating fibres from recycled plastic bottles

ENVIRONMENT

- 100% recyclable
- ISO 14001
- Soapy water cleaning



primetex



Laying

The subfloor must be smooth, clean, dry, undamaged and flat.
Recommendations: unroll the floorcovering 24 hours before laying.
 Floor covering should not be laid in rooms at a temperature is below 15°C.
 Can be installed on underfloor heating (up to 28°C).
 Weld the joints (cold-treatment product) to ensure good water-tightness.

Recommended laying methods:

- Loose laying without glue: up to 25 sqm.
- Laying without glue, with double-sided tape or hook & loop strips around the edges of the room: over 25 sqm.

If permanent laying with glue: use a single stick acrylic glue (approximately 250 g/sqm).
 Use a finely-notched trowel.

Cleaning & Care

Regular cleaning with a vacuum cleaner, dust mop or a wet cloth.

Cleaning: with water and a neutral detergent; rinse with clean water.

Stain removal: White Spirit removes almost all stains.
 Do not use solvents.

Precautions: do not use floor wax.
 Avoid rubber leg caps and casters. Replace with plastic caps and polyamide casters.
 Protect the bases and legs of your waxed furniture with a felt disc.

See index page 139



Vinyl backing Fully adhered

102. **NEW** Nerok Acoustic

110. Nerok Compact

120. Booster

132. Start


Vinyl backing rolls
Fully adhered

Decoration vinyl rolls

Vinyl backing



The widest range
of residential and semi-contract products



Vinyl backing rolls solutions

Gerflor 2023

Make the right choice!

	NEW NEROK ACOUSTIC		NEROK COMPACT		BOOSTER	START
Laying system	Fully adhered					
Subfloor preparation	With subfloor preparation					
Traffic resistance	+++	++++	+++	++++	++	+
Comfort	+		+		++	+
Price	€€€		€€		€	€
Tools needed	Utility knife + carpet cutter + glue					
Thickness (mm)	2.95	3.05	2.0	2.0	2.6	1.2
Wear layer thickness (mm)	0.55	0.70	0.55	0.70	0.25	0.15
European classification	33 / 42	34 / 42	33 / 42	34 / 43	22	21
Fire rating	B _f S1		B _f S1		C _f S1	B _f S1
Slip resistance	R10		R10		R10	-
Sound insulation (dB)	19		6		19	10
Room impact noise	Class A		Class A		Class A	Class A
Heating underfloor	OK		OK		OK	OK
Domestic use guarantee*	15 years		15 years		10 years	5 years
	Page 102		Page 110		Page 120	Page 132

* For more details on guarantee, see www.gerflor.com



**Unroll...
It's done!**
Ready to lay
Highly resistant
Trendy

NEW

nerok acoustic

Top compact
Top resistant

Acoustic & comfort properties



Installation
without glue



No indentation



High traffic resistance



Warranty
15 years for residential use

Vinyl backing rolls
Fully adhered





Scan and
discover
INTERIOR
DESIGNER



NEW

nerok acoustic

Wood



1-Oak Select Dark Grey

Nerok 55 - 2 m: Code: 2845 1430 - EAN: 3475710564116
Nerok 55 - 4 m: Code: 2839 1430 - EAN: 3475710563294
Nerok 70 - 2 m: Code: 2847 1430 - EAN: 3475710564031
Nerok 70 - 4 m: Code: 2846 1430 - EAN: 3475710563270

2-Timber Grey

Nerok 55 - 2 m: Code: 2845 1751 - EAN: 3475710564048
Nerok 55 - 4 m: Code: 2839 1751 - EAN: 3475710563249
Nerok 70 - 2 m: Code: 2847 1751 - EAN: 3475710563997
Nerok 70 - 4 m: Code: 2846 1751 - EAN: 3475710563256

3-Newport Clear

Nerok 55 - 2 m: Code: 2845 2244 - EAN: 3475710564123
Nerok 55 - 4 m: Code: 2839 2244 - EAN: 3475710563300
Nerok 70 - 2 m: Code: 2847 2244 - EAN: 3475710563980
Nerok 70 - 4 m: Code: 2846 2244 - EAN: 3475710563324

4-Newport Natural

Nerok 55 - 2 m: Code: 2845 2245 - EAN: 3475710564055
Nerok 55 - 4 m: Code: 2839 2245 - EAN: 3475710563348
Nerok 70 - 2 m: Code: 2847 2245 - EAN: 3475710563973
Nerok 70 - 4 m: Code: 2846 2245 - EAN: 3475710563379

5-Oak Select Country

Nerok 55 - 2 m: Code: 2845 2242 - EAN: 3475710564079
Nerok 55 - 4 m: Code: 2839 2242 - EAN: 3475710563201
Nerok 70 - 2 m: Code: 2847 2242 - EAN: 3475710564024
Nerok 70 - 4 m: Code: 2846 2242 - EAN: 3475710563188

6-Timber Clear

Nerok 55 - 4 m: Code: 2839 0720 - EAN: 3475710563287
Nerok 55 - 2 m: Code: 2845 0720 - EAN: 3475710564093
Nerok 70 - 2 m: Code: 2847 0720 - EAN: 3475710564017
Nerok 70 - 4 m: Code: 2846 0720 - EAN: 3475710563218

Vinyl backing rolls
Fully adhered

NEW

nerok acoustic


All Over




1



2



3



4

1-Shade Grey

Nerok 55 - 2 m: Code: 2845 2152 - EAN: 3475710564062
Nerok 55 - 4 m: Code: 2839 2152 - EAN: 3475710563195
Nerok 70 - 2 m: Code: 2847 2152 - EAN: 3475710563959
Nerok 70 - 4 m: Code: 2846 2152 - EAN: 3475710563263

2-Shade Light Grey

Nerok 55 - 2 m: Code: 2845 2151 - EAN: 3475710564086
Nerok 55 - 4 m: Code: 2839 2151 - EAN: 3475710563355
Nerok 70 - 2 m: Code: 2847 2151 - EAN: 3475710563966
Nerok 70 - 4 m: Code: 2846 2151 - EAN: 3475710563225

3-Brooklyn Blue

Nerok 55 - 2 m: Code: 2845 2249 - EAN: 3475710564130
Nerok 55 - 4 m: Code: 2839 2249 - EAN: 3475710563317
Nerok 70 - 2 m: Code: 2847 2249 - EAN: 3475710563942
Nerok 70 - 4 m: Code: 2846 2249 - EAN: 3475710563331

4-Brooklyn Silver

Nerok 55 - 2 m: Code: 2845 2253 - EAN: 3475710564109
Nerok 55 - 4 m: Code: 2839 2253 - EAN: 3475710563362
Nerok 70 - 2 m: Code: 2847 2253 - EAN: 3475710563935
Nerok 70 - 4 m: Code: 2846 2253 - EAN: 3475710563232




2253 - Brooklyn Silver



2152 - Shade Grey

Vinyl backing rolls
Fully adhered

Technical Characteristics

			Nerok 55 Acoustic	Nerok 70 Acoustic
Description				
Total thickness	EN ISO 24346	mm	2.95	3.05
Wearlayer thickness	EN ISO 24340	mm	0.55	0.70
Weight / Mass per unit area	EN ISO 23997	g/sqm	2200	2400
Width of sheet	EN ISO 24381	m	2 / 4	
Length of sheet	EN ISO 24341	ml	25	
Classification				
Norm / Product specification	-	-	EN 651	
European classification	EN ISO 10874	class	33 / 42	34 / 42
Static electrical propensity	EN 1815	kV	< 2	
Fire rating - Classification - Wood support permanent laying	EN 13501-1	class	B _{ff} -s1	
Slip resistance wet: ramp test with oil	DIN 51 130	class	R10	
Performances				
Wear resistance	EN 660.2	mm ³	< 2.0	
Wear group	-	group	T	
Dimensional stability after exposure to heat	EN ISO 23999	%	≤ 0.40	
Residual indentation (requirement)	EN ISO 24343-1	mm	< 0.20	
Residual indentation (average value measured)	-	mm	≈ 0.10	
Sound insulation	EN ISO 717/2	dB	19	
Castor chair test (type H)	ISO 4918	-	OK	
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25	
Colour fastness	EN 20 105-B02	degree	≥ 6	
Surface treatment	-	-	PUR+	
Chemical products resistance	EN ISO 26987	-	OK	
Guarantee		year	15	
Environment				
TVOC rate 28 days	EN ISO 16000-6	µg/m ³	< 100	
CE Marking				
CE	EN 14041			

Areas of use: domestic use & semi-commercial



HEALTH



TVOC < 100 µg/m³ after 28 days

- Formaldehyde-free
- Lead-free, no heavy metals
- Solvent-free
- No harmful plasticizer
- Low VOC emission


ENVIRONMENT

- 100% recyclable
- ISO 14001
- Soapy water cleaning



Scan and discover
The complete range

nerok acoustic



Laying

The subfloor must be smooth, clean, dry, undamaged and flat.

Recommendations: unroll the floorcovering 24 hours before laying.
The floor covering should not be laid in a room if the temperature is below 15°C.
Laying on underfloor heating is possible (up to 28°C).
Weld the joints (cold-treatment product) to ensure good water-tightness.

If permanent laying with glue: use a single stick acrylic adhesive (approximately 250 g/sqm).
Use a finely-notched trowel.

Cleaning & Care

Regular cleaning with a vacuum cleaner, dust mop or a wet cloth.

Cleaning: with water and a neutral detergent, rinse with clean water.

Stain removal: White Spirit removes almost all stains.
Do not use solvents.

Precautions: do not use floor wax.
Avoid rubber leg caps and casters.
Replace with plastic caps and polyamide casters.
Protect the bases and legs of your waxed furniture with a felt disc.

See index page 139



nerok compact

Realism and traffic-resistance
for a perfect stability

Comfort & resistance



Installation with
acrylic glue



No indentation



Very high traffic
resistance



Warranty
15 years for residential use

Vinyl backing rolls
Fully adhered



Scan and
discover
INTERIOR
DESIGNER



nerok compact

Wood



1-Sherwood Clear

Nerok 55 - 2 m: Code: 2813 2012 - EAN: 3475710554759
 Nerok 55 - 4 m: Code: 2812 2012 - EAN: 3475710552847
 Nerok 70 - 2 m: Code: 1238 2012 - EAN: 3475710552731
 Nerok 70 - 4 m: Code: 1237 2012 - EAN: 3475710551451

2-Sherwood Blond




Nerok 55 - 2 m: Code: 2813 2013 - EAN: 3475710554766
 Nerok 55 - 4 m: Code: 2812 2013 - EAN: 3475710552946
 Nerok 70 - 2 m: Code: 1238 2013 - EAN: 3475710552571
 Nerok 70 - 4 m: Code: 1237 2013 - EAN: 3475710551321

3-Sherwood Brown

Nerok 55 - 2 m: Code: 2813 2015 - EAN: 3475710554773
 Nerok 55 - 4 m: Code: 2812 2015 - EAN: 3475710552854
 Nerok 70 - 2 m: Code: 1238 2015 - EAN: 3475710552748
 Nerok 70 - 4 m: Code: 1237 2015 - EAN: 3475710551468

4-Sherwood Grey

Nerok 55 - 2 m: Code: 2813 2017 - EAN: 3475710554780
 Nerok 55 - 4 m: Code: 2812 2017 - EAN: 3475710552816
 Nerok 70 - 2 m: Code: 1238 2017 - EAN: 3475710552700
 Nerok 70 - 4 m: Code: 1237 2017 - EAN: 3475710551420



5-Noma Kola

Nerok 55 - 2 m: Code: 2813 1451 - EAN: 3475710554711
 Nerok 55 - 4 m: Code: 2812 14515 - EAN: 3475710553035
 Nerok 70 - 2 m: Code: 1238 1451 - EAN: 3475710552663
 Nerok 70 - 4 m: Code: 1237 1451 - EAN: 3475710551390

6-Chene Light

Nerok 55 - 2 m: Code: 2813 0669 - EAN: 3475710554674
 Nerok 55 - 4 m: Code: 2812 0669 - EAN: 3475710553028
 Nerok 70 - 2 m: Code: 1238 0669 - EAN: 3475710552656
 Nerok 70 - 4 m: Code: 1237 0669 - EAN: 3475710551383

7-Timber Grey

Nerok 55 - 2 m: Code: 2813 1751 - EAN: 3475710554735
 Nerok 55 - 4 m: Code: 2812 1751 - EAN: 3475710553059
 Nerok 70 - 2 m: Code: 1238 1751 - EAN: 3475710552694
 Nerok 70 - 4 m: Code: 1237 1751 - EAN: 3475710551413

8-Newport Natural

Nerok 55 - 2 m: Code: 2813 2245 - EAN: 3475710554957
 Nerok 55 - 4 m: Code: 2812 2245 - EAN: 3475710553134
 Nerok 70 - 2 m: Code: 1238 2245 - EAN: 3475710552212
 Nerok 70 - 4 m: Code: 1237 2245 - EAN: 3475710551208

9-Timber Clear

Nerok 55 - 2 m: Code: 2813 0720 - EAN: 3475710554698
 Nerok 55 - 4 m: Code: 2812 0720 - EAN: 3475710553158
 Nerok 70 - 2 m: Code: 1238 0720 - EAN: 3475710552236
 Nerok 70 - 4 m: Code: 1237 0720 - EAN: 3475710551222

10-Noma Miel



Nerok 55 - 2 m: Code: 2813 0476 - EAN: 3475710554612
 Nerok 55 - 4 m: Code: 2812 0476 - EAN: 3475710553011
 Nerok 70 - 2 m: Code: 1238 0476 - EAN: 3475710552649
 Nerok 70 - 4 m: Code: 1237 0476 - EAN: 3475710551376

11-Timber Cabana

Nerok 55 - 2 m: Code: 2813 0492 - EAN: 3475710554629
 Nerok 55 - 4 m: Code: 2812 0492 - EAN: 3475710553042
 Nerok 70 - 2 m: Code: 1238 0492 - EAN: 3475710552670
 Nerok 70 - 4 m: Code: 1237 0492 - EAN: 3475710551406

12-Oak Select Country

Nerok 55 - 2 m: Code: 2813 2242 - EAN: 3475710554933
 Nerok 55 - 4 m: Code: 2812 2242 - EAN: 3475710553165
 Nerok 70 - 2 m: Code: 1238 2242 - EAN: 3475710552243
 Nerok 70 - 4 m: Code: 1237 2242 - EAN: 3475710551239




Vinyl backing rolls
Fully adhered

Bleached, grayed | Wood

nerok compact

Wood



1-Factory White

Nerok 55 - 2 m: Code: 2813 1518 - EAN: 3475710554728
 Nerok 55 - 4 m: Code: 2812 1518 - EAN: 3475710552823
 Nerok 70 - 2 m: Code: 1238 1518 - EAN: 3475710552717
 Nerok 70 - 4 m: Code: 1237 1518 - EAN: 3475710551437

2-Newport Clear

Nerok 55 - 2 m: Code: 2813 2244 - EAN: 3475710554940
 Nerok 55 - 4 m: Code: 2812 2244 - EAN: 3475710553141
 Nerok 70 - 2 m: Code: 1238 2244 - EAN: 3475710552229
 Nerok 70 - 4 m: Code: 1237 2244 - EAN: 3475710551215

3-Oak Select Grey

Nerok 55 - 2 m: Code: 2813 1430 - EAN: 3475710554704
 Nerok 55 - 4 m: Code: 2812 1430 - EAN: 3475710553172
 Nerok 70 - 2 m: Code: 1238 1430 - EAN: 3475710552250
 Nerok 70 - 4 m: Code: 1237 1430 - EAN: 3475710551246

4-Harbor Blue

Nerok 55 - 2 m: Code: 2813 1893 - EAN: 3475710554742
 Nerok 55 - 4 m: Code: 2812 1893 - EAN: 3475710552830
 Nerok 70 - 2 m: Code: 1238 1893 - EAN: 3475710552724
 Nerok 70 - 4 m: Code: 1237 1893 - EAN: 3475710551444



1518 - Factory White

nerok compact

All Over



2153 - Shade Anthracite



1

1-Shade Light Grey

Nerok 55 - 2 m: Code: 2813 2151 - EAN: 3475710554841
 Nerok 55 - 4 m: Code: 2812 2151 - EAN: 3475710552953
 Nerok 70 - 2 m: Code: 1238 2151 - EAN: 3475710537950
 Nerok 70 - 4 m: Code: 1237 2151 - EAN: 3475710537929

2-Shade Grey

Nerok 55 - 2 m: Code: 2813 2152 - EAN: 3475710554858
 Nerok 55 - 4 m: Code: 2812 2152 - EAN: 3475710552922
 Nerok 70 - 2 m: Code: 1238 2152 - EAN: 3475710537936
 Nerok 70 - 4 m: Code: 1237 2152 - EAN: 3475710537905

3-Shade Anthracite


Nerok 55 - 2 m: Code: 2813 2153 - EAN: 3475710554865
 Nerok 55 - 4 m: Code: 2812 2153 - EAN: 3475710552939
 Nerok 70 - 2 m: Code: 1238 2153 - EAN: 3475710537943
 Nerok 70 - 4 m: Code: 1237 2153 - EAN: 3475710537912

4-Brooklyn Silver

Nerok 55 - 2 m: Code: 2813 2253 - EAN: 3475710554971
 Nerok 55 - 4 m: Code: 2812 2253 - EAN: 3475710553110
 Nerok 70 - 2 m: Code: 1238 2253 - EAN: 3475710552199
 Nerok 70 - 4 m: Code: 1237 2253 - EAN: 3475710551185

5-Brooklyn Blue

Nerok 55 - 2 m: Code: 2813 2249 - EAN: 3475710554964
 Nerok 55 - 4 m: Code: 2812 2249 - EAN: 3475710553127
 Nerok 70 - 2 m: Code: 1238 2249 - EAN: 3475710552205
 Nerok 70 - 4 m: Code: 1237 2249 - EAN: 3475710551192



2



3



4





5

Vinyl backing rolls
Fully adhered

nerok compact

All Over




- 1- Leone Cream**
 Nerok 55 - 2 m: Code: 2813 2135 - EAN: 3475710554834
 Nerok 55 - 4 m: Code: 2812 2135 - EAN: 3475710553066
 Nerok 70 - 2 m: Code: 1238 2135 - EAN: 3475710538230
 Nerok 70 - 4 m: Code: 1237 2135 - EAN: 3475710537851
- 2-Leone Mouse**
 Nerok 55 - 2 m: Code: 2813 2131 - EAN: 3475710554797
 Nerok 55 - 4 m: Code: 2812 2131 - EAN: 3475710553073
 Nerok 70 - 2 m: Code: 1238 2131 - EAN: 3475710538247
 Nerok 70 - 4 m: Code: 1237 2131 - EAN: 3475710537868
- 3-Pixel Clear**
 Nerok 55 - 2 m: Code: 2813 2175 - EAN: 3475710554872
 Nerok 55 - 4 m: Code: 2812 2175 - EAN: 3475710552861
 Nerok 70 - 2 m: Code: 1238 2175 - EAN: 3475710552755
 Nerok 70 - 4 m: Code: 1237 2175 - EAN: 3475710551475
- 4-Pixel Silver**
 Nerok 55 - 2 m: Code: 2813 0597 - EAN: 3475710554636
 Nerok 55 - 4 m: Code: 2812 0597 - EAN: 3475710552960
 Nerok 70 - 2 m: Code: 1238 0597 - EAN: 3475710552588
 Nerok 70 - 4 m: Code: 1237 0597 - EAN: 3475710551338
- 5-Pixel Sand**
 Nerok 55 - 2 m: Code: 2813 0639 - EAN: 3475710554667
 Nerok 55 - 4 m: Code: 2812 0639 - EAN: 3475710552991
 Nerok 70 - 2 m: Code: 1238 0639 - EAN: 3475710552632
 Nerok 70 - 4 m: Code: 1237 0639 - EAN: 3475710551369
- 6-Pixel Vanilla**
 Nerok 55 - 2 m: Code: 2813 0621 - EAN: 3475710554643
 Nerok 55 - 4 m: Code: 2812 0621 - EAN: 3475710552977
 Nerok 70 - 2 m: Code: 1238 0621 - EAN: 3475710552595
 Nerok 70 - 4 m: Code: 1237 0621 - EAN: 3475710551345

- 7-Leone Metal**
 Nerok 55 - 2 m: Code: 2813 2132 - EAN: 3475710554803
 Nerok 55 - 4 m: Code: 2812 2132 - EAN: 3475710553080
 Nerok 70 - 2 m: Code: 1238 2132 - EAN: 3475710538254
 Nerok 70 - 4 m: Code: 1237 2132 - EAN: 3475710537875
- 8-Leone Anthracite**
 Nerok 55 - 2 m: Code: 2813 2133 - EAN: 3475710554810
 Nerok 55 - 4 m: Code: 2812 2133 - EAN: 3475710553097
 Nerok 70 - 2 m: Code: 1238 2133 - EAN: 3475710538261
 Nerok 70 - 4 m: Code: 1237 2133 - EAN: 3475710537882
- 9-Leone Brown**
 Nerok 55 - 2 m: Code: 2813 2134 - EAN: 3475710554827
 Nerok 55 - 4 m: Code: 2812 2134 - EAN: 3475710553103
 Nerok 70 - 2 m: Code: 1238 2134 - EAN: 3475710538278
 Nerok 70 - 4 m: Code: 1237 2134 - EAN: 3475710537899

- 10-Pixel Taupe**
 Nerok 55 - 2 m: Code: 2813 2176 - EAN: 3475710554889
 Nerok 55 - 4 m: Code: 2812 2176 - EAN: 3475710552878
 Nerok 70 - 2 m: Code: 1238 2176 - EAN: 3475710552762
 Nerok 70 - 4 m: Code: 1237 2176 - EAN: 3475710551482
- 11-Pixel Anthracite**
 Nerok 55 - 2 m: Code: 2813 0632 - EAN: 3475710554650
 Nerok 55 - 4 m: Code: 2812 0632 - EAN: 3475710552984
 Nerok 70 - 2 m: Code: 1238 0632 - EAN: 3475710552625
 Nerok 70 - 4 m: Code: 1237 0632 - EAN: 3475710551352
- 12-Pixel Black**
 Nerok 55 - 2 m: Code: 2813 2179 - EAN: 3475710554902
 Nerok 55 - 4 m: Code: 2812 2179 - EAN: 3475710552892
 Nerok 70 - 2 m: Code: 1238 2179 - EAN: 3475710552786
 Nerok 70 - 4 m: Code: 1237 2179 - EAN: 3475710551505

- 13-Pixel Paprika**
 Nerok 55 - 2 m: Code: 2813 2178 - EAN: 3475710554896
 Nerok 55 - 4 m: Code: 2812 2178 - EAN: 3475710552885
 Nerok 70 - 2 m: Code: 1238 2178 - EAN: 3475710552779
 Nerok 70 - 4 m: Code: 1237 2178 - EAN: 3475710551499
- 14-Pixel Meadow**
 Nerok 55 - 2 m: Code: 2813 2181 - EAN: 3475710554919
 Nerok 55 - 4 m: Code: 2812 2181 - EAN: 3475710552908
 Nerok 70 - 2 m: Code: 1238 2181 - EAN: 3475710552793
 Nerok 70 - 4 m: Code: 1237 2181 - EAN: 3475710551512
- 15-Pixel Ocean**
 Nerok 55 - 2 m: Code: 2813 2182 - EAN: 3475710554926
 Nerok 55 - 4 m: Code: 2812 2182 - EAN: 3475710552915
 Nerok 70 - 2 m: Code: 1238 2182 - EAN: 3475710552809
 Nerok 70 - 4 m: Code: 1237 2182 - EAN: 3475710551529



Vinyl backing rolls
Fully adhered

Technical Characteristics

			Nerok 55 Compact	Nerok 70 Compact
Description				
Total thickness	EN ISO 24346	mm	2.00	
Wearlayer thickness	EN ISO 24340	mm	0.55	0.70
Weight / Mass per unit area	EN ISO 23997	g/sqm	2560	2670
Width of sheet	EN ISO 24341	m	2 / 4	
Length of sheet	EN ISO 24341	ml	20	
Classification				
Norm / Product specification	-	-	EN ISO 10582	
European classification	EN ISO 10874	class	33 / 42	34 / 43
Fire rating	EN 13501-1	class	Bfl-s1	
Static electrical propensity	EN 1815	kV	< 2	
Slip resistance	DIN 51 130	class	R10	
Performances				
Wear resistance	EN 660-2	mm ³	≤ 2.0	
Wear group	-	group	T	
Type binder content	EN 10582	type	I	
Dimensional stability	EN ISO 23999	%	≤ 0.40	
Residual indentation (requirement)	EN ISO 24343-2	mm	≤ 0.10	
Residual indentation (measure)	-	mm	≈ 0.05	
Impact sound insulation	EN ISO 717-2	dB	6	
Castor chair test (type H)	ISO 4918	-	OK	
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25	
Colour fastness	EN 20 105-B02	degree	≥ 6	
Surface treatment	-	-	PUR+	
Chemical products resistance	EN ISO 26987	class	OK	
Guarantee residential use	-	year	15	
Environment				
TVOC rate 28 days	EN ISO 16000-6	µg/m ³	< 100	
Certification	-	-	Floorscore®	

CE Marking				
CE	EN 14041			

Areas of use: domestic use & semi-commercial



HEALTH

TVOC < 100 µg/m³ after 28 days

- Formaldehyde-free
- Lead-free, no heavy metals
- Solvent-free
- No harmful plasticizer
- Low VOC emission


ENVIRONMENT

- 100% recyclable
- ISO 14001
- Soapy water cleaning



Scan and discover
The complete range

nerok compact



Laying

The subfloor must be smooth, clean, dry, undamaged and flat.

Recommendations: unroll the floorcovering 24 hours before laying. The floor covering should not be laid in a room if the temperature is below 15°C. Laying on underfloor heating is possible (up to 28°C). Weld the joints (cold-treatment product) to ensure good water-tightness.

Cleaning & Care

Regular cleaning with a vacuum cleaner, dust mop or a wet cloth.

Cleaning: with water and a neutral detergent, rinse with clean water.

Stain removal: White Spirit removes almost all stains. Do not use solvents.

Precautions: do not use floor wax. Avoid rubber leg caps and casters. Replace with plastic caps and polyamide casters. Protect the bases and legs of your waxed furniture with a felt disc.

See index page 139



booster



Comfortable



Economical



Installation with acrylic glue



All uses floor




Warranty
10 years for residential use

Vinyl backing rolls
Fully adhered



Scan and discover
INTERIOR DESIGNER



booster

Wood



2090 - Empire Classic

1-Jersey Clear

2 m: Code: 1371 1894 - EAN: 3475710337956
4 m: Code: 1391 1894 - EAN: 3475710336638

2-Nordic Beige

2 m: Code: 1371 1689 - EAN: 3475710317231
4 m: Code: 1391 1689 - EAN: 3475710317194

3-Castle Blond

2 m: Code: 1371 1802 - EAN: 3475710430114
4 m: Code: 1391 1802 - EAN: 3475710430022

4-Boston Blond

2 m: Code: 1371 1618 - EAN: 3475710316807
3 m: Code: 1353 1618 - EAN: 3475710352874
4 m: Code: 1391 1618 - EAN: 3475710317071

5-Castle Clear

2 m: Code: 1371 1918 - EAN: 3475710430107
3 m: Code: 1353 1918 - EAN: 3475710441516
4 m: Code: 1391 1918 - EAN: 3475710430015

6-Empire Classic

2 m: Code: 1371 2090 - EAN: 3475710556982
3 m: Code: 1353 2090 - EAN: 3475710557071
4 m: Code: 1391 2090 - EAN: 3475710552557

7-Hudson Blond

2 m: Code: 1371 1887 - EAN: 3475710357336
3 m: Code: 1353 1887 - EAN: 3475710352928
4 m: Code: 1391 1887 - EAN: 3475710357282

8-Boston Pecan

2 m: Code: 1371 1722 - EAN: 3475710316821
4 m: Code: 1391 1722 - EAN: 3475710317095

9-Castle White

2 m: Code: 1371 1801 - EAN: 3475710430121
4 m: Code: 1391 1801 - EAN: 3475710430039

10-Farm Pecan







2 m: Code: 1371 1393 - EAN: 3475710319808
4 m: Code: 1391 1393 - EAN: 3475710303043

11-Santafe Pearl

2 m: Code: 1371 1873 - EAN: 3475710337932
4 m: Code: 1391 1873 - EAN: 3475710334771

12-Hudson Pearl


2 m: Code: 1371 1880 - EAN: 3475710357343
3 m: Code: 1353 1880 - EAN: 3475710352935
4 m: Code: 1391 1880 - EAN: 3475710357299



Vinyl backing rolls
Fully adhered

booster



Wood



2318 - Sherwood Nature



2216 - Seaside Blue



1-Lodge Clear

2 m: Code: 1371 2354 - EAN: 3475710608261
4 m: Code: 1391 2354 - EAN: 3475710607745

2-Aloha Blond

2 m: Code: 1371 2230 - EAN: 3475710463655
4 m: Code: 1391 2230 - EAN: 3475710463198

3-Toronto Clair

2 m: Code: 1371 0762 - EAN: 3475710359545
4 m: Code: 1391 0762 - EAN: 3475710358937

4-Sherwood Nature

2 m: Code: 1371 2318 - EAN: 3475710557019
3 m: Code: 1353 2318 - EAN: 3475710557088
4 m: Code: 1391 2318 - EAN: 3475710552564

5-Mambo Clair

4 m: Code: 1399 1079 - EAN: 3475710368561

6-Bamboo Beige

2 m: Code: 1399 0471 - EAN: 3475710362040
4 m: Code: 1397 0471 - EAN: 3475710357787

7-Sherwood Light Brown

2 m: Code: 1371 2353 - EAN: 3475710608254
4 m: Code: 1391 2353 - EAN: 3475710607721

8-Empire Blond

2 m: Code: 1371 2082 - EAN: 3475710606731
4 m: Code: 1391 2082 - EAN: 3475710446740

9-Boston Grey

2 m: Code: 1371 1626 - EAN: 3475710544675
3 m: Code: 1353 1626 - EAN: 3475710528620
4 m: Code: 1391 1626 - EAN: 3475710349218

10-Chelsea Smoked

2 m: Code: 1371 1294 - EAN: 3475710359569
4 m: Code: 1391 1294 - EAN: 3475710358951


11-Seaside Blue

2 m: Code: 1371 2216 - EAN: 3475710606748
4 m: Code: 1391 2216 - EAN: 3475710562921

Vinyl backing rolls
Fully adhered



booster

Ceramic



- 1-Alma Black and White**
 2 m: Code: 1371 2316 - EAN: 3475710557033
 3 m: Code: 1353 2316 - EAN: 3475710557057
 4 m: Code: 1391 2316 - EAN: 3475710552533
- 2-Alma Peps**
 2 m: Code: 1371 2317 - EAN: 3475710556999
 3 m: Code: 1353 2317 - EAN: 3475710557064
 4 m: Code: 1391 2317 - EAN: 3475710552540
- 3-Provence Black & White**
 2 m: Code: 1371 1981 - EAN: 3475710414176
 3 m: Code: 1353 1981 - EAN: 3475710471971
 4 m: Code: 1391 1981 - EAN: 3475710373299
- 4-Cordoba Black and White**
 2 m: Code: 1371 2226 - EAN: 3475710463662
 4 m: Code: 1391 2226 - EAN: 3475710463150

- 1-Diamond Blue**
 2 m: Code: 1371 1995 - EAN: 3475710472060
 4 m: Code: 1391 1995 - EAN: 3475710440007
- 2-Volcano Light Grey**
 2 m: Code: 1371 2186 - EAN: 3475710432415
 4 m: Code: 1391 2186 - EAN: 3475710432354
- 3-Volcano Grey**
 2 m: Code: 1371 2187 - EAN: 3475710432422
 4 m: Code: 1391 2187 - EAN: 3475710432361



Vinyl backing rolls
Fully adhered

booster

All Over



1



2



3



4




2151 - Shade Light Grey



5




2352 - Confetti Light Grey



New

7



6

- 1-Madras White**
2 m: Code: 1371 1479 - EAN: 3475710430169
3 m: Code: 1353 1479 - EAN: 3475710441530
4 m: Code: 1391 1479 - EAN: 3475710430084
- 2-Madras Storm**
2 m: Code: 1371 1734 - EAN: 3475710430152
3 m: Code: 1353 1734 - EAN: 3475710441523
4 m: Code: 1391 1734 - EAN: 3475710430077
- 3-Broadway Storm**
2 m: Code: 1399 1595 - EAN: 3475710362064
4 m: Code: 1397 1595 - EAN: 3475710357800
- 4-Madras Silver**
2 m: Code: 1385 1593 - EAN: 3475710361616
4 m: Code: 1375 1593 - EAN: 3475710362231
- 5-Shade Light Grey**
2 m: Code: 1371 2151 - EAN: 3475710557026
3 m: Code: 1353 2151 - EAN: 3475710557095
4 m: Code: 1391 2151 - EAN: 3475710557040
- 6-Cork Naturel**
2 m: Code: 1399 0027 - EAN: 3475710362057
3 m: Code: 1578 0027 - EAN: 3475710361692
4 m: Code: 1397 0027 - EAN: 3475710357794
- 7-Confetti Light Grey**
2 m: Code: 1371 2352 - EAN: 3475710608247
4 m: Code: 1391 2352 - EAN: 3475710607714

Vinyl backing rolls
Fully adhered

Technical Characteristics

			Diamalite	Diam. Grain	Pureclean
Description					
Total thickness	EN ISO 24346	mm	2.60		
Wearlayer thickness	EN ISO 24340	mm	0.25		
Weight / Mass per unit area	EN ISO 23997	g/sqm	1500	1725	
Width of sheet	EN ISO 24381	m	2 / 3 / 4		
Length of sheet	EN ISO 24341	ml	± 30		
Classification					
Norm / Product specification	-	-	EN ISO 26986		
European classification	EN ISO 10874	class	22		
Sound insulation	EN ISO 717/2	dB	19		
Room impact noise	NF S 31074	class	A		
Fire rating - Classification - Wood support permanent laying	EN 13501-1	class	Cfl-s1		
Slip resistance wet: ramp test with oil	DIN 51 130	class	-	R10	
Performances					
Wear group	EN 660-2	group	T		
Dimensional stability after exposure to heat	EN ISO 23999	%	0.05		
Residual indentation (average value measured)	EN ISO 24343-1	mm	0.25		
Residual indentation (requirement)	EN ISO 24343-2	mm	< 0.35		
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25		
Colour fastness	EN 20 105-B02	degree	> 6		
Surface treatment	-	-	Diamalite	Diam. Grain	Pureclean
Guarantee		year	10		
Environment					
TVOC rate 28 days	EN ISO 16000-6	µg/m³	< 100		
French norm	-	-	A+		
Floorscore (US norm)	-	-	OK		

CE Marking					
CE	EN 14041				

Areas of use: domestic use



HEALTH

TVOC < 100 µg/m³ after 28 days

- Formaldehyde-free
- Lead-free, no heavy metals
- Solvent-free
- No harmful plasticizer
- Low VOC emission


ENVIRONMENT

- 100% recyclable
- ISO 14001
- Soapy water cleaning



Scan and discover
The complete range

booster



Vinyl backing rolls
Fully adhered

Laying

The subfloor must be smooth, clean, dry, undamaged and flat.

Recommendations: unroll the floorcovering 24 hours before laying. The floor covering should not be laid in a room if the temperature is below 15°C. Laying on underfloor heating is possible (up to 28°C). Weld the joints (cold-treatment product) to ensure good water-tightness.

If permanent laying with glue: use a single stick acrylic adhesive (approximately 250 g/sqm). Use a finely-notched trowel.

Cleaning & Care

Regular cleaning with a vacuum cleaner, dust mop or a wet cloth.

Cleaning: with water and a neutral detergent, rinse with clean water.

Stain removal: White Spirit removes almost all stains. Do not use solvents.

Precautions: do not use floor wax. Avoid rubber leg caps and casters. Replace with plastic caps and polyamide casters. Protect the bases and legs of your waxed furniture with a felt disc.

See index page 139

start

 **Comfortable**

 **Economical**

 **Installation
with acrylic glue**

 **All uses floor**

 **Warranty**
5 years for residential use

MADE IN
FRANCE



1-Manitoba Toundra
2 m: Code: 1276 0107 - EAN: 3475710166631
4 m: Code: 1840 0107 - EAN: 3475710063329

2-Manitoba Erable
2 m: Code: 1276 0046 - EAN: 3475710104121
3 m: Code: 1772 0046 - EAN: 3475710103803
4 m: Code: 1838 0046 - EAN: 3475710103483


3-Ardenes Noyer
2 m: Code: 1270 0025 - EAN: 3475710037825
3 m: Code: 1774 0025 - EAN: 3475710037733
4 m: Code: 1840 0025 - EAN: 3475710037115

4-Turku Clair
2 m: Code: 1270 0381 - EAN: 3475710084126
4 m: Code: 1840 0381 - EAN: 3475710081194


5-Cajou Oak
2 m: Code: 1270 1150 - EAN: 3475710223358
4 m: Code: 1840 1150 - EAN: 3475710223341

6-Noma Clear
2 m: Code: 1270 1727 - EAN: 3475710561245
4 m: Code: 1840 1727 - EAN: 3475710561221

Vinyl backing rolls
Fully adhered




start




0711 - Gravel Beige

- 1-Gravel Beige**
2 m: Code: 1270 0711 - EAN: 3475710168581
4 m: Code: 1840 0711 - EAN: 3475710168543
- 2-Silice Gris**
2 m: Code: 1276 0111 - EAN: 3475710166709
3 m: Code: 1774 0011 - EAN: 3475710089237
4 m: Code: 1840 0011 - EAN: 3475710089220
- 3-Biarritz Acier**
2 m: Code: 1270 1108 - EAN: 3475710186271
4 m: Code: 1840 1108 - EAN: 3475710186172
- 4-Biarritz Noir**
2 m: Code: 1270 1107 - EAN: 3475710186264
4 m: Code: 1840 1107 - EAN: 3475710186165




3



4




0015 - Damier Black & White




5

- 5-Damier Black & White**
2 m: Code: 1276 0015 - EAN: 3475710166662
3 m: Code: 1774 0115 - EAN: 3475710089299
4 m: Code: 1840 0115 - EAN: 3475710089282
- 6-Harlem Beige**
2 m: Code: 1270 1791 - EAN: 3475710561238
4 m: Code: 1840 1791 - EAN: 3475710561214
- 7-Marl Grey**
2 m: Code: 1270 1582 - EAN: 3475710256097
3 m: Code: 1774 1582 - EAN: 3475710256080
4 m: Code: 1840 1582 - EAN: 3475710256073
- 8-Marengo Perle**
2 m: Code: 1270 0141 - EAN: 3475710064302
4 m: Code: 1840 0141 - EAN: 3475710060380



6



7



8

Vinyl backing rolls
Fully adhered

Technical Characteristics

Description			
Total thickness	EN ISO 24346	mm	1.20
Wearlayer thickness	EN ISO 24340	mm	0.15
Weight / Mass per unit area	EN ISO 23997	g/sqm	1075
Width of sheet	EN ISO 24381	m	2 / 3 / 4
Length of sheet	EN ISO 24341	ml	± 35
Classification			
Norm / Product specification	-	-	EN ISO 26986
European classification	EN ISO 10874	class	21
Sound insulation	EN ISO 717/2	dB	10
Room impact noise	NF S 31074	class	A
Fire rating - Classification - Wood support permanent laying	EN 13501-1	class	B _{fl} -s1
Slip resistance wet: ramp test with oil	DIN 51 130	class	-
Performances			
Wear group	EN 660-2	group	T
Residual indentation (average value measured)	EN ISO 24343-1	mm	-
Thermal conductivity	EN ISO 10456	W/(m.k)	0.25
Colour fastness	EN 20 105-B02	degree	> 6
Surface treatment	-	-	Diamalite
Guarantee	-	year	5
Environment			
TVOC rate 28 days	EN ISO 16000-6	µg/m ³	< 100
French norm	-	-	A+
CE Marking			
CE	EN 14041		

Areas of use: domestic use



HEALTH

TVOC < 100 µg/m³ after 28 days

- Formaldehyde-free
- Lead-free, no heavy metals
- Solvent-free
- No harmful plasticizer
- Low VOC emission


ENVIRONMENT

- 100% recyclable
- ISO 14001
- Soapy water cleaning



Scan and discover
The complete range

start



Laying

- Laying recommendations:** Gerflor floorcoverings are high quality products developed for a long life. Any warranty claim will only be considered if the product has been laid according to the following specifications:
- The subfloor must be smooth, hard, dry and clean.
 - Unroll the floorcovering 24 hours before it is due to be installed.
 - During laying, the room temperature may not be below 18°C, and the ground temperature below 15°C.
- Permanent installation/full stick:**
- Use a single stick acrylic glue (approx. 250 g/sqm).
 - Use a finely notched trowel and cold weld the joints.

Cleaning & Care

- Initial cleaning:** Before commencing a regular maintenance programme, an initial cleaning of the floor will be necessary to remove dirt accumulated during installation and other building works. Remove debris, sweep floor and vacuum to remove loose dirt. Wash floor with damp mop and bucket containing cold water and neutral detergent. Replace the water and solution if necessary. Remove stubborn marks with a non-abrasive pad.
- Maintenance:** Remove loose dirt with a broom or vacuum cleaner. Wash floor with damp mop and bucket with cold water.
- Cleaning:** Frequency of periodic maintenance will depend on the level of traffic and on the nature of the installation. Wash floor with damp mop and bucket containing cold water and neutral detergent.
- Discoloration:** All resilient floor covering can discolour due to the transference of colouring substances. Contact with bituminous materials, mastic, asphalt, oil, shoes with black rubber soles, or rubber rollers may cause discoloration.

See index page 139



Index

Range	Design Color	Design Color Code	Color Code	Design	Size of the design Cm	Alternative Laying	Pattern Repeat mm
Booster	Alma Black And White	13912316	2316	Tile	25 x 25	no	1000 x 1000
Texline	Alma Blue	15192301	2301	Tile	25 x 25	no	1000 x 1000
Texline	Alma Grey	15192300	2300	Tile	25 x 25	no	1000 x 1000
Booster	Alma Peps	13912317	2317	Tile	25 x 25	no	1000 x 1000
Booster	Aloha Blond	13912230	2230	Wood	14,2 x 100	no	1000 x 1000
Primetex	Aloha Mapple	15482349	2349	Wood	14,2 x 100	no	1000 x 1000
Primetex	Aloha Tartufo	15482348	2348	Wood	14,2 x 100	no	1000 x 1000
Start Clever	Ardentes Noyer	18400025	0025	Wood	3,3 x 16,6	no	500 x 500
Texline	Azay Beige	15192309	2309	Wood	10 x 25	no	1000 x 1000
Primetex	Azay Brown	15482347	2347	Wood	10 x 25	no	1000 x 1000
Primetex	Azay Cream	15482346	2346	Wood	10 x 25	no	1000 x 1000
Texline	Azay Gold	15192307	2307	Wood	10 x 25	no	1000 x 1000
Texline	Azay Light Grey	15192308	2308	Wood	10 x 25	no	1000 x 1000
Booster	Bamboo Beige	13970471	0471	Wood	1,8	no	1000 x 1000
Texline	Basal Black	15192313	2313	Tile	33 x 66	no	1000 x 1000
Texline	Basal White	15192312	2312	Tile	33 x 66	no	1000 x 1000
Start Clever	Biarritz Acier	18401108	1108	All Over	-	yes	0 x 0
Start Clever	Biarritz Noir	18401107	1107	All Over	-	yes	0 x 0
Booster	Boston Blond	13911618	1618	Wood	10 x 100	no	1000 x 1000
Booster	Boston Grey	13911626	1626	Wood	100 x 10	no	1000 x 1000
Texline	Boston Grey	15191626	1626	Wood	10 x 100	no	1000 x 1000
Booster	Boston Pecan	13911722	1722	Wood	10 x 100	no	1000 x 1000
Loftex	Boutic Clear	24942170	2170	Wood	133,3 x 20	no	1333 x 1000
Texline HQR	Boutic Clear	13932170	2170	Wood	133,3 x 20	no	1333 x 1000
Loftex	Boutic Light Grey	24942169	2169	Wood	133,3 x 20	no	1333 x 1000
Texline HQR	Boutic Light Grey	13932169	2169	Wood	133,3 x 20	no	1333 x 1000
Loftex	Boutic Medium	24942168	2168	Wood	133,3 x 20	no	1333 x 1000
Texline HQR	Boutic Medium	13932168	2168	Wood	133,3 x 20	no	1333 x 1000
Loftex	Boutic Naturel	24942171	2171	Wood	133,3 x 20	no	1333 x 1000
Texline HQR	Boutic Naturel	13932171	2171	Wood	133,3 x 20	no	1333 x 1000
Booster	Broadway Storm	13971595	1595	All Over	-	yes	1000 x 1000
Nerok 55 Compact	Brooklyn Blue	28122249	2249	All Over	-	yes	1000 x 1000
Nerok 55 Acoustic	Brooklyn Blue	28392249	2249	All Over	-	yes	1000 x 1000
Nerok 70 Compact	Brooklyn Blue	12372249	2249	All Over	-	yes	1000 x 1000
Nerok 55 Acoustic	Brooklyn Blue	28392249	2249	All Over	-	yes	1000 x 1000
Nerok 70 Acoustic	Brooklyn Blue	28462249	2249	All Over	-	yes	1000 x 1000
Texline HQR	Brooklyn Brown	13931786	1786	All Over	-	yes	1000 x 1000
Texline HQR	Brooklyn Dark	13931784	1784	All Over	-	yes	1000 x 1000
Nerok 55 Compact	Brooklyn Silver	28122253	2253	All Over	-	yes	1000 x 1000
Nerok 55 Acoustic	Brooklyn Silver	28392253	2253	All Over	-	yes	1000 x 1000
Nerok 70 Compact	Brooklyn Silver	12372253	2253	All Over	-	yes	1000 x 1000
Nerok 55 Acoustic	Brooklyn Silver	28392253	2253	All Over	-	yes	1000 x 1000
Nerok 70 Acoustic	Brooklyn Silver	28462253	2253	All Over	-	yes	1000 x 1000
Texline	Bruges Brown	15191970	1970	Wood	15,9/9,9/18/10/12,5 x 100	no	1000 x 1000
Primetex	Cajou Grey	15481151	1151	Wood	16,6 x 100	no	1000 x 1000
Primetex	Cajou Honey	15481236	1236	Wood	16,6 x 100	no	1000 x 1000
Start Clever	Cajou Oak	18401150	1150	Wood	16,6 x 100	no	1000 x 1000
Loftex	Canopy Hazelnut	24942289	2289	Wood	20 x 133	non	1333 x 1000
Loftex	Canopy Nutmeg	24942291	2291	Wood	20 x 133	non	1333 x 1000
Loftex	Canopy Sesame	24942290	2290	Wood	20 x 133	non	1333 x 1000
Booster	Castle Blond	13911802	1802	Wood	20 x 133,3	no	1333 x 1000
Texline	Castle Blond	15191802	1802	Wood	20 x 133,3	no	1333 x 1000
Texline HQR	Castle Blond	13931802	1802	Wood	133,3 x 20	no	1333 x 1000
Texline HQR	Castle Brown	13931846	1846	Wood	133,3 x 20	no	1333 x 1000
Booster	Castle Clear	13911918	1918	Wood	20 x 133,3	no	1333 x 1000
Booster	Castle White	13911801	1801	Wood	20 x 133,3	no	1333 x 1000
Booster	Chelsea Smoked	13911294	1294	Wood	6,2/7,2 x 60/50/40	no	1000 x 1000
Nerok 55 Compact	Chene Light	28120669	0669	Wood	35/31,5/33,5 x 6,2	no	1000 x 1000
Nerok 70 Compact	Chene Light	12370669	0669	Wood	35/31,5/33,5 x 6,2	no	1000 x 1000
Texline	Chene Medium	15190405	0405	Wood	35/31,5/33,5 x 6,2	no	1000 x 1000
Loftex	Chess Grey	24942295	2295	Tile	16,6 x 16,6	no	332 x 332
Loftex	Chess Teracotta	24942296	2296	Tile	16,6 x 16,6	no	332 x 332
Primetex	Cognac Blanc	15482068	2068	Wood	20 x 133	no	1333 x 1000
Primetex	Cognac Blond	15482007	2007	Wood	20 x 133	no	1333 x 1000
Primetex	Cognac Grey	15482016	2016	Wood	20 x 133	no	1333 x 1000
Primetex	Cognac Pearl	15482006	2006	Wood	20 x 133	no	1333 x 1000
Primetex	Cognac Scandi Oak	15482350	2350	Wood	20 x 133	no	1333 x 1000
Texline	Comete Light Grey	15192314	2314	All Over	-	yes	1000 x 1000
Texline	Comete Medium Grey	15192315	2315	All Over	-	yes	1000 x 1000
Texline	Confetti Beige	15192144	2144	All Over	-	yes	1000 x 1000
Texline	Confetti Dark	15192146	2146	All Over	-	yes	1000 x 1000
Booster	Confetti Light Grey	13912352	2352	All Over	-	yes	1000 x 1000
Booster	Cordoba Black & White	13912226	2226	Tile	25 x 25	yes	1000 x 1000
Primetex	Cordoba Black & White	15482226	2226	Tile	25 x 25	no	1000 x 1000
Texline	Cordoba Blue	15192080	2080	Tile	25 x 25	no	1000 x 1000
Texline	Cordoba Grey	15192078	2078	Tile	25 x 25	no	1000 x 1000
Booster	Cork Naturel	13970027	0027	All Over	-	no	0 x 0

Index

Range	Design Color	Design Color Code	Color Code	Design	Size of the design Cm	Alternative Laying	Pattern Repeat mm
Primetex	Cork Naturel	14740027	0027	All Over	-	no	0 x 0
Primetex	Cricket Green	15482323	2323	All Over	-	oui	1000 x 1000
Start Clever	Damier Black & White	18400115	0115	Tile	16,6 x 16,6	no	332 x 332
Primetex	Damier Black & White	15480015	0015	Tile	16,6 x 16,6	no	332 x 332
Booster	Diamond Blue	13911995	1995	Graphic	20 x 22 x 22	no	1000 x 1000
Primetex	Dune Grey	15471589	1589	All Over	-	yes	1000 x 1000
Primetex	Dune White	15471588	1588	All Over	-	yes	1000 x 1000
Nerok 50 Tex	Elegant Chestnut	27982274	2274	Wood	20 x 100	no	1333 x 1000
Texline HQR	Elegant Clear	13931989	1989	Wood	20 x 100	no	1333 x 1000
Texline HQR	Elegant Grey	13932005	2005	Wood	20 x 100	no	1333 x 1000
Nerok 50 Tex	Elegant Kraft	27982271	2271	Wood	20 x 100	no	1333 x 1000
Nerok 50 Tex	Elegant Mouse Grey	27982272	2272	Wood	20 x 100	no	1333 x 1000
Nerok 50 Tex	Elegant Papyrus	27982270	2270	Wood	20 x 100	no	1333 x 1000
Nerok 50 Tex	Elegant Smokey	27982273	2273	Wood	20 x 100	no	1333 x 1000
Nerok 50 Tex	Elegant Tartufo	27982269	2269	Wood	20 x 100	no	1333 x 1000
Texline HQR	Elegant White	13931986	1986	Wood	20 x 100	no	1333 x 1000
Booster	Empire Blond	13912082	2082	Wood	20 x 133	no	1333 x 1000
Texline	Empire Blond	15192082	2082	Wood	20 x 133	no	1333 x 1000
Booster	Empire Classic	13912090	2090	Wood	20 x 133	no	1333 x 1000
Texline	Empire Dark Grey	15192069	2069	Wood	20 x 133	no	1333 x 1000
Texline HQR	Etna Clear	13932099	2099	Tile	50 x 50	yes	2000 x 1000
Texline	Etna Dark Grey	15192098	2098	Tile	50x50	no	2000 x 1000
Texline HQR	Etna Dark Grey	13932098	2098	Tile	50 x 50	yes	2000 x 1000
Texline	Etna Grey	15192100	2100	Tile	50x50	no	2000 x 1000
Primetex	Fabrik Grey	15481800	1800	Wood	6,6/11,7/8,8/14 x 100	no	1333 x 1000
Primetex	Fabrik White	15481921	1921	Wood	6,6/11,7/8,8/14 x 100	no	1333 x 1000
Primetex	Factory Anthracite	15481532	1532	Wood	16,6 x 100	no	1000 x 1000
Primetex	Factory Pecan	15481533	1533	Wood	16,6 x 100	no	1000 x 1000
Texline	Factory Perle	15191535	1535	Wood	16,6 x 100	no	1000 x 1000
Nerok 55 Compact	Factory White	28121518	1518	Wood	16,6 x 100	no	1000 x 1000
Nerok 70 Compact	Factory White	12371518	1518	Wood	16,6 x 100	no	1000 x 1000
Texline	Factory White	15191518	1518	Wood	16,6 x 100	no	1000 x 1000
Texline	Farm Kola	15191401	1401	Wood	16,7 x 100	no	1000 x 1000
Booster	Farm Pecan	13911393	1393	Wood	16,7 x 100	no	1000 x 1000
Texline	Farm Pecan	15191393	1393	Wood	16,7 x 100	no	1000 x 1000
Primetex	Fisherman Ocean	15481667	1667	Wood	10 x 100	no	1000 x 1000
Primetex	Fisherman Washed	15481728	1728	Wood	10 x 100	no	1000 x 1000
Texline	Fjord Black	15192011	2011	Tile	33,4 x 66,7	no	1333 x 1000
Texline	Fjord Light Grey	15191949	1949	Tile	33,4 x 66,7	no	1333 x 1000
Texline	Gastown Mineral	15192311	2311	Tile	16,6 x 33,3	no	1000 x 1000
Texline	Gastown Ocre	15192310	2310	Tile	16,6 x 33,3	no	1000 x 1000
Texline	Granite Dark Grey	15030617	0617	Tile	-	no	1000 x 1000
Texline	Granite Green	15030618	0618	Tile	-	no	1000 x 1000
Start Clever	Gravel Beige	18400711	0711	All Over	-	yes	0 x 0
Primetex	Gravel Beige	14740711	0711	All Over	-	yes	0 x 0
Primetex	Gravel Grey	14740712	0712	All Over	-	yes	0 x 0
Primetex	Handmade Blue	15482054	2054	Graphic	-	yes	0 x 0
Nerok 55 Compact	Harbor Blue	28121893	1893	Wood	4,6/5/6/9/11/12 x 40/44/60/78/85/97	no	1333 x 1000
Nerok 70 Compact	Harbor Blue	12371893	1893	Wood	4,6/5/6/9/11/12 x 40/44/60/78/85/97	no	1333 x 1000
Texline	Harbor Blue	15191893	1893	Wood	4,6/5/6/9/11/12 x 40/44/60/78/85/97	no	1333 x 1000
Texline	Harbor Nature	15191900	1900	Wood	4,6/5/6/9/11/12 x 40/44/60/78/85/97	no	1333 x 1000
Texline	Harbor Pearl	15191901	1901	Wood	4,6/5/6/9/11/12 x 40/44/60/78/85/97	no	1333 x 1000
Texline HQR	Harlem Blue	13931789	1789	All Over	-	yes	1000 x 1000
Texline HQR	Harlem Clear	13931808	1808	All Over	-	yes	1000 x 1000
Nerok 50 Tex	Harlem Colombe	27982284	2284	All Over	-	yes	1000 x 1000
Texline HQR	Harlem Dark	13931787	1787	All Over	-	yes	1000 x 1000
Texline HQR	Harlem Fer	13931876	1876	All Over	-	yes	1000 x 1000
Nerok 50 Tex	Harlem Flanelle	27982299	2299	Wood	-	yes	1000 x 1000
Nerok 50 Tex	Harlem Goblin	27982281	2281	All Over	-	yes	1000 x 1000
Texline HQR	Harlem Light Grey	13931788	1788	All Over	-	yes	1000 x 1000
Nerok 50 Tex	Harlem Mercury	27982283	2283	All Over	-	yes	1000 x 1000
Nerok 50 Tex	Harlem Mink	27982285	2285	All Over	-	yes	1000 x 1000
Texline HQR	Harlem Nature	13931793	1793	All Over	-	yes	1000 x 1000
Nerok 50 Tex	Harlem Pearl	27982288	2288	All Over	-	yes	1000 x 1000
Nerok 50 Tex	Harlem Powder	27982287	2287	All Over	-	yes	1000 x 1000
Nerok 50 Tex	Harlem Slate	27982282	2282	All Over	-	yes	1000 x 1000
Nerok 50 Tex	Harlem Stone	27982280	2280	All Over	-	yes	1000 x 1000
Primetex	Harlem Taupe	17341845	1845	All Over	-	yes	1000 x 1000
Nerok 50 Tex	Harlem Tin	27982286	2286	All Over	-	yes	1000 x 1000
Booster	Hudson Blond	13911887	1887	Wood	20 x 133,3	no	1333 x 1000
Texline	Hudson Blond	15191887	1887	Wood	20 x 133,3	no	1333 x 1000
Texline	Hudson Dark	15191881	1881	Wood	20 x 133,3	no	1333 x 1000
Booster	Hudson Pearl	13911880	1880	Wood	20 x 133,3	no	1333 x 1000
Texline	Hudson Pearl	15191880	1880	Wood	20 x 133,3	no	1333 x 1000
Texline	Hudson White	15191879	1879	Wood	20 x 133,3	no	1333 x 1000
Booster	Jersey Clear	13911894	1894	Wood	20 x 133,3	no	1333 x 1000
Loftex	Keywest Misty	24942293	2293	Wood	25 x 133,3	non	1333 x 1000
Loftex	Keywest Serenity	24942292	2292	Wood	25 x 133,3	non	1333 x 1000
Nerok 55 Compact	Leone Anthracite	28122133	2133	All Over	-	yes	2000 x 1000

Range	Design Color	Design Color Code	Color Code	Design	Size of the design Cm	Alternative Laying	Pattern Repeat mm
Nerok 70 Compact	Leone Anthracite	12372133	2133	All Over	-	yes	2000 x 1000
Primetex	Leone Anthracite	15482133	2133	All Over	-	yes	2000 x 1000
Nerok 55 Compact	Leone Brown	28122134	2134	All Over	-	yes	2000 x 1000
Nerok 70 Compact	Leone Brown	12372134	2134	All Over	-	yes	2000 x 1000
Primetex	Leone Clear	15482064	2064	All Over	-	yes	1000 x 1000
Nerok 55 Compact	Leone Cream	28122135	2135	All Over	-	yes	2000 x 1000
Nerok 70 Compact	Leone Cream	12372135	2135	All Over	-	yes	2000 x 1000
Loftex	Leone Cream	24942135	2135	All Over	-	yes	1000 x 1000
Primetex	Leone Light	15482063	2063	All Over	-	yes	1000 x 1000
Nerok 55 Compact	Leone Metal	28122132	2132	All Over	-	yes	2000 x 1000
Nerok 70 Compact	Leone Metal	12372132	2132	All Over	-	yes	2000 x 1000
Loftex	Leone Metal	24942132	2132	All Over	-	yes	1000 x 1000
Nerok 55 Compact	Leone Mouse	28122131	2131	All Over	-	yes	2000 x 1000
Nerok 70 Compact	Leone Mouse	12372131	2131	All Over	-	yes	2000 x 1000
Primetex	Leone Powder	15482345	2345	All Over	-	yes	1000 x 1000
Loftex	Leone Uranus	24942294	2294	All Over	-	yes	1000 x 1000
Primetex	Lewis Grey	15481973	1973	Wood	16,7 x 100	no	1000 x 1000
Booster	Lodge Clear	13912354	2354	Wood	5,5 x 100	no	1000 x 1000
Primetex	Lodge Milk	15481439	1439	Wood	5,5 x 100	no	1000 x 1000
Texline HQR	Lodge Milk	13931439	1439	Wood	5,5 x 100	no	1000 x 1000
Loftex	Lux Blond	24942167	2167	Wood	0	no	1333 x 1000
Loftex	Lux Natural	24942166	2166	Wood	0	no	1333 x 1000
Texline HQR	Macchiato Brown	13932004	2004	Wood	16,6 x 100	no	1000 x 1000
Texline HQR	Macchiato Naturel	13932003	2003	Wood	16,6 x 100	no	1000 x 1000
Texline HQR	Macchiato Pearl	13932002	2002	Wood	16,6 x 100	no	1000 x 1000
Texline	Madras Anthracite	15191735	1735	All Over	-	yes	0 x 0
Texline	Madras Grey	15191051	1051	All Over	-	yes	0 x 0
Booster	Madras Silver	13751593	1593	All Over	-	yes	0 x 0
Texline	Madras Silver	15191593	1593	All Over	-	yes	0 x 0
Booster	Madras Storm	13911734	1734	All Over	-	yes	0 x 0
Texline	Madras Storm	15191734	1734	All Over	-	yes	0 x 0
Texline	Madras Uranus	15192119	2119	All Over	-	yes	0 x 0
Booster	Madras White	13911479	1479	All Over	-	yes	0 x 0
Texline	Madras White	15191479	1479	All Over	-	yes	0 x 0
Booster	Mambo Clair	13991079	1079	Wood	IDEM 22	no	IDEM 22
Start Focus	Manitoba Erable	18380046	0046	Wood	6,2 x 35 / 33,5 / 31,5	no	1000 x 500
Loftex	Manitoba Hetre	24940402	0402	Wood	6,2 x 35 / 33,5 / 31,5	no	1000 x 500
Start Clever	Manitoba Toundra	18400107	0107	Wood	6,2 x 35 / 33,5 / 31,5	no	1000 x 500
Start Clever	Marengo Perle	18400141	0141	All Over	-	yes	0 x 0
Start Clever	Marl Grey	18401582	1582	All Over	-	yes	0 x 0
Loftex	Nevada Cream	24942163	2163	Tile	33,3 x 66,6	no	1333 x 1000
Loftex	Nevada Grey	24942185	2185	Tile	33,3 x 66,6	no	1333 x 1000
Loftex	Nevada Light Grey	24942164	2164	Tile	33,3 x 66,6	no	1333 x 1000
Nerok 55 Compact	Newport Clear	28122244	2244	Wood	133,3 x 20	no	1333 x 1000
Nerok 55 Acoustic	Newport Clear	28392244	2244	Wood	20 x 133,3	non	1333 x 1000
Nerok 70 Compact	Newport Clear	12372244	2244	Wood	133,3 x 20	no	1333 x 1000
Nerok 55 Acoustic	Newport Clear	28392244	2244	Wood	133,3 x 20	no	1333 x 1000
Nerok 70 Acoustic	Newport Clear	12372244	2244	Wood	133,3 x 20	no	1333 x 1000
Nerok 55 Compact	Newport Natural	28122245	2245	Wood	133,3 x 20	no	1333 x 1000
Nerok 55 Acoustic	Newport Natural	28392245	2245	Wood	20 x 133,3	non	1333 x 1000
Nerok 70 Compact	Newport Natural	12372245	2245	Wood	133,3 x 20	no	1333 x 1000
Nerok 55 Acoustic	Newport Natural	28392245	2245	Wood	133,3 x 20	no	1333 x 1000
Nerok 70 Acoustic	Newport Natural	28462245	2245	Wood	133,3 x 20	no	1333 x 1000
Primetex	Newport Pecan	15481538	1538	Wood	20 x 133,3	no	1333 x 1000
Primetex	Newport Vinales	15482321	2321	Wood	20 x 133,3	no	1333 x 1000
Primetex	Newport White	15481528	1528	Wood	20 x 133,3	no	1333 x 1000
Primetex	Nice Stone	15482130	2130	Tile	50 x 25	no	1000 x 1000
Texline	Noma Blanc	15190515	0515	Wood	16,6 x 100	no	1000 x 1000
Texline	Noma Blond	15191731	1731	Wood	16,6 x 100	no	1000 x 1000
Texline HQR	Noma Cafe	13930679	0679	Wood	16,6 x 100	no	1000 x 1000
Texline	Noma Chocolate	15190475	0475	Wood	16,6 x 100	no	1000 x 1000
Texline	Noma Clear	15191727	1727	Wood	16,6 x 100	no	1000 x 1000
Primetex	Noma Cloud	15482200	2200	Wood	16,6 x 100	no	1000 x 1000
Nerok 55 Compact	Noma Kola	28121451	1451	Wood	16,6 x 100	no	1000 x 1000
Nerok 70 Compact	Noma Kola	12371451	1451	Wood	16,6 x 100	no	1000 x 1000
Texline HQR	Noma Kola	13931451	1451	Wood	16,6 x 100	no	1000 x 1000
Nerok 55 Compact	Noma Miel	28120476	0476	Wood	16,6 x 100	no	1000 x 1000
Nerok 70 Compact	Noma Miel	12370476	0476	Wood	16,6 x 100	no	1000 x 1000
Texline	Noma Miel	15190476	0476	Wood	16,6 x 100	no	1000 x 100

Index

Range	Design Color	Design Color Code	Color Code	Design	Size of the design Cm	Alternative Laying	Pattern Repeat mm
Nerok 70 Acoustic	Oak Select Country	28462242	2242	Wood	-	yes	1000 x 1000
Nerok 55 Acoustic	Oak Select Dark Grey	28391430	1430	Wood	20 x 133,3	non	1333 x 1000
Nerok 70 Acoustic	Oak Select Dark Grey	28461430	1430	Wood	20 x 133,3	non	1333 x 1000
Nerok 55 Acoustic	Oak Select Dark Grey	28391430	1430	Wood	-	yes	1000 x 1000
Nerok 70 Acoustic	Oak Select Dark Grey	28461430	1430	Wood	-	yes	1000 x 1000
Nerok 55 Compact	Oak Select Grey	28121430	1430	Wood	-	yes	1000 x 1000
Nerok 70 Compact	Oak Select Grey	12371430	1430	Wood	-	yes	1000 x 1000
Primetex	Oak Select Pearl	15482319	2319	Wood	-	no	0
Texline	Opera Clear	15192156	2156	Wood	-	no	1000 x 1000
Loftex	Opera Grey	24942172	2172	Wood	-	no	1000 x 1000
Loftex	Opera Naturel	24942155	2155	Wood	-	no	1000 x 1000
Texline	Opera Naturel	15192155	2155	Wood	-	no	1000 x 1000
Loftex	Origin Cream	24942173	2173	Tile	Carreaux hexagonal	no	1000 x 1000
Loftex	Origin Light Grey	24942174	2174	Tile	Carreaux hexagonal	no	1000 x 1000
Texline	Otelo Beige	15192306	2306	Wood	100 x 16,6	no	2000 x 1000
Texline	Otelo Golden	15192305	2305	Wood	100 x 16,6	no	2000 x 1000
Texline	Otelo Light Grey	15192303	2303	Wood	100 x 16,6	no	2000 x 1000
Texline	Otelo Natural	15192304	2304	Wood	100 x 16,6	no	2000 x 1000
Texline	Otelo White	15192302	2302	Wood	100 x 16,6	no	2000 x 1000
Texline	Patchwood Blond	15192232	2232	Wood	Bois blocs	no	1000x2000
Nerok 55 Compact	Pixel Anthracite	28120632	0632	All Over	-	yes	1000 x 1000
Nerok 70 Compact	Pixel Anthracite	12370632	0632	All Over	-	yes	1000 x 1000
Nerok 55 Compact	Pixel Black	28122179	2179	All Over	-	yes	1000 x 1000
Nerok 70 Compact	Pixel Black	12372179	2179	All Over	-	yes	1000 x 1000
Nerok 55 Compact	Pixel Clear	28122175	2175	All Over	-	yes	1000 x 1000
Nerok 70 Compact	Pixel Clear	12372175	2175	All Over	-	yes	1000 x 1000
Nerok 55 Compact	Pixel Meadow	28122181	2181	All Over	-	yes	1000 x 1000
Nerok 70 Compact	Pixel Meadow	12372181	2181	All Over	-	yes	1000 x 1000
Nerok 55 Compact	Pixel Ocean	28122182	2182	All Over	-	yes	1000 x 1000
Nerok 70 Compact	Pixel Ocean	12372182	2182	All Over	-	yes	1000 x 1000
Nerok 55 Compact	Pixel Paprika	28122178	2178	All Over	-	yes	1000 x 1000
Nerok 70 Compact	Pixel Paprika	12372178	2178	All Over	-	yes	1000 x 1000
Nerok 55 Compact	Pixel Sand	28120639	0639	All Over	-	yes	1000 x 1000
Nerok 70 Compact	Pixel Sand	12370639	0639	All Over	-	yes	1000 x 1000
Nerok 55 Compact	Pixel Silver	28120597	0597	All Over	-	yes	1000 x 1000
Nerok 70 Compact	Pixel Silver	12370597	0597	All Over	-	yes	1000 x 1000
Nerok 55 Compact	Pixel Taupe	28122176	2176	All Over	-	yes	1000 x 1000
Nerok 70 Compact	Pixel Taupe	12372176	2176	All Over	-	yes	1000 x 1000
Nerok 55 Compact	Pixel Vanilla	28120621	0621	All Over	-	yes	1000 x 1000
Nerok 70 Compact	Pixel Vanilla	12370621	0621	All Over	-	yes	1000 x 1000
Primetex	Playa White	15471193	1193	Wood	100 x 8/15/11/16/14/9	no	1000 x 1000
Texline	Playa White	15031193	1193	Wood	100 x 8/15/11/16/14/9	no	1000 x 1000
Primetex	Prisme Blond	15482061	2061	Wood	-	no	1000 x 1000
Booster	Provence Black & White	13911981	1981	Tile	20 x 20	no	1000 x 1000
Texline	Provence Black & White	15191981	1981	Tile	20 x 20	no	1000 x 1000
Texline	Provence Creme	15191955	1955	Tile	20 x 20	no	1000 x 1000
Nerok 70 Acoustic	Reflect Sea	28462249	2249	All Over	-	oui	1000 x 1000
Nerok 70 Acoustic	Reflect Silver	28462253	2253	All Over	-	oui	1000 x 1000
Texline HQR	Rough Chocolate	13932219	2219	All Over	0	yes	1000 x 1000
Texline HQR	Rough Jeans	13932220	2220	All Over	0	yes	1000 x 1000
Texline HQR	Rough Light Grey	13932225	2225	All Over	0	yes	1000 x 1000
Texline HQR	Rough Taupe	13932218	2218	All Over	0	yes	1000 x 1000
Booster	Santafe Pearl	13911873	1873	Wood	10 x 33/67/100	no	1333 x 1000
Texline	Savannah Blond	15192138	2138	Wood	12,5 x 50	no	1000 x 1000
Texline	Savannah Grey	15192140	2140	Wood	12,5 x 50	no	1000 x 1000
Texline	Savannah Naturel	15192139	2139	Wood	12,5 x 50	no	1000 x 1000
Booster	Seaside Blue	13912216	2216	Wood	500 x 100	no	1000 x 1000
Texline HQR	Seaside Blue	13932216	2216	Wood	500 x 100	no	1000 x 1000
Texline HQR	Seaside Clear	13932217	2217	Wood	500 x 100	no	1000 x 1000
Nerok 55 Compact	Shade Anthracite	28122153	2153	All Over	-	yes	1000 x 1000
Nerok 70 Compact	Shade Anthracite	12372153	2153	All Over	-	yes	1000 x 1000
Texline	Shade Anthracite	15192153	2153	All Over	-	yes	1000 x 1000
Nerok 55 Compact	Shade Grey	28122152	2152	All Over	-	yes	1000 x 1000
Nerok 55 Acoustic	Shade Grey	28392152	2152	All Over	-	yes	1000 x 1000
Nerok 70 Compact	Shade Grey	12372152	2152	All Over	-	yes	1000 x 1000
Nerok 70 Acoustic	Shade Grey	28462152	2152	All Over	-	yes	1000 x 1000
Texline	Shade Grey	15192152	2152	All Over	-	yes	1000 x 1000
Nerok 55 Acoustic	Shade Grey	28392152	2152	All Over	-	yes	1000 x 1000
Nerok 70 Acoustic	Shade Grey	28462152	2152	All Over	-	yes	1000 x 1000
Booster	Shade Light Grey	13912151	2151	All Over	-	yes	1000 x 1000
Nerok 55 Compact	Shade Light Grey	28122151	2151	All Over	-	yes	1000 x 1000
Nerok 55 Acoustic	Shade Light Grey	28392151	2151	All Over	-	yes	1000 x 1000
Nerok 70 Compact	Shade Light Grey	12372151	2151	All Over	-	yes	1000 x 1000
Nerok 70 Acoustic	Shade Light Grey	28462151	2151	All Over	-	yes	1000 x 1000
Texline	Shade Light Grey	15192151	2151	All Over	-	yes	1000 x 1000
Nerok 55 Acoustic	Shade Light Grey	28392151	2151	All Over	-	yes	1000 x 1000
Nerok 70 Acoustic	Shade Light Grey	28462151	2151	All Over	-	yes	1000 x 1000
Texline	Shade White	15192150	2150	All Over	-	yes	1000 x 1000
Nerok 55 Compact	Sherwood Blond	28122013	2013	Wood	25 x 133,3	no	1333 x 1000

Range	Design Color	Design Color Code	Color Code	Design	Size of the design Cm	Alternative Laying	Pattern Repeat mm
Nerok 70 Compact	Sherwood Blond	12372013	2013	Wood	25 x 133,3	no	1333 x 1000
Texline	Sherwood Blond	15192013	2013	Wood	25 x 133	no	1333 x 1000
Nerok 55 Compact	Sherwood Brown	28122015	2015	Wood	25 x 133,3	no	1333 x 1000
Nerok 70 Compact	Sherwood Brown	12372015	2015	Wood	25 x 133,3	no	1333 x 1000
Texline	Sherwood Brown	15192015	2015	Wood	25 x 133	no	1333 x 1000
Nerok 50 Tex	Sherwood Cappuccino	27982277	2277	Wood	25 x 133	no	1333 x 1000
Nerok 55 Compact	Sherwood Clear	28122012	2012	Wood	25 x 133,3	no	1333 x 1000
Nerok 70 Compact	Sherwood Clear	12372012	2012	Wood	25 x 133,3	no	1333 x 1000
Texline	Sherwood Clear	15192012	2012	Wood	25 x 133	no	1333 x 1000
Nerok 50 Tex	Sherwood Cream	27982279	2279	Wood	25 x 133	no	1333 x 1000
Texline	Sherwood Dark	15192014	2014	Wood	25 x 133	no	1333 x 1000
Nerok 50 Tex	Sherwood Fog	27982275	2275	Wood	25 x 133	no	1333 x 1000
Nerok 55 Compact	Sherwood Grey	28122017	2017	Wood	25 x 133,3	no	1333 x 1000
Nerok 70 Compact	Sherwood Grey	12372017	2017	Wood	25 x 133,3	no	1333 x 1000
Texline	Sherwood Grey	15192017	2017	Wood	25 x 133	no	1333 x 1000
Nerok 50 Tex	Sherwood Leather	27982278	2278	Wood	25 x 133	no	1333 x 1000
Booster	Sherwood Light Brown	13912353	2353	Wood	25 x 133	no	1333 x 1000
Nerok 50 Tex	Sherwood Maple	27982298	2298	Wood	25 x 133	no	1333 x 1000
Booster	Sherwood Nature	13912318	2318	Wood	25 x 133	no	1333 x 1000
Nerok 50 Tex	Sherwood Nut	27982276	2276	Wood	25 x 133	no	1333 x 1000
Texline	Sherwood White	15192137	2137	Wood	25 x 133	no	1333 x 1000
Start Clever	Silice Gris	18400011	0011	All Over	-	yes	0 x 0
Texline HQR	Sisal Black	13932208	2208	All Over	0	no	1000 x 1000
Texline HQR	Sisal Cream	13932211	2211	All Over	0	no	1000 x 1000
Texline HQR	Sisal Grey	13932209	2209	All Over	0	no	1000 x 1000
Texline HQR	Sisal Natural	13932212	2212	All Over	0	no	1000 x 1000
Texline HQR	Sisal Soft Grey	13932210	2210	All Over	0	no	1000 x 1000
Nerok 70 Acoustic	Skandi Oak Clear	28462244	2244	Wood	20 x 133,3	non	1333 x 1000
Nerok 70 Acoustic	Skandi Oak Natural	28462245	2245	Wood	20 x 133,3	non	1333 x 1000
Nerok 55 Compact	Timber Cabana	28120492	0492	Wood	16 x 100	no	1000 x 1000
Nerok 70 Compact	Timber Cabana	12370492	0492	Wood	16 x 100	no	1000 x 1000
Texline	Timber Classic	15191736	1736	Wood	16 x 100	no	1000 x 1000
Primetex	Timber Clear	15480720	0720	Wood	16 x 100	no	1000 x 1000
Nerok 55 Compact	Timber Clear	28120720	0720	Wood	16 x 100	no	1000 x 1000
Nerok 55 Acoustic	Timber Clear	28390720	0720	Wood	16 x 100	no	1000 x 1000
Nerok 70 Compact	Timber Clear	12370720	0720	Wood	16 x 100	no	1000 x 1000
Nerok 70 Acoustic	Timber Clear	28460720	0720	Wood	16 x 100	no	1000 x 1000
Texline HQR	Timber Clear	13930720	0720	Wood	16 x 100	no	1000 x 1000
Nerok 55 Acoustic	Timber Clear	28390720	0720	Wood	16 x 100	no	1000 x 1000
Nerok 70 Acoustic	Timber Clear	28460720	0720	Wood	16 x 100	no	1000 x 1000
Texline HQR	Timber Dark Grey	13931818	1818	Wood	16 x 100	no	1000 x 1000
Primetex	Timber Golden	15482351	2351	Wood	16 x 100	no	1000 x 1000
Nerok 55 Compact	Timber Grey	28121751	1751	Wood	16 x 100	no	1000 x 1000
Nerok 55 Acoustic	Timber Grey	28391751	1751	Wood	16 x 100	no	1000 x 1000
Nerok 70 Compact	Timber Grey	12371751	1751	Wood	16 x 100	no	1000 x 1000
Nerok 70 Acoustic	Timber Grey	28461751	1751	Wood	16 x 100	no	1000 x 1000
Texline	Timber Grey	15191751	1751	Wood	16 x 100	no	1000 x 1000
Nerok 55 Acoustic	Timber Grey	28391751	1751	Wood	16 x 100	no	1000 x 1000
Nerok 70 Acoustic	Timber Grey	28461751	1751	Wood	16 x 100	no	1000 x 1000
Texline HQR	Timber Honey	13931819	1819	Wood	16 x 100	no	1000 x 1000
Texline	Timber Light	15191749	1749	Wood	16 x 100	no	1000 x 1000
Primetex	Timber Medium	15480721	0721	Wood	16 x 100	no	1000 x 1000
Texline	Timber Naturel	15191740	1740	Wood	16 x 100	no	1000 x 1000
Texline HQR	Timber White	13931820	1820	Wood	16 x 100	no	1000 x 1000
Texline	Tivoli Clear	15191968	1968	Tile	33,3 x 33,3	no	1000 x 1000
Texline	Tivoli Grey	15191969	1969	Tile	33,3 x 33,3	no	1000 x 1000
Texline	Tivoli Light Grey	15191965	1965	Tile	33,3 x 33,3	no	1000 x 1000
Booster	Toronto Clair	13910762	0762	Wood	16,8x133,3	no	1333 x 1000
Start Clever	Turku Clair	18400381	0381	Wood	7x61,5 / 30,8 / 41 / 71,6	no	1333 x 1000
Loftex	Tweed Junco	24942297	2297	All Over	-	non	1000 x 1000
Primetex	Verone Light Grey	15471284	1284	Tile	50x33,3	no	1000 x 1000
Primetex	Versailles Naturel	15482009	2009	Wood	20 x 133	no	1333 x 1000
Primetex	Victoria Light	15471547	1547	Tile	16,6 x 33,3	no	1000 x 1000
Booster	Volcano Grey	13912187	2187	Tile	50 x 25	no	1000 x 1000
Booster	Volcano Light Grey	13912186	2186	Tile	50 x 25	no	1000 x 1000
Texline HQR	Wabi Blue Grey	13932214	2214	Tile	33,3 x 33,3	no	1000 x 1000
Texline HQR	Wabi Caramel	13932215	2215	Tile	33,3 x 33,3	no	1000 x 1000
Texline HQR	Wabi Light Grey	13932213	2213	Tile	33,3 x 33,3	no	1000 x 1000
Texline HQR	Walden Blond	13931985	1985	Wood	12,5/16,8/20/14,3 x 133,3	no	1333 x 1000

How to care For your Gerflor floor

Safety tips

- Use plastic coasters or felt pads under the feet of furniture and other heavy objects
- Protect from sources of heat and spills.



Cleaning

Regular cleaning: use a vacuum and a damp mop with a standard, no-rinse detergent solution. Gerflor recommends using its Power Cleaner for routine cleaning.

Deep cleaning (every 6-12 months): to make your floor shine like new again, use a restorative product. Gerflor recommends using its Renovator Polish to protect and enhance the look of your floor. It leaves a matte finish and brightens up colours.

Stubborn stains: use diluted bleach, white spirit, alcohol or lemon juice.

- stains such as tomato sauce, mustard, beet juice, blood, ink and iodine: use diluted bleach, allowing it to sit for several minutes and then rinsing thoroughly.
- rust stains: clean with fabric rust remover and rinse thoroughly.
- marker, pen, grease and glue stains: rub gently with a cloth moistened with white spirit, and rinse thoroughly

Products to avoid: acetone, chlorinated solvents such as trichlorethylene, wax, glaze.

Communication Tools

A useful set of sales tools, available to help your sales teams present and promote Gerflor products in-store for more:

- Impact upon end consumers
- Information on products' benefits
- Decoration strength
- Laying advice on videos



ASIA: Gerflor Asia

Tel: +852 9222 6355 - Fax: +852 3006 1449
e-mail: gerflorasia@gerflor.com

AUSTRALIA/NEW ZEALAND: Gerflor Australasia Pty. Ltd

Australia Tel: +61 1 800 060 785
New Zealand Tel: + 64 0 800 630 119
e-mail: gerflor@gerflor.com.au

AUSTRIA/SWITZERLAND: Gerflor GmbH

Tel: +43 (0)72 29/70 800-0 - Fax: +43 (0)72 29/70 800-218
e-mail: austria@gerflor.com - switzerland@gerflor.com

BELGIUM/LUXEMBURG: Gerflor Benelux

Tel: +32 (0)3 766 42 82 - Fax: +32 (0)3 766 29 14
e-mail: gerflorbe@gerflor.com

CANADA: Gerflor International

Tel: +1 438 333 0752 - Fax: +1 438 380 5425
e-mail: gerflorcanada@gerflor.com

CHINA: Gerflor floorings (China) Co. Ltd.

Tel: +86 21 6357 8818 - Fax: +86 21 6357 8998
e-mail: gerflorchina@gerflor.com

CZECH REPUBLIC & SLOVAKIA: Gerflor CZ s.r.o.

Tel: +420 725 815 902

FINLAND: Gerflor Oy

Tel: +358 (0) 10 6 17 5150 - Fax: +358 (0) 10 617 5152
e-mail: info@gerflor.fi

FRANCE: Gerflor

Tel: 00 33 4 75 50 68 68 - Fax: 00 33 4 75 50 69 95
e-mail: serviceconseil@gerflor.com

GERMANY: Gerflor Mipolam GmbH

Tel: +49 (0)22 41-25 30-0
e-mail: gerflormipolam@gerflor.com

IRELAND: Gerflor Ltd

Tel: +353 (0) 42 966 1431 - Fax: +353 (0) 42 966 1759
e-mail: gerflorirl@gerflor.com

ITALY: Gerflor S.p.A.

Tel: +39 02 90 40 10 - Fax: +39 02 90 42 74 84
e-mail: gerflorit@gerflor.com

LATIN AMERICA (Brazil): Gerflor América Latina

Tel: +55 11 38 48 20 20
e-mail: gerflor@gerflor.com.br

MIDDLE EAST: Gerflor Middle East

Tel: +966 3 847 1779 - Fax: +966 3 847 1781
e-mail: info@gerflorme.com

NETHERLANDS: Gerflor Benelux

Tel: +31 (0)40 266 17 00 - Fax: +31 (0)40 257 46 89
e-mail: gerflornl@gerflor.com

OTHER COUNTRIES: Gerflor International

Tel: +33 (0)4 74 05 40 00 - Fax: +33 (0)4 74 05 03 13
e-mail: gerflorcontract@gerflor.com

POLAND: Gerflor Polska Sp z o.o

Tel: + 48 61 823 34 01 - Fax: + 48 61 823 34 33
e-mail: info@gerflor.pl

PORTUGAL: Gerflor Iberia, SA

Tel: +351 21 843 95 49 - Fax: +351 21 846 55 44
e-mail: gerflorportugal@gerflor.com

RUSSIA: Gerflor zao

Tel./Fax: + 7 495 785 23 71
e-mail: gerflorussia@gerflor.ru

SCANDINAVIA: Gerflor Scandinavia a.s.

Tel: + 47 64 95 60 70 - Fax: + 47 64 95 60 80
e-mail: gerflorscand@gerflor.no

SPAIN: Gerflor Iberia, SA

Tel: +34 91 653 50 11 - Fax: +34 91 653 25 85
e-mail: gerfloriberia@gerflor.com

UNITED KINGDOM: Gerflor Ltd

Sample service: Contractuk@gerflor.com
Office Tel: + 44 (0) 1926 622 600 - Fax: + 44 (0) 1926 401 647

USA: Gerflor USA

Tel: 877 GERFLOR (437 3567) - Fax: 847 394 3753
e-mail: info@gerflorusa.com



The flooring in this document is reproduced as accurately as achievable by printing techniques. Information in this document is subject to change.
Photographs: Studio Azimuts, Mouxy Productions, Studio L'Éclaire, Studio Nomades, Studio Actimage - Getty Image - Betty Studio - Fotolia
Siret (trade register No.): 726 580 152 000 98 - Jpe

we care / we act Our Commitments for a Sustainable future



CARBON FOOTPRINT*
-20 % kg

CO₂ equivalent/m²
between 2020 and 2025



BIOSOURCED CONTENT**
10 % by 2025



RECYCLED CONTENT
30 % by 2025



ADHESIVE FREE***
35 % by 2025



ANNUAL VOLUME RECYCLED
60 000 t by 2025

Gerflor[®]

* Scopes 1 and 2 defined in the GHG protocol ** % of activity with biosourced materials *** % of activity - adhesive free solution