

# NDVK

NORWEGIAN DOOR-AND  
WINDOW-CONTROL

CERTIFIED

# Certificate

It's confirm that

**Viljandi Aken ja Uks AS, Doorfactory Estonia**

Fulfil the requirements according to  
**NORWEGIAN DOOR- AND WINDOW CONTROL**

## ***NDVK-Rules***

The certificate include all production of windows and doors,  
and include the following products:

### Door types:

- VU T1 HPL, outward opening timberdoor, with or without glazing.
- VU T1, outward opening timberdoor, with or without glazing.
- FD 14, one sided hinged timber leaf in timber frame, external door.

Oslo date: 05.02.2019



NDVK chairman

Date of issue first time: 02.01.2018

Valid thru: 31.12.2020

Certificate NO.: 061

# NDVK

NORWEGIAN DOOR-AND  
WINDOW-CONTROL

CERTIFIED

Quality management in the production of windows and door fulfils the requirement to **NDVK Rules:**

**Requirements for doors and windows of 01/2019**

and

**Rules for certificate and inspection of 01/2019.**

The product at page 1 fulfil the requirement according to:

Characteristic	Classification/value										NDVK req.
<b>Air permeability</b>											4
Class	1	2	3	4							
Max. test pressure (Pa)	150	300	600	600							
<b>Watertightness</b>											7A or 7B**
Class - Non-shielded (A)	1 A	2 A	3 A	4 A	5 A	6 A	7 A	8 A	9 A	E	
Test pressure (Pa)	(0)	(50)	(100)	(150)	(200)	(250)	(300)	(450)	(600)	(>600)	
Class - Shielded (B)	1 B	2 B	3 B	4 B	5 B	6 B	7 B				
Test pressure (Pa)	(0)	(50)	(100)	(150)	(200)	(250)	(300)				

\* Requirement for windows and balcony-doors

\*\* Requirement for Pedestrian doors