



WIŚNIEWSKI

DECLARATION OF PERFORMANCE

Declaration no.: 1008/CPR/2021

1. Unique identification code of the product-type: **UNIPRO, UNIPRO Nano80 - manually operated door.**
2. Intended use/es: **Manually operated sectional door. The door is intended as a vertical barrier in general purpose and garage buildings. The intended use means providing safe indoor access to pedestrians and vehicles and their drivers and passengers.**
3. Manufacturer: **WIŚNIEWSKI Sp. z o.o. S.K.A.
PL 33-311 Wielogłowy 153**
4. System/s of AVCP: **3**
5. Harmonised standard: **EN 13241:2003+A2:2016**
Notified body/ies: **Instytut Techniki Budowlanej – 1488**

6. Declared performance:

Characteristic

Watertightness
Release of dangerous substances
Resistance to wind load
Thermal resistance
Air permeability

Safe opening
Definition of geometry of glass components
Mechanical resistance and stability
Operating forces
Durability of watertightness, thermal resistance and air permeability against degradation

Test results

Class 2
Class 0*
NPD
Class 3
Class 3
≤ 1,3 [W/m²K]**
Class 4
Class 0*
Pass
Pass
Pass
NPD

20 000 cycles

* - Applies to doors with ventilation grilles or vented panels.
** - The parameter value for the door serial no. as given on the nameplate.

7. The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

WIŚNIEWSKI Sp. z o.o. S.K.A.

mgr inż. Dariusz Ziłocki
Dyrektor Biura Konstrukcyjnego

.....
(full name and signature of the authorised person)



Wielogłowy, 25.02.2021

