


ADX

A510

ADX korte bor, syl. feste



d_1 \varnothing_{h_8} Inch	d_1 \varnothing_{h_8} mm	d_1 decimal Inch	l_2 mm	l_1 mm	e-code	NOK
	3.00	0.1181	33	61	A5103.0	94,20
	3.10	0.1220	36	65	A5103.1	110,00
1/8	3.18	0.1252	36	65	A5101/8	124,00
	3.20	0.1260	36	65	A5103.2	107,00
	3.30	0.1299	36	65	A5103.3	96,30
	3.40	0.1339	39	70	A5103.4	113,00
	3.50	0.1378	39	70	A5103.5	113,00
9/64	3.57	0.1406	39	70	A5109/64	176,00
	3.60	0.1417	39	70	A5103.6	120,00
	3.70	0.1457	39	70	A5103.7	113,00
	3.80	0.1496	43	75	A5103.8	135,00
	3.90	0.1535	43	75	A5103.9	135,00
5/32	3.97	0.1563	43	75	A5105/32	142,00
	4.00	0.1575	43	75	A5104.0	123,00
	4.10	0.1614	43	75	A5104.1	134,00
	4.20	0.1654	43	75	A5104.2	126,00
	4.30	0.1693	47	80	A5104.3	150,00
11/64	4.37	0.1720	47	80	A51011/64	241,00
	4.40	0.1732	47	80	A5104.4	143,00
	4.50	0.1772	47	80	A5104.5	144,00
	4.60	0.1811	47	80	A5104.6	151,00
	4.70	0.1850	47	80	A5104.7	148,00
3/16	4.76	0.1874	52	86	A5103/16	179,00
	4.80	0.1890	52	86	A5104.8	157,00
	4.90	0.1929	52	86	A5104.9	152,00
	5.00	0.1969	52	86	A5105.0	149,00
	5.10	0.2008	52	86	A5105.1	172,00
13/64	5.16	0.2031	52	86	A51013/64	271,00
	5.20	0.2047	52	86	A5105.2	179,00

d ₁ Øh ₈ Inch	d ₁ Øh ₈ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	NOK
	5.30	0.2087	52	86	A5105.3	181,00
	5.40	0.2126	57	93	A5105.4	191,00
	5.50	0.2165	57	93	A5105.5	202,00
7/32	5.56	0.2189	57	93	A5107/32	189,00
	5.60	0.2205	57	93	A5105.6	216,00
	5.70	0.2244	57	93	A5105.7	221,00
	5.80	0.2283	57	93	A5105.8	222,00
	5.90	0.2323	57	93	A5105.9	215,00
15/64	5.95	0.2343	57	93	A51015/64	216,00
	6.00	0.2362	57	93	A5106.0	196,00
	6.10	0.2402	63	101	A5106.1	231,00
	6.20	0.2441	63	101	A5106.2	230,00
	6.30	0.2480	63	101	A5106.3	233,00
1/4	6.35	0.2500	63	101	A5101/4	257,00
	6.40	0.2520	63	101	A5106.4	237,00
	6.50	0.2559	63	101	A5106.5	243,00
	6.60	0.2598	63	101	A5106.6	259,00
	6.70	0.2638	63	101	A5106.7	265,00
17/64	6.75	0.2657	69	109	A51017/64	327,00
	6.80	0.2677	69	109	A5106.8	266,00
	6.90	0.2717	69	109	A5106.9	293,00
	7.00	0.2756	69	109	A5107.0	279,00
	7.10	0.2795	69	109	A5107.1	306,00
9/32	7.14	0.2811	69	109	A5109/32	445,00
	7.20	0.2835	69	109	A5107.2	292,00
	7.30	0.2874	69	109	A5107.3	297,00
	7.40	0.2913	69	109	A5107.4	327,00
	7.50	0.2953	69	109	A5107.5	298,00
19/64	7.54	0.2969	75	117	A51019/64	392,00
	7.60	0.2992	75	117	A5107.6	342,00
	7.70	0.3031	75	117	A5107.7	337,00
	7.80	0.3071	75	117	A5107.8	353,00
	7.90	0.3110	75	117	A5107.9	358,00
5/16	7.94	0.3126	75	117	A5105/16	336,00
	8.00	0.3150	75	117	A5108.0	328,00
	8.10	0.3189	75	117	A5108.1	379,00
	8.20	0.3228	75	117	A5108.2	361,00
	8.30	0.3268	75	117	A5108.3	370,00
21/64	8.33	0.3280	75	117	A51021/64	540,00
	8.40	0.3307	75	117	A5108.4	386,00
	8.50	0.3346	75	117	A5108.5	377,00
	8.60	0.3386	81	125	A5108.6	444,00
	8.70	0.3425	81	125	A5108.7	458,00
11/32	8.73	0.3437	81	125	A51011/32	577,00
	8.80	0.3465	81	125	A5108.8	439,00
	8.90	0.3504	81	125	A5108.9	474,00

d ₁ Øh ₈ Inch	d ₁ Øh ₈ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	NOK
	9.00	0.3543	81	125	A5109.0	435,00
	9.10	0.3583	81	125	A5109.1	473,00
23/64	9.13	0.3594	81	125	A51023/64	597,00
	9.20	0.3622	81	125	A5109.2	500,00
	9.30	0.3661	81	125	A5109.3	483,00
	9.40	0.3701	81	125	A5109.4	503,00
	9.50	0.3740	81	125	A5109.5	474,00
3/8	9.52	0.3748	87	133	A5103/8	438,00
	9.60	0.3780	87	133	A5109.6	519,00
	9.70	0.3819	87	133	A5109.7	541,00
	9.80	0.3858	87	133	A5109.8	549,00
	9.90	0.3898	87	133	A5109.9	560,00
25/64	9.92	0.3906	87	133	A51025/64	696,00
	10.00	0.3937	87	133	A51010.0	517,00
	10.10	0.3976	87	133	A51010.1	606,00
	10.20	0.4016	87	133	A51010.2	658,00
	10.30	0.4055	87	133	A51010.3	585,00
13/32	10.32	0.4063	87	133	A51013/32	743,00
	10.40	0.4094	87	133	A51010.4	552,00
	10.50	0.4134	87	133	A51010.5	667,00
	10.60	0.4173	87	133	A51010.6	782,00
	10.70	0.4213	94	142	A51010.7	759,00
27/64	10.72	0.4220	94	142	A51027/64	787,00
	10.80	0.4252	94	142	A51010.8	762,00
	10.90	0.4291	94	142	A51010.9	847,00
	11.00	0.4331	94	142	A51011.0	769,00
	11.10	0.4370	94	142	A51011.1	830,00
7/16	11.11	0.4374	94	142	A5107/16	567,00
	11.20	0.4409	94	142	A51011.2	798,00
	11.30	0.4449	94	142	A51011.3	775,00
	11.40	0.4488	94	142	A51011.4	667,00
	11.50	0.4528	94	142	A51011.5	818,00
29/64	11.51	0.4531	94	142	A51029/64	913,00
	11.60	0.4567	94	142	A51011.6	913,00
	11.70	0.4606	94	142	A51011.7	888,00
	11.80	0.4646	94	142	A51011.8	921,00
	11.90	0.4685	101	151	A51011.9	786,00
15/32	11.91	0.4689	101	151	A51015/32	963,00
	12.00	0.4724	101	151	A51012.0	897,00
	12.10	0.4764	101	151	A51012.1	880,00
	12.20	0.4803	101	151	A51012.2	921,00
	12.30	0.4843	101	151	A51012.3	855,00
31/64	12.30	0.4843	101	151	A51031/64	1 055,00
	12.40	0.4882	101	151	A51012.4	930,00
	12.50	0.4921	101	151	A51012.5	971,00
	12.60	0.4961	101	151	A51012.6	1 005,00

d ₁ Øh ₈ Inch	d ₁ Øh ₈ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	NOK
	12.70	0.5000	101	151	A51012.7	880,00
1/2	12.70	0.5000	101	151	A5101/2	753,00
	12.80	0.5039	101	151	A51012.8	1 150,00
	12.90	0.5079	101	151	A51012.9	971,00
	13.00	0.5118	101	151	A51013.0	1 060,00
	14.00	0.5512	108	160	A51014.0	1 505,00