

Ladders and trestles

Holder/ Manufacturer/ Supplier

Telesteps AB

Box 362, 573 24 TRANÅS, Sweden

Product name

According to Pages 2 - 3 of this certificate.

Product description

Telescopic ladders and trestles made of Aluminium, in accordance with product list on Pages 2 - 3 of this certificate. Technical documentation in accordance with the material supplied for RISE file reference 7P05485, 9P00975, 9P06347, P103992.

Requirements

The Swedish Work Environment Authority's Statute Book AFS 2004:3 Ladders and trestles, (RISE certification rules SPCR 064), SS 2091 Edition 4 and EN 131 in accordance with the product list.

Marking

The products shall be marked with the RISE Type Examination mark (example, see below), the number of this certificate (344801), name/logotype of holder of the certificate or manufacturer, product name, type of ladder (according to SS 2091), year of manufacture (2 digits) and month (only for ladders) - alternatively serial number, and number of persons who may enter the product at the same time.

Code: Q 2016, R 2017, S 2018, T 2019, U 2020, V 2021 or X 2022.

Validity

This type examination certificate is valid not later than 2022-09-17.

Miscellaneous

This type examination certificate replaces prior certificate with the same number. The certificate was originally issued 2002-09-17, by SP Technical Research Institute of Sweden, who during 2017 has changed its name to RISE Research Institutes of Sweden AB.

Martin Tillander

This is a translation from the Swedish original document. In the event of any dispute as to its content, the Swedish text shall take precedence.

Certificate No. 34 48 01 | issue 22 | 2020-12-01

RISE Research Institutes of Sweden AB | Certification
Box 857, SE-501 15 Borås, Sweden
Phone: +46 10-516 50 00
certifiering@ri.se | www.ri.se



P103992



Product list of Telesteps AB ladders and trestles

Ladders and trestles that in addition to AFS 2004:3 and/or SS 2091 Issue 4, also meet the requirements of other standards, are marked as follows:

- 1) Meets the requirements of EN 131-1:2015, EN 131-2:2010+A1:2012 and EN 131-3:2007.
- 2) Meets the requirements of EN 131-6:2019.
- 3) Meets the requirements of EN 131-6:2015.
- 4) Meets the requirements of AFS 2004:3, for trestles.

Type of ladder	Designation	Art.No.	Length (m)	Rung depth (mm)	Note	
Telescopic ladder leaning	Eco Line 2,0 – 3,8 m	20120-501	2,0	40	1) 2)	
		20130-501	3,0			
		20132-501	3,2			
		20138-501	3,8			
	Eco Line 3,8 m incl. Cross bar	20138-601	3,8	40	1) 2) With stabilizer	
	Classico Line 2,6 – 3,8 m	60226-501	2,6	40/65	1) 2)	
		60230-501	3,0			
		60233-501	3,3			
		60238-501	3,8			
	Classico Line 3,3 / 3,8 m incl. Cross bar	60233-601	3,3	40/65	1) 2) With stabilizer	
		60238-601	3,8			
	Classico Line 3,0 m incl. Safety feet	60230-509	3,0	40/65	1) 2) With safety feet	
	Classico Line incl. Cross bar and Safety Feet	60233-609	3,3	40/65	1) 2) With stabilizer and safety feet	
		60238-609	3,8			
	Prime Line 3,0 – 4,1 m	70230-501	70230-501	3,0	40/50	1) 2)
			70232-501	3,2		
			70235-501	3,5		
			70238-501	3,8		
			70241-501	4,1		
		70230-581	70230-581	3,0	40/80	1) 2)
70232-581			3,2			
70235-581			3,5			
70238-581			3,8			
70241-581			4,1			
Prime Line 3,2 – 4,1 m incl. Cross bar	70232-601	70232-601	3,2	40/50	1) 2) With stabilizer	
		70235-601	3,5			
		70238-601	3,8			
		70241-601	4,1			
	70232-681	70232-681	3,2	40/80	1) 2) With stabilizer	
		70235-681	3,5			
		70238-681	3,8			
		70241-681	4,1			

Type of ladder	Designation	Art.No.	Length (m)	Rung depth (mm)	Note
Telescopic ladder leaning	Prime Line 3,5 – 4,1 m incl. Stabilizer	70235-651	3,5	40/50	1) 2) With stabilizer
		70238-651	3,8		
		70241-651	4,1		
		70235-781	3,5	40/80	
		70238-781	3,8		
		70241-781	4,1		
	Prime Line 3,0 m incl. Safety Feet	70230-509	3,0	40/50	1) 2) With safety feet
		70230-589	3,0	40/80	1) 2) With safety feet
	Prime Line 3,2 – 4,1 m incl. Cross bar and Safety Feet	70232-609	3,2	40/50	1) 2) With stabilizer and safety feet
		70235-609	3,5		
		70238-609	3,8		
		70241-609	4,1		
		70232-689	3,2	40/80	
		70235-689	3,5		
		70238-689	3,8		
	Prime Line 3,5 – 4,1 m incl. Stabilizer and Safety Feet	70235-659	3,5	40/50	1) 2) With stabilizer and safety feet
		70238-659	3,8		
		70241-659	4,1		
70235-789		3,5	40/80		
70238-789		3,8			
70241-789	4,1				
Hinge-jointed telescopic ladder	Combi Line 2,3 – 3,0 m	60623-501	2,3	40/90	1) 3)
		60630-501	3,0		
Working trestle	Solid Line	61209-101	0,88	65	4)
		61209-501	0,88		

Conditions

- Before each use, check that the ladder or trestle is properly erected /locked.
- The ladder must not be used in dirty jobs or dirty environments. Use in masonry, concrete work, painting or similar means that ladder will be difficult to clean. This can in turn lead to that the telescopic function is greatly impaired.
- If needed, ladders and trestles must be clearly and durably marked with user instructions when delivered to the user.
- Ladders that meet the requirements of EN 131 must be marked and be accompanied with user instructions in accordance with EN 131.

Miscellaneous

This type examination certificate is valid for ladders made and supplied by the manufacturer as stated on the certificate, and of which the materials, dimensions and design/construction accord with those of the inspected material.