



WIŚNIEWSKI

DECLARATION OF PERFORMANCE

Declaration no.: 1005/CPR/2021

1. Unique identification code of the product-type: **UNIPRO SNP - manually operated door.**
2. Intended use/es: **Manually operated sectional door. The door is intended as a vertical barrier in general purpose and garage buildings. The intended use means providing safe indoor access to pedestrians and vehicles and their drivers and passengers.**
3. Manufacturer: **WIŚNIEWSKI Sp. z o.o. S.K.A.
PL 33-311 Wielogłowy 153**
4. System/s of AVCP: **3**
5. Harmonised standard: **EN 13241:2003+A2:2016**
Notified body/ies: **Instytut Techniki Budowlanej – 1488**

| 6. Declared performance: | Characteristic | Test results |
|--------------------------|---|-----------------------|
| | Watertightness | Class 2 |
| | Release of dangerous substances | Class 0* |
| | Resistance to wind load | NPD |
| | Thermal resistance | Class 3 |
| | Air permeability | $\leq 1,3 [W/m^2K]**$ |
| | Safe opening | Class 4 |
| | Definition of geometry of glass components | Class 0* |
| | Mechanical resistance and stability | Pass |
| | Operating forces | Pass |
| | Durability of watertightness, thermal resistance and air permeability against degradation | Pass |
| | | NPD |
| | | 20 000 cycles |

* - Applies to doors with ventilation grilles or vented panels.

** - The parameter value for the door serial no. as given on the nameplate.

7. The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



WIŚNIEWSKI Sp. z o.o. S.K.A.

mgr inż. Dariusz Złocki
Dyrektor Biura Konstrukcyjnego

.....
(full name and signature of the authorised person)

Wielogłowy, 25.02.2021

