


## C110

Sporfres



| d <sub>1</sub><br>Ø<br>Inch | d <sub>1</sub><br>Ø<br>mm | d <sub>2</sub><br>Øh <sub>6</sub><br>mm | l <sub>2</sub><br>mm | l <sub>1</sub><br>mm | z | l <sub>3</sub><br>mm | d <sub>3</sub><br>Ø<br>mm | e-code   |          |
|-----------------------------|---------------------------|-----------------------------------------|----------------------|----------------------|---|----------------------|---------------------------|----------|----------|
|                             | 1.00                      | 6                                       | 2.5                  | 47                   | 2 | -                    | -                         | C1101.0  |          |
|                             | 1.50                      | 6                                       | 3                    | 47                   | 2 | -                    | -                         | C1101.5  |          |
| 1/16                        | 1.59                      | 6                                       | 3                    | 47                   | 2 | -                    | -                         | C1101/16 |          |
|                             | 1.80                      | 6                                       | 4                    | 48                   | 2 | -                    | -                         | C1101.8  |          |
|                             | 2.00                      | 6                                       | 4                    | 48                   | 2 | -                    | -                         | C1102.0  |          |
| 3/32                        | 2.38                      | 6                                       | 5                    | 49                   | 2 | -                    | -                         | C1103/32 |          |
|                             | 2.50                      | 6                                       | 5                    | 49                   | 2 | -                    | -                         | C1102.5  |          |
|                             | 2.80                      | 6                                       | 5                    | 49                   | 2 | -                    | -                         | C1102.8  |          |
|                             | 3.00                      | 6                                       | 5                    | 49                   | 2 | -                    | -                         | C1103.0  |          |
| 1/8                         | 3.18                      | 6                                       | 6                    | 50                   | 2 | -                    | -                         | C1101/8  |          |
|                             | 3.50                      | 6                                       | 6                    | 50                   | 2 | -                    | -                         | C1103.5  |          |
|                             | 3.80                      | 6                                       | 7                    | 51                   | 2 | -                    | -                         | C1103.8  |          |
|                             | 4.00                      | 6                                       | 7                    | 51                   | 2 | -                    | -                         | C1104.0  |          |
|                             | 4.50                      | 6                                       | 7                    | 51                   | 2 | -                    | -                         | C1104.5  |          |
| 3/16                        | 4.76                      | 6                                       | 8                    | 52                   | 2 | -                    | -                         | C1103/16 |          |
|                             | 4.80                      | 6                                       | 8                    | 52                   | 2 | -                    | -                         | C1104.8  | 1)<br>2) |
|                             | 5.00                      | 6                                       | 8                    | 52                   | 2 | -                    | -                         | C1105.0  |          |
|                             | 5.50                      | 6                                       | 8                    | 52                   | 2 | -                    | -                         | C1105.5  |          |
|                             | 5.75                      | 6                                       | 8                    | 52                   | 2 | -                    | -                         | C1105.75 | 1)<br>2) |
|                             | 6.00                      | 6                                       | 8                    | 52                   | 2 | -                    | -                         | C1106.0  |          |
| 1/4                         | 6.35                      | 10                                      | 10                   | 60                   | 2 | -                    | -                         | C1101/4  |          |
|                             | 6.50                      | 10                                      | 10                   | 60                   | 2 | -                    | -                         | C1106.5  |          |
|                             | 6.75                      | 10                                      | 10                   | 60                   | 2 | -                    | -                         | C1106.75 |          |
|                             | 7.00                      | 10                                      | 10                   | 60                   | 2 | -                    | -                         | C1107.0  |          |
|                             | 7.50                      | 10                                      | 10                   | 60                   | 2 | -                    | -                         | C1107.5  |          |

| d <sub>1</sub><br>Ø<br>Inch | d <sub>1</sub><br>Ø<br>mm | d <sub>2</sub><br>Øh <sub>6</sub><br>mm | l <sub>2</sub><br>mm | l <sub>1</sub><br>mm | z | l <sub>3</sub><br>mm | d <sub>3</sub><br>Ø<br>mm | e-code    |          |
|-----------------------------|---------------------------|-----------------------------------------|----------------------|----------------------|---|----------------------|---------------------------|-----------|----------|
|                             | 7.75                      | 10                                      | 11                   | 61                   | 2 | -                    | -                         | C1107.75  | 1)<br>2) |
| 5/16                        | 7.94                      | 10                                      | 11                   | 61                   | 2 | -                    | -                         | C1105/16  |          |
|                             | 8.00                      | 10                                      | 11                   | 61                   | 2 | -                    | -                         | C1108.0   |          |
|                             | 8.50                      | 10                                      | 11                   | 61                   | 2 | -                    | -                         | C1108.5   |          |
|                             | 9.00                      | 10                                      | 11                   | 61                   | 2 | -                    | -                         | C1109.0   |          |
|                             | 9.50                      | 10                                      | 11                   | 61                   | 2 | -                    | -                         | C1109.5   |          |
| 3/8                         | 9.52                      | 10                                      | 13                   | 63                   | 2 | 22.5                 | 9.5                       | C1103/8   |          |
|                             | 9.70                      | 10                                      | 13                   | 63                   | 2 | 22.5                 | 9.5                       | C1109.7   | 1)<br>2) |
|                             | 10.00                     | 10                                      | 13                   | 63                   | 2 | 22.5                 | 9.5                       | C11010.0  |          |
| 13/32                       | 10.32                     | 12                                      | 13                   | 70                   | 2 | -                    | -                         | C11013/32 |          |
|                             | 10.50                     | 12                                      | 13                   | 70                   | 2 | -                    | -                         | C11010.5  |          |
|                             | 11.00                     | 12                                      | 13                   | 70                   | 2 | -                    | -                         | C11011.0  |          |
| 7/16                        | 11.11                     | 12                                      | 13                   | 70                   | 2 | -                    | -                         | C1107/16  |          |
|                             | 11.50                     | 12                                      | 13                   | 70                   | 2 | -                    | -                         | C11011.5  |          |
|                             | 11.70                     | 12                                      | 16                   | 73                   | 2 | 27.5                 | 11.5                      | C11011.7  | 1)<br>2) |
|                             | 12.00                     | 12                                      | 16                   | 73                   | 2 | 27.5                 | 11.5                      | C11012.0  |          |
|                             | 12.50                     | 12                                      | 16                   | 73                   | 2 | 27.5                 | 11.5                      | C11012.5  |          |
| 1/2                         | 12.70                     | 12                                      | 16                   | 73                   | 2 | 27.5                 | 11.5                      | C1101/2   |          |
|                             | 13.00                     | 12                                      | 16                   | 73                   | 2 | 27.5                 | 11.5                      | C11013.0  |          |
| 17/32                       | 13.49                     | 12                                      | 16                   | 73                   | 2 | 27.5                 | 11.5                      | C11017/32 |          |
|                             | 13.70                     | 12                                      | 16                   | 73                   | 2 | 27.5                 | 11.5                      | C11013.7  | 1)<br>2) |
|                             | 14.00                     | 12                                      | 16                   | 73                   | 2 | 27.5                 | 11.5                      | C11014.0  |          |
| 9/16                        | 14.29                     | 12                                      | 16                   | 73                   | 2 | 27.5                 | 11.5                      | C1109/16  |          |
|                             | 15.00                     | 12                                      | 16                   | 73                   | 2 | 27.5                 | 11.5                      | C11015.0  |          |
|                             | 15.70                     | 16                                      | 19                   | 79                   | 2 | 30.5                 | 15.5                      | C11015.7  | 1)<br>2) |
| 5/8                         | 15.88                     | 16                                      | 19                   | 79                   | 2 | 30.5                 | 15.5                      | C1105/8   |          |
|                             | 16.00                     | 16                                      | 19                   | 79                   | 2 | 30.5                 | 15.5                      | C11016.0  |          |
|                             | 17.00                     | 16                                      | 19                   | 79                   | 2 | 30.5                 | 15.5                      | C11017.0  |          |
| 11/16                       | 17.46                     | 16                                      | 19                   | 79                   | 2 | 30.5                 | 15.5                      | C11011/16 |          |
|                             | 17.70                     | 16                                      | 19                   | 79                   | 2 | 30.5                 | 15.5                      | C11017.7  |          |
|                             | 18.00                     | 16                                      | 19                   | 79                   | 2 | 30.5                 | 15.5                      | C11018.0  |          |
|                             | 19.00                     | 16                                      | 19                   | 79                   | 2 | 30.5                 | 15.5                      | C11019.0  |          |
| 3/4                         | 19.05                     | 20                                      | 22                   | 88                   | 2 | 37.5                 | 18.5                      | C1103/4   |          |
|                             | 19.70                     | 20                                      | 22                   | 88                   | 2 | 37.5                 | 19.5                      | C11019.7  |          |
|                             | 20.00                     | 20                                      | 22                   | 88                   | 2 | 37.5                 | 19.5                      | C11020.0  |          |
|                             | 21.70                     | 20                                      | 22                   | 88                   | 2 | 37.5                 | 19.5                      | C11021.7  |          |
|                             | 22.00                     | 20                                      | 22                   | 88                   | 2 | 37.5                 | 19.5                      | C11022.0  |          |
| 7/8                         | 22.22                     | 20                                      | 22                   | 88                   | 2 | 37.5                 | 19.5                      | C1107/8   |          |
|                             | 24.00                     | 25                                      | 26                   | 102                  | 2 | 45.5                 | 23.5                      | C11024.0  |          |
|                             | 24.70                     | 25                                      | 26                   | 102                  | 2 | 45.5                 | 24.5                      | C11024.7  |          |
|                             | 25.00                     | 25                                      | 26                   | 102                  | 2 | 45.5                 | 24.5                      | C11025.0  |          |
| 1"                          | 25.40                     | 25                                      | 26                   | 102                  | 2 | 45.5                 | 24.5                      | C1101     |          |

| d <sub>1</sub><br>Ø<br>Inch | d <sub>1</sub><br>Ø<br>mm | d <sub>2</sub><br>Øh <sub>6</sub><br>mm | l <sub>2</sub><br>mm | l <sub>1</sub><br>mm | z | l <sub>3</sub><br>mm | d <sub>3</sub><br>Ø<br>mm | e-code    |          |
|-----------------------------|---------------------------|-----------------------------------------|----------------------|----------------------|---|----------------------|---------------------------|-----------|----------|
|                             | 26.00                     | 25                                      | 26                   | 102                  | 2 | 45.5                 | 24.5                      | C11026.0  |          |
|                             | 28.00                     | 25                                      | 26                   | 102                  | 2 | 45.5                 | 24.5                      | C11028.0  |          |
| 1.1/8                       | 28.58                     | 25                                      | 26                   | 102                  | 2 | 45.5                 | 24.5                      | C1101.1/8 |          |
|                             | 30.00                     | 25                                      | 26                   | 102                  | 2 | 45.5                 | 24.5                      | C11030.0  |          |
| 1.1/4                       | 31.75                     | 32                                      | 32                   | 112                  | 2 | 51.5                 | 31.5                      | C1101.1/4 |          |
|                             | 32.00                     | 32                                      | 32                   | 112                  | 2 | 51.5                 | 31.5                      | C11032.0  |          |
|                             | 35.00                     | 32                                      | 32                   | 112                  | 2 | 51.5                 | 31.5                      | C11035.0  | 1)<br>3) |
|                             | 36.00                     | 32                                      | 32                   | 112                  | 2 | 51.5                 | 31.5                      | C11036.0  | 1)<br>3) |
| 1.1/2                       | 38.10                     | 40                                      | 38                   | 130                  | 2 | 55.5                 | 37.0                      | C1101.1/2 | 1)<br>3) |
|                             | 40.00                     | 40                                      | 38                   | 130                  | 2 | 59.5                 | 39.0                      | C11040.0  | 1)<br>3) |
| 1.3/4                       | 44.45                     | 40                                      | 38                   | 130                  | 2 | 59.5                 | 38.0                      | C1101.3/4 | 1)<br>3) |
|                             | 45.00                     | 40                                      | 38                   | 130                  | 2 | 59.5                 | 38.0                      | C11045.0  | 1)<br>3) |
|                             | 50.00                     | 50                                      | 45                   | 147                  | 2 | 66.5                 | 48.0                      | C11050.0  | 1)<br>3) |

<sup>1)</sup>diametertoleranse h10

<sup>2)</sup>≠ P9 toleranse

<sup>3)</sup>Bare tilgjengelig i HSCo