

1. General description

Heavy-duty cleaner for degreasing and decarbonising electro-mechanical metal parts and equipment.



2. Features

- Controlled evaporation for enhanced cleaning action.
- High flash point for application safety.
- Low odor.
- Non conductive.
- Non corrosive.
- Does not leave a residue.
- Convenient 360° (including inverted position) spray valve for aerosols.
- High purity CO2 propellant, giving an active product content of 95%.


3. Applications

- Electro-mechanical assemblies.
- Electrical aggregates.
- Pumps.
- Cleaning mechanical parts.



Manufactured by :
CRC Industries Europe bvba
Touwslagerstraat 1
9240 Zele Belgium
Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34
www.crcind.com





- Wire ropes.
- Handling equipment.

4. Directions

- Spray liberally and allow to run off.
- Use extension tube for more precise application.
- When applied by dipping, agitation accelerates the action.
- Slight heating (up to 40°C) enhances cleaning action in dipping baths. May also be applied by wiping with a clean rag or by brushing. To clean equipment interior, covers, plates, etc. should be removed prior to product application.
- Do not use on energized equipment.
- Do not use on sensitive electronic equipment.
- Test before use on sensitive materials.
- Allow to dry completely before reactivation.
- Protect and re-lubricate if necessary.
- **A safety data sheet (MSDS) according to EC Regulation N° 1907/2006 Art.31 and amendments is available for all CRC products.**

5. Typical product data (without propellant)

	Aerosol	Bulk
Appearance	Liquid.	Liquid.
Color	Colorless.	Colorless.
Odor	Solvent.	Solvent.
Density	0.825 g/cm ³ (@ 20°C).	0.825 (@ 20°C).
Distillation range	180-220 °C	180-220 °C
Flash Point	63 °C (Closed Cup)	63 °C (Closed Cup)
Auto Ignition temperature	> 200 °C	> 200 °C
Vapor density	> 5 (@ 20°C).	> 5 (@ 20°C).
Evaporation rate	150 (Ether=1)	150 (Ether=1)
Kauri Butanol value active product	84	84
Drying time active product	180 min	180 min

6. Packaging

Aerosol	12x200 ML
	12x500 ML



Manufactured by :
CRC Industries Europe bvba
Touwslagerstraat 1
9240 Zele Belgium
Tél.: (32)(0) 52/45.60.11 Fax : (32)(0) 52/45.00.34
www.crcind.com



