

## DECLARATION OF PERFORMANCE

DoP No 997

1. Unique identification code of the product-type:

**For product number please see attached list**

Product-Type, batch or serial number or any other element allowing identification of the construction product

**WP: Wallhung WC-pan(s) made of sanitary ceramics**

**WCS: Wallhung close-coupled suite(s) made of sanitary ceramics**

**PP: Pedestal WC-pan(s) made of sanitary ceramics**

**PCS: Pedestal close-coupled suite(s) made of sanitary ceramics**

**PO: Pedestal onepiece WC(s) made of sanitary ceramics**

2. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

**Personal hygiene (PH)**

3. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

**LAUFEN Bathrooms AG**

**Wahlenstrasse 46**

**CH - 4242 Laufen, Switzerland**

**Tel: +41 61 765 71 11 / e-mail: [info@laufen.ch](mailto:info@laufen.ch) / website: [www.laufen.com](http://www.laufen.com)**

4. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

**not applicable**

5. System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in Construction Products Regulation (EU) 305/2011, Annex V:

**System 4**

6. Harmonised standard:

**EN 997: 2012 + A1: 2015**

7. Declared performance

Essential characteristics	Performance
Capacity of flushing water (CF)	Confirmed
Backflow prevention (BP)	Confirmed
Cleanability (CA)	Confirmed
Load resistance (LR)	Confirmed
Water-, leaktightness (WT)	Confirmed
Valve reliability (VR)	Confirmed
Durability (DA)	Confirmed

**The declared performance of the product is shown in the essential characteristics and in the designation code of the attached list.**

8. Appropriate Technical Documentation and/or Specific Technical Documentation:

**not applicable**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer



Joan Pedro Santos  
Manufacturing Director

## DECLARATION OF PERFORMANCE

DoP no 997

### EUROPEAN WATER LABEL

### SUSTAINABILITY ASSESSMENT

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Matching flushing cistern	Average water consumption	Designation code
H820031		florakids	WP		EN 997 - CL1 - 5A - 5C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820060	P: H866061	object	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820150	P: H825158	Kompas	WP		EN 997 - CL1 - 4A	CF - BP - CA - LR - DA	4/2	LAUFEN LIS 89466x	2.50	EN 16578 - S7
H820269		object	PCS	826160/2	EN 997 - CL1 - 6 - VRII	CF - BP - CA - DA - WT - VR	6/3		3.75	EN 16578 - S3
H820281		Val	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820281		Val	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WL - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820331		Kartell by Laufen	WP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820331		Kartell by Laufen	WP		EN 997 - CL1 - 6/5/A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820336		Kartell by Laufen	WP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820336		Kartell by Laufen	WP		EN 997 - CL1 - 6/5/4A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820459		vienna	PCS	826470/2	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H820459		vienna	PCS	826470/2	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H820470		vienna	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820540		moderna plus	WP	Geberit 110.300	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820540		moderna plus	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820541		moderna R	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820542		moderna R	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820543		moderna R	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820544		moderna R	WP		EN 997 - CL1 - 5/6A	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820545		moderna R	WCS	826540	EN 997 - CL1 - 6/5 - VRII	CF - BP - CA - LR - DA - WT - VR	5/3		3.50	EN 16578 - S4
H820547		moderna R	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820549		moderna R	WCS	826540	EN 997 - CL1 - 6 - VRII	CF - BP - CA - LR - DA - WT - VR	6/3		3.75	EN 16578 - S3
H820580		vienna	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820580		vienna	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820601		navia	WP	894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820601		navia	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820661		hiJet	WP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820661		hiJet	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820680		Lb3	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820680		Lb3	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820681		Lb3	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820681		Lb3	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820682		Lb3	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4

P = Pack

Signed for and on behalf of the manufacturer



## DECLARATION OF PERFORMANCE

DoP no 997

## EUROPEAN WATER LABEL

## SUSTAINABILITY ASSESSMENT

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Matching flushing cistern	Average water consumption	Designation code
H820691		RIVA	WP	894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820691		RIVA	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820700		palace	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820700		palace	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820701		palace	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820702		palace	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820703		palace	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820703		palace	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820703		palace	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820703		palace	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820706		palace	WP		EN 997 - CL1 - 6/5A - 6C	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820706		palace	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820801		PALOMBA	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820801		PALOMBA	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820802		PALOMBA	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820802		PALOMBA	WP		EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820851		New Classic	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820851		New Classic	WP		EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820950	P: H861954 P: H866950	Laufen pro	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820952	P: H861955 P: H866952	Laufen pro	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820952	P: H861955 P: H866952	Laufen pro	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820953		Laufen pro	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820954		Laufen pro	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820954		Laufen pro	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820955		scandia	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820955		Laufen pro	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820955		scandia	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H820956	P: H861956 P: H866953	Laufen pro	WP	LAUFEN LIS 894665	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820956	P: H861956 P: H866953	Laufen pro	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820958	P: H827968	Laufen pro-n	WP		EN 997 - CL1 - 4A	CF - BP - CA - LR - DA	4/2	LAUFEN LIS 894665	2.50	EN 16578 - S7

Signed for and on behalf of the manufacturer

P = Pack



## DECLARATION OF PERFORMANCE

DoP no 997

### EUROPEAN WATER LABEL

### SUSTAINABILITY ASSESSMENT

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Matching flushing cistern	Average water consumption	Designation code
H820959		Laufen pro	WP		EN 997 - CL1 6/5A	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820960	P: H866951	Laufen pro	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820960	P: H866951	Laufen pro	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820961		Laufen pro S	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820961		Laufen pro S	WP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820962		Laufen pro S	WP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820962		Laufen pro S	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820964	P: H861958 P: H866954	Laufen pro	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H820964	P: H861958 P: H866954	Laufen pro	WP		EN 997 - CL1 5/6A	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820965	P: H866955	Laufen pro	WP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820965	P: H866955	Laufen pro	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H820966	P: H866956 P: H861957 P: H866957	Laufen pro	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820966	P: H866956 P: H861957 P: H866957	Laufen pro	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820971		Il Bagno ALESSI One	WP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - LR - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820971		Il Bagno ALESSI One	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H820976		Il Bagno ALESSI One	WP	Geberit 111.383.00.1	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 894660	3.73	EN 16578 - S3
H820976		Il Bagno ALESSI One	WP		EN 997 - CL1 - 6/5A	CF - BP - CA - LR - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H821060	P: H866060	object	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 894660	3.73	EN 16578 - S3
H821060		object	WP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - LR - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H821100		suprema	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H821374		Dino	WP	LAUFEN LIS 894665	EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 894665	3.75	EN 16578 - S3
H821408		melos	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H821459		vienna	PCS	826470/2	EN 997 - CL1 - 6 - VR II	CF - BP - CA - DA - WT - VR	6/3		3.75	EN 16578 - S3
H821470		libertyline	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H821546		moderna R	WP		EN 997 - CL1 - 6A	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H821580		vienna	WP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - LR - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H821580		vienna	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H821601		imola	WCS	826540	EN 997 - CL1 - 6 - VR II	CF - BP - CA - LR - DA - WT - VR	6/3		3.75	EN 16578 - S3
H821630		imola	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3

P = Pack

Signed for and on behalf of the manufacturer





## DECLARATION OF PERFORMANCE

DoP no 997

### EUROPEAN WATER LABEL

### SUSTAINABILITY ASSESSMENT

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Matching flushing cistern	Average water consumption	Designation code
H823068		object	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H823070		pascha	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H823331		Kartell by Laufen	PP	Grohe 38 525 00 1	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H823331		Kartell by Laufen	PP		EN 997 - CL1 - 6/5A - 6C	CF - BP - CA - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H823336		Kartell by Laufen	PP	LAUFEN LIS 894665	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H823336		Kartell by Laufen	PP		EN 997 - CL1 - 6/5A	CF - BP - CA - DA	4.5/3	LAUFEN LIS 894665	3.38	EN 16578 - S4
H823470		vienna	WP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - LR - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H823541		moderna R	PCS	826540	EN 997 - CL1 - 6/5 - VR II	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H823542		moderna R	PCS	826540	EN 997 - CL1 - 6/5 - VR II	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H823701		palace	PP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H823701		palace	PP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H823806		PALOMBA	PP		EN 997 - CL1 - 5A - 6C	CF - BP - CA - DA	5/3	LAUFEN LIS 894665	3.50	EN 16578 - S4
H823806		PALOMBA	PP	Geberit 111.383.00.5	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3	LAUFEN LIS 89466x	3.73	EN 16578 - S3
H824150	P: H825090 P: H825091 P: H827090 P: H827091	Kompas E	PCS	828098	EN 997 - CL1 - 4 - VR II	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4
H824150	P: H825150 P: H825151 P: H827150 P: H827151	Kompas	PCS Pack	828150	EN 997 - CL1 - 4 - VR II	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4
H824151	P: H825152 P: H825153 P: H827152 P: H827153	Kompas	PCS	828150	EN 997 - CL1 - 4 - VR II	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4
H824152	P: H825154 P: H825155 P: H827154 P: H827155	Kompas	PCS	828150	EN 997 - CL1 - 4 - VR II	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4
H824281		Val	PCS	829280/2	EN 997 - CL1 - 6/5/4.5 - VR II	CF - BP - CA - DA - WT - VR	4.5/3		3.38	EN 16578 - S4
H824281		Val	PCS	829280/2	EN 997 - CL2 - 6/4.5	CF - BP - CA - DA - WT - VR	4.5/3		3.38	EN 16578 - S4
H824331		Kartell by Laufen	PCS	829331	EN 997 - CL1 - 6/5 - VR II	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H824331		Kartell by Laufen	PCS	829331	EN 997 - CL2 - 4.5	CF - BP - CA - DA - WT - VR	4.5/3		3.38	EN 16578 - S4
H824541		moderna R	PCS	826540	EN 997 - CL1 - 6/5 - VR II	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H824542		moderna R	PCS	826540	EN 997 - CL1 - 6/5 - VR II	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H824684		Lb3	PCS	828680/2	EN 997 - CL1 - 5 - VR II	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H824684		Lb3	PCS	828680/2	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3

P = Pack

Signed for and on behalf of the manufacturer



## DECLARATION OF PERFORMANCE

DoP no 997

### EUROPEAN WATER LABEL

### SUSTAINABILITY ASSESSMENT

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Matching flushing cistern	Average water consumption	Designation code
H824706		palace	PCS	828702	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H824706		palace	PCS	828702	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H824806		PALOMBA	PCS	828800/2	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	4.5/3		3.38	EN 16578 - S4
H824806		PALOMBA	PCS	828800/2	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H824950	P: H827950 P: H828951 P: H827960 P: H827961	Laufen pro-n	PCS	828955	EN 997 - CL1 - 4 - VRII	CF - BP - CA - DA - WT - VR	4.5/3		3.38	EN 16578 - S4
H824951	P: H827952 P: H827953 P: H827962 P: H827963	Laufen pro-n	PCS	828955	EN 997 - CL1 - 4 - VRII	CF - BP - CA - DA - WT - VR	4.5/3		3.38	EN 16578 - S4
H824952	P: H827954 P: H828955 P: H827964 P: H827965	Laufen pro-n	PCS	828955	EN 997 - CL1 - 4 - VRII	CF - BP - CA - DA - WT - VR	4.5/3		3.38	EN 16578 - S4
H824953	P: H827956 P: H828957 P: H827966 P: H827967	Laufen pro-n	PCS	828955	EN 997 - CL1 - 4 - VRII	CF - BP - CA - DA - WT - VR	4.5/3		3.38	EN 16578 - S4
H824955		Laufen pro	PCS	826950/2	EN 997 - CL1 - 6 - VRII	CF - BP - CA - DA - WT - VR	6/3		3.75	EN 16578 - S3
H824955		Laufen pro	PCS	826950/2	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H824956		Laufen pro	PCS	826950/2	EN 997 - CL1 - 6 - VRII	CF - BP - CA - DA - WT - VR	6/3		3.75	EN 16578 - S3
H824956		Laufen pro	PCS	826950/2	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H824956	P: H861950 P: H867950	Laufen pro	PCS	826950/2	EN 997 - CL1 - 6 - VRII	CF - BP - CA - DA - WT - VR	6/3		3.75	EN 16578 - S3
H824956	P: H861950 P: H867950	Laufen pro	PCS	826950/2	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H824957	P: H861951 P: H867951	Laufen pro	PCS	826950/2	EN 997 - CL1 - 6 - VRII	CF - BP - CA - DA - WT - VR	6/3		3.75	EN 16578 - S3
H824958		Laufen pro	PCS	826950/2	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H824958		Laufen pro	PCS	826950/2	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3
H824959		Laufen pro	PCS	826950/2	EN 997 - CL1 - 6 - VRII	CF - BP - CA - DA - WT - VR	6/3		3.75	EN 16578 - S3
H824960	P: H828966 P: H828967	Laufen pro-n	PCS	828955	EN 997 - CL1 - 4/6 - VRII	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4
H825952	P: H861952 P: H867953	Laufen pro	PCS	829950/1/2/3/5/7	EN 997 - CL1 - 5 - VRII	CF - BP - CA - DA - WT - VR	5/3		3.50	EN 16578 - S4
H825952	P: H861952 P: H867953	Laufen pro	PCS	829950/1/2/3/5/7	EN 997 - CL2 - 5.9	CF - BP - CA - DA - WT - VR	5.9/3		3.73	EN 16578 - S3

P = Pack

Signed for and on behalf of the manufacturer



## DECLARATION OF PERFORMANCE

DoP no 997

### EUROPEAN WATER LABEL

### SUSTAINABILITY ASSESSMENT

Product No.		Name	Product type	Matching flushing cistern	Designation code	Essential characteristics	min. volume	Matching flushing cistern	Average water consumption	Designation code
H825955		Laufen pro	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H825956		Laufen pro	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
H825957		Laufen pro	PP		EN 997 - CL1 - 6A - 6C	CF - BP - CA - DA	6/3	LAUFEN LIS 89466x	3.75	EN 16578 - S3
A342ND3000	P: H827361 P: H825361	Rigo	PCS	828361	EN 997 - CL1 - 4 - VRII	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4
A342ND3000	P: H825371	Camargue Norden	PCS	828370	EN 997 - CL1 - 4 - VRII	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4
A342ND0000	P: H827372 P: H825372	Camargue Norden	PCS	828370	EN 997 - CL1 - 4 - VRII	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4
A342ND0000	P: H827362 P: H825362	Rigo	PCS	828361	EN 997 - CL1 - 4 - VRII	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4
A342ND1000	P: H827370 P: H825370	Camargue Norden	PCS	828370	EN 997 - CL1 - 4 - VRII	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4
A342ND1000	P: H827360 P: H825360	Rigo	PCS	828361	EN 997 - CL1 - 4 - VRII	CF - BP - CA - DA - WT - VR	4/3		3.25	EN 16578 - S4

P = Pack

Signed for and on behalf of the manufacturer

