

NDVK

NORWEGIAN DOOR-AND
WINDOW-CONTROL

CERTIFIED

Certificate

It's confirm that

Viljandi Aken ja Uks AS, Doorfactory Estonia

Fulfil the requirements according to

NORWEGIAN DOOR- AND WINDOW CONTROL

NDVK-Rules

The certificate include all production of windows and doors,
and include the following products:

Door types:

- VU T1 HPL, outward opening timberdoor, with or without glazing.
- VU T1, outward opening timberdoor, with or without glazing.
- FD 14, one sided hinged timber leaf in timber frame, external door.

Oslo date: 05.02.2019



NDVK chairman

Date of issue first time: 02.01.2018

Valid thru: 31.12.2020

Certificate NO.: 061

NDVK

NORWEGIAN DOOR-AND
WINDOW-CONTROL

CERTIFIED

Quality management in the production of windows and door fulfils the requirement to **NDVK Rules:**

Requirements for doors and windows of 01/2019

and

Rules for certificate and inspection of 01/2019.

The product at page 1 fulfil the requirement according to:

Characteristic	Classification/value										NDVK req.
Air permeability	1 150			2 300		3 600			4 600		4
Class											
Max. test pressure (Pa)											
Watertightness	1 A (0)	2 A (50)	3 A (100)	4 A (150)	5 A (200)	6 A (250)	7 A (300)	8 A (450)	9 A (600)	E (>600)	7A or 7B**
Class - Non-shielded (A)											
Test pressure (Pa)											
Class - Shielded (B)	1 B (0)	2 B (50)	3 B (100)	4 B (150)	5 B (200)	6 B (250)	7 B (300)				
Test pressure (Pa)											

* Requirement for windows and balcony-doors

**) Requirement for Pedestrian doors