

Technical data – Marsala

Combustion chamber type	Closed
External air supply	Yes
Notified body	1450
CO Emission (%)	0,11
Nominal output (kW)	9,5
Efficiency (%)	79,2
Net weight (kg)	114,5
Fumes outlet diameter (mm)	150
Width (cm)	62,2
Height (cm)	83,4
Depth (cm)	39,8
Burning chamber width (cm)	60,0
Burning chamber depth (cm)	26,5
Glass dimension (cm)	33,3 x 27,0 x 0,4
Seasonal efficiency (%)	69,2
PM (mg/m ³)	< 40
OGC (mg/m ³)	< 120
CO (mg/m ³)	< 1500
Nox (mg/m ³)	< 200
Chimney draft (Pa)	12
Batch size	2x20 cm
Fuel usage (kg/h)	2,86
EEl	104
Energy class	A
Water circuit output	0,0
Comply with regulation	EN 13240:2001 EN 13240:2001/A2:2004 EN 13240:2001/AC:2006 EN 13240:2001/A2:2004/AC:2007
Comply with regulation 1185/2015 and 1186/2015 (ECODESIGN 2022)	Yes
Max. fuel batch (kg)	2,6
Output range (kW)	-
Distance from flammable element FRONT (cm)	100
Distance from flammable elements side (cm)	40
Distance from flammable elements back (cm)	40
Distance from flammable elements top (cm)	50