

## **BELT GRIP**



#### **Technical Data Sheet**

Product name:Belt GripSales code:32601

Creation date: 25 March 2016

**Version:** 1 **Replaces:** 0

#### Section 1: General description

Friction improver to ensure traction and transport drive belts run smoothly without stutter and slip.

A non-toxic friction improvement fluid with good plastic and rubber compatibility. Intended for use in the food processing industry where incidental food contact may occur.

#### **Section 2: Features**

- Equipped with the exclusive Perma Lock System
  - Integrated short and long distance applicator.
  - Secured spray straw can not get lost.
  - The locked actuator can not detach or get lost.
  - Green color actuator, indicating H1 Food Processing Safe.
- Registered NSF class H1.
- Ensures your belt runs efficiently
- Increases driving power means lower energy consumption.
- Reduces squeaking noises from slipping belts.
- Forms a water resistant film.
- Complies with BRC Global Standard (Issue 7) 4.7.6.

#### **Section 3: Applications**

- Can be applied on round-, flat- and V-belts.
- Forces the old belts on a multiple drive, to take their part of the power while the new belt elongates.
- Helps to a steady go of goods transported over belts on slopes.



# **BELT GRIP**

Technical Data Sheet

#### **Section 4: Directions**

- Avoid mixing with other lubricants
- Do not use on energized equipment
- Spray a light, even coating on the pulling sides of the belt.
- Re-apply occasionally to ensure continued high performance.
- Allow the solvents to evaporate for a couple of minutes before starting the operation.
- Remove over-spray with a suitable cleaner.

On our web site, a safety data sheet (SDS) is available for all CRC products. The SDS accords to EU directive 91/155/EEC and it's amendments.

#### Section 5: Typical product data (without propellant)

Appearance		liquid
Colour		clear
Odour		Low
Specific gravity	g/cm <sup>3</sup> @20°C	0,79
Flash Point	°C	< 0
Operating temperature	°C	Max 100
VOC	%	77
Shelf life	years from production date	6
NSF registration	Class H1	139822

- 1) Based upon the present state of our knowledge and information received from our suppliers, evaluation of this product indicates that it is free from nut oils and their derivatives.
- 2) This product does not contain allergenic food ingredients listed in Annex IIIa of directive 2007/68/EC, this being an amended to 2003/89/EC and in Annex II of directive (EC) 1169/2011



### **BELT GRIP**

### Technical Data Sheet

### Section 6: Packaging

Aerosol : 12 x 500 ml

All statements in this publication are based on service experience and/or laboratory testing. Because of the wide variety of equipment and conditions and the unpredictable human factors involved, we recommend that our products be tested on-the-job prior to use. All information is given in good faith but without warranty neither expressed nor implied.

This Technical Data Sheet may already have been revised at this moment for reason such as legislation, availability of components and newly acquired experiences. The latest and only valid version of this Technical Data Sheet will be sent to you upon simple request or can be found on our website: <u>www.crcind.com</u>. We recommend you to register on this website for this product so you will be able to receive any future updated version automatically.