



DoP - Declaration of Performance

0120-0074-DoP-2017-12

DoP

(Declaration of Performance)



www.tarkett.com

FR		1
----	---	---

UK		2
----	---	---

DECLARATION DES PERFORMANCES

N° 0120-0074-DoP-2017-12

Règlement (UE) n°305/2011

1. Code d'identification unique du produit type :
[TAPIFLEX EXCELLENCE 4/80](#)
[25132/25133/25134/25135/25136](#)
2. Usage(s) prévu(s):
Revêtement de sol à base de polychlorure de vinyle à usage intérieur conforme à la norme harmonisée EN 14041:2004.
3. Nom et adresse de contact du fabricant:
[2 Avenue François SOMMER F-08203 Sedan Cedex, France](#)
4. Système(s) d'évaluation et de vérification de la constance des performances :
Système 3 : Réaction au feu
Réaction au feu: **CRET**, organisme notifié N° *NB 2401*, a réalisé et délivré le(s) rapport(s) d'essais N° **2017/162-1 & 2017/163-1**.
Système 3: C
Système 4: autres performances
5. Performances déclarées :

Caractéristiques essentielles		Performances	Spécifications techniques harmonisées
A - Réaction au feu	en pose collée sur support A1fl et/ou A2fl	Bfl S1	EN 14041:2004
	en pose non collée sur support A1fl et/ou A2fl	NPD	
	en pose collée sur support bois	Cfl S1	
	en pose non collée sur support bois	NPD	
B - Teneur en pentachlorophénol		<5ppm	
C - Émissions de formaldéhyde		E1	
D - Étanchéité		NPD	
E - Résistance au glissement		DS	
F - Performances antistatiques		< 2kV	
G - Comportement électrique		≥10E9Ω	
H - Résistance thermique		0.04 m² K/W	

Les performances du produit identifié ci-dessus sont conformes aux performances déclarées.
Conformément au règlement (UE) n°305/2011, la présente déclaration des performances est établie sous la seule responsabilité du fabricant identifié au point 3.

Signé pour le fabricant et en son nom par :
Bertrand MALET, Directeur d'usine
Sedan, 06/12/17



Signature



DECLARATION OF PERFORMANCE

N° 0120-0074-DoP-2017-12

Regulation (UE) n°305/2011

- Unique identification code of the product-type:
[TAPIFLEX EXCELLENCE 4/80](#)
[25132/25133/25134/25135/25136](#)
- Intended use(s):
 Polyvinyl chloride floor covering for indoor use in compliance with the harmonized standard
[EN 14041:2004](#).
- Name and contact address of the manufacturer:
[2 Avenue François SOMMER F-08203 Sedan Cedex, France](#)
- System(s) of assessment and verification of constancy of performance:
System 3: Reaction to fire
 Reaction to fire: **CRET**, notified body N° **NB 2401**, carried out testing and provided test report
 N° **2017/162-1 & 2017/163-1**.
Système 3: C
System 4: Other performances
- Declared performance:

Essential characteristics		Performance	Harmonised technical specification
A – Reaction to fire	glued on an A1fl and / or A2fl substrate.	Bfl S1	EN 14041:2004
	loose-laid on an A1fl and/or A2fl substrate.	NPD	
	glued on a wooden sub-floor.	Cfl S1	
	«Ad»	NPD	
B – Content of pentachlorophenol		<5ppm	
C – Formaldehyde emission		E1	
D – Water-tightness		NPD	
E – Slipperiness		DS	
F – Antistatic performance		< 2kV	
G – Electrical resistance		≥10E9Ω	
H – Thermal resistance		0.04 m² K/W	

The performance of the product identified above is in conformity with the declared performances.
 According to the regulation (EU) n°305 / 2011, the present declaration of performance is issued
 under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by:
 Bertrand MALET , Plant Manager
 Sedan, 06/12/17


 Signature
