



Leica Lino

One of the industry's most versatile and precise line and point lasers that can adapt to any scenario

Our unique technologies

Technology from Leica Geosystems



Outstanding visibility

All Leica Lino products incorporate decades of knowledge and experience in the fields of optics and electronics. The results are outstanding visibility and high accuracy of our red and green lasers.

Li-Ion

Li-ion batteries can run a Lino for up to 44 hours on a single charge (depending on the model). In addition, the Lino tri-power concept offers run/charge capability along with an alkaline battery backup tray to keep you going.



Ruggedness

Leica Lino products are well crafted with high quality materials, therefore perfectly suited for construction sites. Each product is fully tested to meet Leica Geosystems quality standards.


Magnetic adapters

The Leica Lino products can easily be connected to precision engineered adapters via strong magnets, allowing you to easily position it for any possible measuring scenario.



Lino P5

Multi Point Layout Tool



[EXPLORE >](#)

The Lino P5 point laser projects highly visible points at the correct angles to one another. The Leica laser technology makes points highly visible and clear. Plumbing and alignment tasks are easier and more accurate

- Self-Leveling
- Range: 98'
- Visibility: up to 2 times better than DIY line lasers

[LEARN MORE >](#)



One Button Operation

Easy to setup: self-leveling with sharp, bright, visible dots



Works For All Applications

Drywall, partitions, ceilings, flooring and millwork with a full line of accessories and adapters



Cost Effective Solutions

Optional Li-Ion battery works for 59 hrs, saving \$360/yr in disposable batteries

Replaceable glass lens saves buying a replacement unit saving \$300

Pro-Kit

- Lino P5 Laser Layout Tool
- Molded Case
- Target Plate
- Twist 360
- AA Battery Tray incl. 3 x AA



Technical Data

Accuracy, Typical	±0.08" @ 33'
Range	98'
Laser Type	Class 2 635nm
Laser Output Power	< 1 mW
Visibility	0.2 Spectral Efficiency
Beam Direction	up, down, forward, right, left
Leveling System	automatic pendulum lockable
Tripod Thread	1/4"
Battery Runtime	Up to 37hrs with AA Alkaline
Batteries	Type AA, 3 x 1.5 V, or optional 3.6V/18.7 Wh Li-Ion
Protection Class	IP54
Dimensions	2.5 x 3.9 x 4.3 in

[See Full Specs >](#)

Layout Accessories

- DISTO D2
- DISTO E7500i
- DISTO S910
- DISTO Plan

[View Video Here >](#)

Lino Adapters

- Twist 360
- Twist 250
- Tri Power Li-Ion battery & charger
- Receiver RGR 200
- Wall Mount UAL 130

[View Video Here >](#)



Our dedication to quality assures that the products we deliver are of best quality. And with extensive lab testing, you can rest assured that your device is of highest durability.