



Universalspiker til innvendig bruk.



[NO-DoP-h19/0003](#)

EGENSKAPER



BRIGHT

INDOOR

Fordeler:

- Flatt hode
- 40 graders diamant spids
- Firkantet stamme



ANVENDELSE

Bruksområde:

- Tre til tre

TEKNISK DATA

Product dimensions



Art. nr.	Item code	NOBB nr.	Fastener dimensions [mm]					
			d	l	d _h	l _g	t _{fix}	bit
FIRKSQU2.0x50	FIRKSQU	55837320	2	50	11.5	-	-	-
FIRKSQU2.2x55	FIRKSQU	55837297	2.2	55	11.5	-	-	-
FIRKSQU2.5x65	FIRKSQU	55837335	2.5	65	6	-	-	-
FIRKSQU2.8x75	FIRKSQU	55837301	2.8	75	6.8	-	-	-
FIRKSQU3.4x95	FIRKSQU	55837316	3.4	95	7.6	-	-	-

Product characteristic properties

Art. nr.	Product characteristic properties					
	Characteristic Yield Moment – M _{y,k} [M _{y,k}] [Nm]	Characteristic withdrawal parameter - f _{ax,k,90°} [f _{ax,k,90°}] [N/mm ²]	Characteristic head pull-through parameter - f _{head,k} [f _{head,k}] [N/mm ²]	Characteristic tensile capacity - f _{tens,k} [f _{tens,k}] [kN]	Characteristic torsional strength - f _{tor,k} [f _{tor,k}] [Nm]	Torsional ratio
FIRKSQU2.0x50	-	-	-	-	-	-
FIRKSQU2.2x55	-	-	-	-	-	-
FIRKSQU2.5x65	3.3	2.5	8.6	-	-	-
FIRKSQU2.8x75	4.3	2.5	8.6	-	-	-
FIRKSQU3.4x95	7	2.5	8.6	-	-	-

