



## DECLARATION OF PERFORMANCE

No. 539506

1. Unique identification code of the product-type: **TRANS Inox**
2. Intended uses: **Sealant for façade, interior applications (F INT)**
3. Manufacturer: **Novatech International NV  
Industrielaan 5b  
2250 Olen - Belgium**
4. System of AVCP: **3 plus 3**
5. Harmonised standard: **EN 15651-1: 2012-12**
6. Notified body: **NB 0757 - IFT Rosenheim**
7. Declared Performance(s)  
**Conditioning: Method B**  
**Substrate: anodized aluminum (pretreatment with PPE Primer), Concrete M1 (Primer SIP 1K)**

Essential Characteristics	Performance	Harmonized Technical Specification
Reaction to fire	Class E	<b>EN 15651-1: 2012-12</b>
Release of chemicals dangerous to the environment and health	See SDS	
Water tightness and air tightness		
Resistance to flow	≤ 3mm	
Loss of volume	≤ 10%	
Tensile properties at maintained extension after water immersion	NF	
Tensile properties at maintained extension	NF	
Tensile properties at maintained extension at -30°C	NF	
Tensile properties (secant modulus / elongation at break)	≥25%	
Tensile properties (secant modulus) at -30°C	NF	
Durability	Pass	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified in point 3.

Signed for and on behalf of the manufacturer by:

Dr. Gunther Dreezen

Director of R&D  
Olen, 24 July 2025