

Declaration of Performance

DoP-No. 5414195602034

1. Product name

Aquaseal

2. Type of product

1 component MS hybrid polymer

3. Application

Sealant for the application in facades and for

pedestrian walkways
Type F EXT-INT CC 20HM
PW EXT-INT CC 20HM
Conditioning: Method B

Substrate: anodised aluminium and grout M1 Pre-treatment with Adhesion Promoter

4. Manufacturer

Novatech International NV

Industrielaan 5 B BE-2250 Olen T. +32 14 85 97 37 F. +32 15 85 97 38 E. <u>info@tec7.com</u>

5. Representative

not applicable

6. System of assessment of constancy of performance 3 plus 3

7. Harmonised Standard

EN 15651-1: 2012-12, EN 15651-4: 2012-12

8. Notified body

ift Rosenheim GmbH, NB 0757, as notified laboratory in system 3, performed the initial test

and issued the test report.



9. Essential characteristics

	Essential characteristics	Performance	Harmonised technical specification
Reaction to fire		Class E	
Release of chemicals dangerous to the environment and health		Evaluated	
Water tightness and air tightness			
(a)	Resistance to flow	≤3mm	
(b)	Loss of volume	≤10%	
(c)	Tensile properties at maintained extension after water immersion	NF	EN 15651-1:2012-12,
(d)	Tensile properties at maintained extension	NF	EN 15651-4:2012-12
(e)	Tensile properties at maintained extension at -30°C	NF	
(f)	Tensile properties (secant modulus/elongation at break)	>0.4MPa	1
(g)	Tensile properties (secant modulus) at -30°C	NPD	1
(h)	Adhesion/cohesion properties at maintained extension	NF	1
	after 28 days water immersion		1
(i)	Adhesion/cohesion properties at maintained extension	NF	
	after 28 days salt water immersion		
(j)	Tear resistance	NF	1
(k)	Durability	pass	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Novateck International NV

Represented by

Novatio Invest NV

Delegated Representative

Mr. Bert Vissers