# Ytelseserklæring

## SI-PL-160714 Nl

I overensstemmelse med forordning (EU) nr. 305/2011

Nummer: SI-PL-160714 Nl

| | | | |
|---|---|---|---|
| 1. | Entydig identifikasjonskode for produkttypen | SI-PL-160714 Nl LaDura Premium | |
| 2. | Tilsiktet bruk | Generell bygningskonstruksjon | |
| 3. | Produsent | Etex Building Performance BV • Oosterhorn 32 • 9936HD Farmsum • Nederland | |
| 4. | Autorisert representant | Ikke aktuelt | |
| 5. | AVCP-system | System 4 | |
| 6. | Harmonisert standard<br>Notifisert organ | EN 520+A1: 2009<br>Ikke aktuelt | |
| 6b. | Europeisk vurderingsdokument<br>Europeisk teknisk vurdering<br>Teknisk vurderingsorgan<br>Notifisert organ | Ikke aktuelt<br>Ikke aktuelt<br>Ikke aktuelt<br>Ikke aktuelt | |
| 7. | Deklarert ytelse | | |
| | Vesentlige egenskaper | **Verdi** | **Harmoniseret standard** |
| | Skjærstyrke ⇅ | NPD | - |
| | Reaksjon på brann R2F | A2-s1, d0 (B) | EN 520+A1 2009, Seksjon 4.2.1 |
| | Vanndampmotstand μ | 10 (tørr) | - |
| | Bøyestyrke F<br>Tverretning<br><br>Lengderetning | <br>≥300 N (12,5mm)<br>≥360 N (15mm)<br><br>≥725 N (12,5mm)<br>≥870 N (15mm) | EN 520+A1 2009, Seksjon 4.1.2 |
| | Slagfasthet →\| | | Systemytelse |
| | Direkte luftlydisolasjon R | Systemytelse | - |
| | Akustisk absorpsjon α | Systemytelse | - |
| | Termisk motstand λ | 0,25 W/mK | EN 520+A1 2009, Seksjon 4.7 |
| 8. | Relevant teknisk dokumentasjon og/eller spesifikk teknisk dokumentasjon | Ytelsen til det identifiserte produktet ovenfor er i samsvar med den angitte ytelsen. Denne ytelseserklæringen utstedes i henhold til forskrift (EU) nr. 305/2011 under produsentens fulle ansvar.<br>Denne DoP erstatter DoP SIDE520005 og DoP SIDE5200015. | |

Underskrevet for og på vegne av produsenten av:

Se engelsk versjon, neste side

Navn og stilling

Sted og utstedelsesdato

Underskrift

BMC www.bmc-norge.no
Kilengaten 1, Inng. A, 3. etasje
3117 Tønsberg
T: 33 30 03 90
bmc@bmc-norge.no

# Declaration of performance

No **SI-PL-160714 Nl**

1. Unique identification code of the product-type: **SI-PL-160714 Nl**
2. Intended use/es: **General building construction**
3. Manufacturer: **Etex Building Performance BV**
   **Oosterhorn 32**
   **9936HD Farmsum - the Netherlands**
4. Authorised representative: **N/A**
5. System/s of AVCP: **System 4**

6a. Harmonised standard: **NEN 520+A1: 2009**

Notified body/ies: **N/A**

6b. European Assesment Document: **N/A**

European technical assessment: **N/A**

Technical Assessment Body: **N/A**

Notified body/ies: **N/A**

7. Declared performances:

| Essential characteristics | | Performance | | Harmonized technical specification |
|---|---|---|---|---|
| Shear Strength | ⇅ | | NPD | - |
| Reaction to fire | R2F | | A2-s1, d0 | NEN 520+A1 2009 Section 4.2.1 |
| Water vapour permeability | μ | | 10 (dry) | - |
| Flexural strength | F | Transverse direction | ≥300 N (12,5mm) ≥360 N (15mm) | NEN 520+A1 2009 Section 4.1.2 |
| | | Longitudinal direction | ≥725 N (12,5mm) ≥870 N (15mm) | NEN 520+A1 2009 Section 4.1.2 |
| Impact resistance | →\| | | System performance | - |
| Direct airborne sound insulation | R | | System performance | - |
| Acoustic absorption | α | | System performance | - |
| Thermal resistance | λ | | 0,25W/mK | NEN 520+A1 2009 Section 4.7 |

8. Appropriate Technical Documentation and/or Specific Technical Documentation:
   **www.siniat.nl**

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:
Neil Ash, Head of Etex BP UK-Irl-Beneno
Delfzijl, Netherlands, 9.08.2019

