



Product Family
Rope Grab removable RG 500
MultiRun

Rope Grab removable RG500 Auto/Manual Rope Grab

Honeywell

Product Numbers & Ordering Information

| Product Numbers | Details |
|---|--|
|  | 1035951 RG removable RG500 RG500 Auto/Manual Rope Grab, Ø12mmW/O Lanyard extension |
|  | 1035950 RG removable RG500 RG500 Auto/Manual Rope Grab, Ø12mm,W/ Lanyard extension 0,3m |
|  | 1035949 RG removable RG500 RG500 Auto/Manual Rope Grab, Ø12mm,W/ Lanyard extension 1m |
|  | 1035948 RG removable RG500 RG500 ANCHORAGE LINE, Ø12mm, 5M W/ counterweight & karabiner |
|  | 1035947 RG removable RG500 RG500 ANCHORAGE LINE, Ø12mm,10M W/ counterweight & karabiner |
|  | 1035946 RG removable RG500 RG500 ANCHORAGE LINE, Ø12mm, 15M W/ counterweight & karabiner |

| | |
|---------|--|
| 1035945 | RG removable RG500 RG500 ANCHORAGE LINE, Ø12mm, 20M W/ counterweight & karabiner |
| 1035944 | RG removable RG500 RG500 ANCHORAGE LINE, Ø12mm, 25M W/ counterweight & karabiner |
| 1035943 | RG removable RG500 RG500 ANCHORAGE LINE, Ø12mm, 30M W/ counterweight & karabiner |
| 1035942 | RG removable RG500 RG500 ANCHORAGE LINE, Ø12mm, 40M W/ counterweight & karabiner |
| 1035941 | RG removable RG500 RG500 ANCHORAGE LINE, Ø12mm, 50M W/ counterweight & karabiner |
| 1035940 | RG removable RG500 RG500 200m rope only Ø12m |
| 1035939 | RG removable RG500 RG500 rope xM |

Overview

Key Features

Smooth sliding vertical fall arrest system that will provide greater safety & comfort at work to quickly access the work site and better focus on their job to improve their productivity

Recommended Industries/Use

- Construction
- Utilities

Hazards

- Fall from height

Historical Brand

Honeywell Miller

Specifications

A product that suits all work situations

- Product tested on edges with an angle radius $\geq 0.5\text{mm}$. Tested at 140kg in all situations at height

Comfort and freedom of movement

- Easy to manipulate, intuitive product, grab can be removed from the rope

Better security

- Anti reverse feature

Reliability

- Corrosion resistant stainless steel construction provides increased durability

Literature & Documents

Honeywell Miller Rope Grab- RG500 _300 Brochure

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/4295003784/1033.aspx

DELIVERING SECURITY AT NEW HEIGHTS
Rope Grab- RG500 _300 Brochure
Prevent Work Site Falls
FEATURES AND BENEFITS • Compliant to EN 353-2:2002 • Maximum user weight of 140 kg • Long-lasting product in standard conditions • Can be used as anchorage device (EN 795/B:2012) 18 kN • Resistant to shocks and dust • Slides smoothly on the rope (vertica

© Honeywell International Inc.