

Declaration of performance

Producer: AS VILJANDI AKEN JA UKS, reg no 10052966, Puidu 6, 71020 Viljandi, Estonia

Hereby declares that

Product: internal door **FD30-28dB (EI30/25dB)**

Product description: hinged timber leaf hung in timber frame, fire resistant and sound insulation wooden door.

Intended use or uses of the construction product: for closing entrances between the fire compartments of heated working and living premises.

Systems of assessment and verification of constancy of performance of the construction product: system 1

Produced: AS Viljandi Aken ja Uks, Piiri 2a, 71020, Viljandi, Estonia

Confirms with following characteristics:

No	Characteristics	Test or calculation standard	Classification standard	Unit	Class/ value	Test report	Notified body*
1.	Fire resistance	EN 1634-1	EN 13501-2	Class	EI ₃₀	799-19TPU 839-20T2PU	1526
2.	Sound insulation	EN ISO 10140-2	ISO 717-1	dB	28	VTT-S-02507-12	0809

***Notified body:**

1526 – TÜV Eesti OÜ

0809 – Eurofins Expert Services Oy

- Products are produced according to standardisation proposal SFS 4434 in case it is not in conflict with European standards.
- Products are installed according to the product installation and maintenance instructions.
- "Warranty conditions for doors and windows sold by AS Viljandi Aken ja Uks" apply to the sale of products.

The Declaration of Conformity is established in accordance with Regulation 305/2011/EU.

AS Viljandi Aken ja Uks



Veiko Põldsaar
R&D Manager
25.01.2021