


ADX

A520

ADX ekstra korte bor. syl. feste



d ₁ Øh ₈ Inch	d ₁ Øh ₈ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	NOK
	3.00	0.1181	16	46	A5203.0	71,40
	3.10	0.1220	18	49	A5203.1	102,00
1/8	3.18	0.1252	18	49	A5201/8	71,90
	3.20	0.1260	18	49	A5203.2	102,00
	3.30	0.1299	18	49	A5203.3	70,20
	3.40	0.1339	20	52	A5203.4	121,00
	3.50	0.1378	20	52	A5203.5	82,70
9/64	3.57	0.1406	20	52	A5209/64	82,10
	3.60	0.1417	20	52	A5203.6	116,00
	3.70	0.1457	20	52	A5203.7	116,00
	3.80	0.1496	22	55	A5203.8	119,00
	3.90	0.1535	22	55	A5203.9	124,00
5/32	3.97	0.1563	22	55	A5205/32	92,10
	4.00	0.1575	22	55	A5204.0	91,70
	4.10	0.1614	22	55	A5204.1	91,70
	4.20	0.1654	22	55	A5204.2	107,00
	4.30	0.1693	24	58	A5204.3	146,00
11/64	4.37	0.1720	24	58	A52011/64	109,00
	4.40	0.1732	24	58	A5204.4	149,00
	4.50	0.1772	24	58	A5204.5	109,00
	4.60	0.1811	24	58	A5204.6	140,00
	4.70	0.1850	24	58	A5204.7	149,00
3/16	4.76	0.1874	26	62	A5203/16	109,00
	4.80	0.1890	26	62	A5204.8	149,00
	4.90	0.1929	26	62	A5204.9	118,00
	5.00	0.1969	26	62	A5205.0	111,00
	5.10	0.2008	26	62	A5205.1	176,00
13/64	5.16	0.2031	26	62	A52013/64	120,00

d ₁ Øh ₈ Inch	d ₁ Øh ₈ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	NOK
	5.20	0.2047	26	62	A5205.2	172,00
	5.30	0.2087	26	62	A5205.3	176,00
	5.40	0.2126	28	66	A5205.4	190,00
	5.50	0.2165	28	66	A5205.5	141,00
7/32	5.56	0.2189	28	66	A5207/32	147,00
	5.60	0.2205	28	66	A5205.6	188,00
	5.70	0.2244	28	66	A5205.7	190,00
	5.80	0.2283	28	66	A5205.8	181,00
	5.90	0.2323	28	66	A5205.9	232,00
15/64	5.95	0.2343	28	66	A52015/64	169,00
	6.00	0.2362	28	66	A5206.0	139,00
	6.10	0.2402	31	70	A5206.1	239,00
	6.20	0.2441	31	70	A5206.2	239,00
	6.30	0.2480	31	70	A5206.3	242,00
1/4	6.35	0.2500	31	70	A5201/4	179,00
	6.40	0.2520	31	70	A5206.4	237,00
	6.50	0.2559	31	70	A5206.5	181,00
	6.60	0.2598	31	70	A5206.6	246,00
	6.70	0.2638	31	70	A5206.7	244,00
17/64	6.75	0.2657	34	74	A52017/64	244,00
	6.80	0.2677	34	74	A5206.8	257,00
	6.90	0.2717	34	74	A5206.9	301,00
	7.00	0.2756	34	74	A5207.0	195,00
	7.10	0.2795	34	74	A5207.1	326,00
9/32	7.14	0.2811	34	74	A5209/32	201,00
	7.20	0.2835	34	74	A5207.2	324,00
	7.30	0.2874	34	74	A5207.3	318,00
	7.40	0.2913	34	74	A5207.4	324,00
	7.50	0.2953	34	74	A5207.5	231,00
19/64	7.54	0.2969	37	79	A52019/64	350,00
	7.60	0.2992	37	79	A5207.6	349,00
	7.70	0.3031	37	79	A5207.7	356,00
	7.80	0.3071	37	79	A5207.8	343,00
	7.90	0.3110	37	79	A5207.9	393,00
5/16	7.94	0.3126	37	79	A5205/16	240,00
	8.00	0.3150	37	79	A5208.0	241,00
	8.10	0.3189	37	79	A5208.1	401,00
	8.20	0.3228	37	79	A5208.2	415,00
	8.30	0.3268	37	79	A5208.3	415,00
21/64	8.33	0.3280	37	79	A52021/64	415,00
	8.40	0.3307	37	79	A5208.4	415,00
	8.50	0.3346	37	79	A5208.5	314,00
	8.60	0.3386	40	84	A5208.6	435,00
	8.70	0.3425	40	84	A5208.7	425,00
11/32	8.73	0.3437	40	84	A52011/32	337,00
	8.80	0.3465	40	84	A5208.8	416,00

d ₁ Øh ₈ Inch	d ₁ Øh ₈ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	NOK
	8.90	0.3504	40	84	A5208.9	474,00
	9.00	0.3543	40	84	A5209.0	309,00
	9.10	0.3583	40	84	A5209.1	528,00
23/64	9.13	0.3594	40	84	A52023/64	528,00
	9.20	0.3622	40	84	A5209.2	559,00
	9.30	0.3661	40	84	A5209.3	560,00
	9.40	0.3701	40	84	A5209.4	528,00
	9.50	0.3740	40	84	A5209.5	411,00
3/8	9.52	0.3748	43	89	A5203/8	411,00
	9.60	0.3780	43	89	A5209.6	542,00
	9.70	0.3819	43	89	A5209.7	528,00
	9.80	0.3858	43	89	A5209.8	570,00
	9.90	0.3898	43	89	A5209.9	589,00
25/64	9.92	0.3906	43	89	A52025/64	590,00
	10.00	0.3937	43	89	A52010.0	389,00
	10.10	0.3976	43	89	A52010.1	549,00
	10.20	0.4016	43	89	A52010.2	547,00
	10.30	0.4055	43	89	A52010.3	596,00
13/32	10.32	0.4063	43	89	A52013/32	649,00
	10.40	0.4094	43	89	A52010.4	649,00
	10.50	0.4134	43	89	A52010.5	552,00
	10.60	0.4173	43	89	A52010.6	659,00
	10.70	0.4213	47	95	A52010.7	759,00
27/64	10.72	0.4220	47	95	A52027/64	759,00
	10.80	0.4252	47	95	A52010.8	804,00
	10.90	0.4291	47	95	A52010.9	800,00
	11.00	0.4331	47	95	A52011.0	538,00
	11.10	0.4370	47	95	A52011.1	756,00
7/16	11.11	0.4374	47	95	A5207/16	551,00
	11.20	0.4409	47	95	A52011.2	797,00
	11.30	0.4449	47	95	A52011.3	797,00
	11.40	0.4488	47	95	A52011.4	797,00
	11.50	0.4528	47	95	A52011.5	658,00
29/64	11.51	0.4531	47	95	A52029/64	823,00
	11.60	0.4567	47	95	A52011.6	797,00
	11.70	0.4606	47	95	A52011.7	797,00
	11.80	0.4646	47	95	A52011.8	797,00
	11.90	0.4685	51	102	A52011.9	797,00
15/32	11.91	0.4689	51	102	A52015/32	623,00
	12.00	0.4724	51	102	A52012.0	628,00
	12.10	0.4764	51	102	A52012.1	988,00
	12.20	0.4803	51	102	A52012.2	947,00
	12.30	0.4843	51	102	A52012.3	1 015,00
31/64	12.30	0.4843	51	102	A52031/64	1 015,00
	12.40	0.4882	51	102	A52012.4	1 045,00
	12.50	0.4921	51	102	A52012.5	822,00

d ₁ Øh ₈ Inch	d ₁ Øh ₈ mm	d ₁ decimal Inch	l ₂ mm	l ₁ mm	e-code	NOK
	12.60	0.4961	51	102	A52012.6	1 070,00
	12.70	0.5000	51	102	A52012.7	635,00
1/2	12.70	0.5000	51	102	A5201/2	635,00
	12.80	0.5039	51	102	A52012.8	1 005,00
	12.90	0.5079	51	102	A52012.9	1 070,00
	13.00	0.5118	51	102	A52013.0	729,00